

COMMERCIAL

PRODUCT OFFERING

MID-ATLANTIC

DELAWARE, MARYLAND, VIRGINIA
& WASHINGTON, D.C.



BELGARD
COMMERCIAL

PAVER FINISHES & APPLICATIONS

Finishes



Standard (smooth)

Unit surfaces and micro-chamfers are carefully molded using a high-quality precision machined steel shoe assembly which creates units with an extremely smooth surface and precision detailed chamfer.



Antiqued

Units are molded to form specific surface and side textures that are processed through tumbling equipment, imparting a distressed or aged appearance.



Textured (slate)

Units are molded to form a surface that emulates natural stone with a sculpted, textured finish.



Pedestrian

Designated for areas that are primarily for pedestrian applications including commercial plazas that may require occasional access for emergency or maintenance vehicles, as well as residential driveways.



Light Vehicles

Designated for commercial vehicular areas, access ways, and parking lots where only cars and light trucks are anticipated. Heavy vehicles should have limited access and use.



Occasional Heavy Vehicles

Designated for vehicular areas, parking lots, and roadways where limited heavy vehicles are anticipated daily such as large delivery trucks or garbage trucks.



Frequent Heavy Vehicles

Designated for vehicular areas, parking lots, and roadways where heavy vehicles are a regular component of the daily traffic volume.

Paver application icons are general recommendations. Site conditions and pavement cross section must be considered. Paver application icons are based on placement over unbound aggregates for setting beds, base and subbase.

PAVER COLORS

Blended Colors - Crofton Series



DANVILLE BLEND



FOSSIL BEIGE



MOUNTAIN MIST



SABLE BLEND

Blended Colors - Richmond Series



CHESAPEAKE



CHESWICK



JAMES RIVER



JEFFERSON



POTOMAC BLEND



SANDBRIDGE



SCANDINA GRAY

Accent Colors - Crofton Series



CHARCOAL



SABLE BLEND



CHOCOLATE





MIDNIGHT

Accent Colors - Richmond Series




** Light colored paver has an SRI value of ≥ 29 and/or an SR value of ≥ 0.33*

DIMENSIONS™ SERIES VEHICULAR & ARCHITECTURAL PAVERS


























UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECHANICAL INSTALL	FINISHES				CHAMFER WIDTH	SQ. FT. PER PALLET		
									Standard	Shot Blast	Textured	Antiqued				
DIMENSIONS™ 3-PIECE SYSTEM																
 Dimensions 6	60 mm	3" x 6" 6" x 6" 6" x 9"	60 mm					✓	Check with your local Belgard Sales Rep.	✓					3 mm	120
 Dimensions 12	60 mm	12" x 6" 12" x 12" 12" x 18"	60 mm					✓		✓					3 mm	120
 Dimensions 18	60 mm	18" x 9" 18" x 18" 18" x 27"	60 mm					✓		✓					3 mm	112.5
 Dimensions Antiqued 3-Piece	60 mm	3" x 6" 6" x 6" 6" x 9"	60 mm										✓		N/A	120
 Dimensions Antiqued Rectangle	60 mm	6" x 9"	60 mm										✓		N/A	112
DIMENSIONS™ SINGLE PIECE																
 Dimensions 3" x 12"	60 mm 80 mm 101.6 mm	3" x 12"	60 mm	80 mm	101.6 mm			✓	Check with your local Belgard Sales Rep.	✓	✓				3 mm	110 (60 mm) 88 (80 mm) 60 (101 mm)
 Dimensions 6" x 6" <i>(80 mm & 101.6 mm special order)</i>	60 mm 80 mm 101.6 mm	6" x 6"	60 mm	80 mm	101.6 mm			✓		✓	✓				3mm	120 (60 mm) 96 (80 mm) 72 (101 mm)
 Dimensions 6" x 9"	60 mm 80 mm	6" x 9"	60 mm	80 mm	80 mm	80 mm		✓		✓	✓				3mm	112 (60 mm) 90 (80 mm)
 Dimensions 6" x 12" <i>(80 mm & 101.6 mm special order)</i>	60 mm 80 mm 101.6 mm	6" x 12"	60 mm	80 mm	101.6 mm	101.6 mm		✓		✓	✓				3 mm	120 (60 mm) 96 (80 mm) 72 (101 mm)
 Dimensions 12" x 12" <i>(80 mm & 101.6 mm special order)</i>	60 mm 80 mm 101.6 mm	12" x 12"	60 mm	80 mm	101.6 mm			✓		✓	✓				3 mm	120 (60 mm) 96 (80 mm) 72 (101 mm)
 Dimensions 12" x 18" <i>(special order)</i>	60 mm	12" x 18"	60 mm					✓		✓	✓				3 mm	120
 Dimensions 12" x 24" <i>(special order)</i>	60 mm	12" x 24"	60 mm					✓		✓	✓				3 mm	120
 Dimensions 18" x 18" <i>(special order)</i>	60 mm	18" x 18"	60 mm					✓		✓	✓				3 mm	90
 Dimensions 18" x 24" <i>(special order)</i>	60 mm	18" x 24"	60 mm					✓		✓	✓				3 mm	120
 Dimensions 24" x 24" <i>(special order)</i>	60 mm	24" x 24"	60 mm					✓		✓	✓				3 mm	80
 Dimensions 24" x 30" <i>(special order)</i>	60 mm	24" x 30"	60 mm					✓		✓	✓				3 mm	100









Secondary processes and finishes including, but not limited to, face-grinding, may impact dimensional tolerances from base dimensions. Interlocking pavers can be used for a variety of different vehicular applications. Appropriate shape and thickness is based on project-specific conditions including type of loading, base design, and subgrade conditions. It is recommended that you consult a Belgard representative in your area before specifying products for vehicular applications.


* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.



PICTURED ON SPREAD: **DIMENSIONS SERIES**

MODULAR VEHICULAR & ARCHITECTURAL PAVERS (CONT.)															
UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECHANICAL INSTALL	FINISHES				CHAMFER WIDTH	SQ. FT. PER PALLET	
									Standard	Shot Blast	Textured	Antiqued			
MODULINE SERIES®															
 Moduline 4" x 18" <i>(special order)</i>	80 mm	4" x 18"	80 mm					✓		✓	✓			3 mm	72
ORIGINS™ 3-PIECE SYSTEM															
   Origins™ 6	60 mm	3" x 6" 6" x 6" 6" x 9"	60 mm					✓				✓		3 mm	120
   Origins™ 12	60 mm	12" x 6" 12" x 12" 12" x 18"	60 mm					✓				✓		3 mm	120
   Origins™ 18	60 mm	18" x 9" 18" x 18" 18" x 27"	60 mm					✓				✓		3 mm	112.5
 Origins™ Accent	60 mm	6" x 9"	60 mm					✓				✓		3 mm	112.5
ADDITIONAL PRODUCTS															
 Brooklyn™	60 mm	3" x 9"	60 mm									✓		N/A	99.5
   Charlestone™	60 mm	6" x 6" 6" x 9" 6" x 12"	60 mm									✓		Rolled Edge	105
   London Cobble™ 3-Piece	60 mm	3" x 6" 6" x 6" 6" x 9"	60 mm					✓		✓				3.175 mm	120
 London Cobble™ Rectangle	60 mm	6" x 9"	60 mm					✓		✓				3.175 mm	112

VEHICULAR & ARCHITECTURAL PAVERS														
UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECHANICAL INSTALL	FINISHES			CHAMFER WIDTH	SQ. FT. PER PALLET	
									Standard	Textured	Antiqued			
 Holland Stone	60 mm 80 mm	4" x 8"	60 mm	80 mm <i>(special order)</i>	80 mm <i>(special order)</i>	80 mm <i>(special order)</i>	✓		✓			7 mm	120 (60 mm) 96 (80 mm)	
 Mega-Arbel®	60 mm	21" x 15¾"	60 mm							✓		N/A	104.4	



DIMENSIONS 6 & 12



ORIGINS 18



DIMENSIONS ANTIQUED













LONDON COBBLE










ORIGINS 12



HOLLAND STONE

PERMEABLE PAVERS																	
UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECHANICAL INSTALL	FINISHES				MANUF. JOINT WIDTH	% SURFACE OPENING	CHAMFER WIDTH	SQ. FT. PER PALLET	
									Standard	Ground Face	Shot Blast	Antiqued					
 Aqua-Bric® 4L	80 mm	9 ¹³ / ₁₆ " x 9 ¹³ / ₁₆ "	80 mm	80 mm	80 mm		✓	✓	✓	✓	✓		5 mm	9%	3 mm	107.6	
 Aqualine 4.5" x 9"	80 mm	4 ¹ / ₂ " x 9"	80 mm	80 mm	80 mm	80 mm	✓		✓	✓	✓		10 mm	10%	3 mm	90	
 Eco Bay II	80 mm	4 ³ / ₄ " x 4 ³ / ₄ " 4 ³ / ₄ " x 9 ¹ / ₂ "	80 mm	80 mm	80 mm	80 mm	✓	✓	✓	✓	✓		10 mm	10%	3 mm	100.28	
 Eco Dublin®	80 mm	3 ¹ / ₂ " x 6 ¹⁵ / ₁₆ " 6 ¹⁵ / ₁₆ " x 6 ¹⁵ / ₁₆ " 10 ⁵ / ₁₆ " x 6 ¹⁵ / ₁₆ "	80 mm	80 mm			✓	✓	✓	✓	✓		12 mm	7%	N/A	91.6	

CONCRETE GRID PAVEMENTS														
UNITS	THICKNESS	SIZE	APPLICATIONS				ADA	MECHANICAL INSTALL	FINISHES				% SURFACE OPENING	SQ. FT. PER PALLET
									Standard	Ground Face	Shot Blast	Antiqued		
 Turfstone™	80 mm	15¾" x 23⅝"	80 mm						✓				40%	107



AQUALINE 4.5 X 9




ECO BAY II



AQUA-BRIC 4L



ECO BAY II



TURFSTONE



ECO DUBLIN

PORCELAIN PAVERS											
UNITS	APPEARANCE	THICKNESS	SIZE	COLOR OPTIONS			ADA	PEDESTAL APPLICATION	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
											
 Glocal	Concrete	¾"	23.54" x 23.54"	Ideal			✓	✓	232.5	60	2,160
 Noon – 8 x 48	Wood	¾"	7.90" x 47.17"	Daylight, Ember, Honey, Charcoal			✓	✓	151.8	60	1,380
 Noon – 12 x 48	Wood	¾"	11.73" x 47.17"	Daylight, Ember, Honey, Charcoal			✓	✓	155	40	1,480
 Quarziti 2.0 Modular	Stone	¾"	11.65" x 23.54" 23.54" x 35.35"	Mountains, Waterfall, River			✓	✓	155	40	1,560
 Quarziti 2.0 – 18 x 36	Stone	¾"	17.64" x 35.35"	Mountains, Waterfall, River			✓	✓	234.9	54	2,198
 Quarziti 2.0 – 24 x 48	Stone	¾"	23.54" x 47.17"	Mountains, Waterfall, River			✓	✓	155	20	1,480
 Quarziti 2.0 – 24 x 24	Stone	¾"	23.54" x 23.54"	Mountains, Waterfall, River			✓	✓	32.5	60	2,160
 Silverlake	Stone	¾"	23.54" x 23.54"	Braies, Nemi, Resia			✓	✓	32.5	60	2,160
 Unico	Stone/Wood	¾"	12.99" x 23.54"	Quarziti 2.0, Noon and Ardesie Colors			✓		254.82	120	2,080

ROOFTOP PAVERS & ACCESSORIES

UNITS	THICKNESS	SIZE	MATERIAL	FINISHES			PEDESTAL APPLICATION	PCS. PER PALLET	WEIGHT PER SQ. FT. (LBS)
				Smooth	Shot Blast	Ribbed			
ROOFTOP PAVERS									
Classic Plaza Slab	1⅞"	24" x 24"	Concrete	✓	✓		✓	Varies 24-25 <i>Contact Belgard Representative for info</i>	23
Porcelain Plaza Pavers	¾"	See page 14	Porcelain	✓			✓	–	–
Wood Plaza Paver	1.5"	24" x 24" 24" x 48"	Ipe Wood	✓		✓	✓	–	5.56
ACCESSORIES									
Cubes & Cube Tops <i>(Made to order, custom sizes available)</i>	–	24" x 24" x 16½" 48" x 24" x 16½"	Ipe Wood or Powder Coated Aluminum	✓			✓	–	–
Pedestals - Fixed Height	–	¼", ½", ¾" height	–				✓	100 pcs per box	–
Pedestals - Adjustable	–	1¼" – 36" height*	–				✓	30 pcs per box	–

Classic Plaza Slab Colors




* Higher heights require extension couplers. Additionally, heights over 24" require bracing.
**SRI Color - Solar Reflective Index in excess of 80



WOOD PLAZA PAVERS



CLASSIC PLAZA SLAB



QUARZITI 2.0



GLOCAL










NOON



GLOCAL

SEGMENTAL RETAINING WALLS (SRW)


UNITS	UNIT SIZE			CONNECTION TYPE		ACCESSORIES* (SOLD SEPARATELY)		TEXTURE			FACE STYLES					BATTER/ SETBACK	SQ. FT. PER PALLET
	Height	Width	Depth	Block	Other	Column/ Corner Unit	Step Unit	Sculpted	Split	Tumbled	Straight	Beveled	Virtual Joint	Victorian	Stone Cut		
 Ashlar Tandem™	7"	13¾", 15¼", 18¾"	2⅝"	Modular Block	Reinforced Polypropylene Connector			✓								Vertical	70
 Diamond® 10DS	6"	17¼"	10"	Rear Lip					✓						✓	10.6°	43.2
 Diamond Pro Stone Cut®	8"	18"	12"	Rear Lip		✓									✓	7.1°; 1" Per Course	48
 Diamond Pro® PS Straight Face	8"	18"	12"		Fiberglass Pin	✓			✓		✓					1.7°, 4° or 7.1°	48
 Highland Stone® Retaining Wall	6"	6", 12", 18"	12"	Rear Lip					✓						✓	10.6°	24
 Highland Stone® Freestanding Wall	6"	6", 12", 18"	9"			✓			✓						✓	Vertical	27
 Melville™ Wall	4"	20"	10"								✓					Vertical	26.6



DIAMOND PRO STONE CUT




ASHLAR TANDEM




DIAMOND 10DS












HIGHLAND STONE



DIAMOND PRO PS STRAIGHT FACE



MELVILLE WALL

COMPLEMENTARY PRODUCTS		
PRODUCT	SIZE	PALLET INFORMATION
 3" Double Sided Universal Cap	3" x 17¼" x 10⅜"	48 units per pallet
 4" Universal Cap	4" x 16"/14" x 10¼"	72 units per pallet
 6" Corner	6" x 18" x 9"	40 units per pallet
 8" Corner	8" x 18" x 9"	40 units per pallet
 Landings™ Step Unit	6" x 48" x 18"	2 units per pallet
 Melville™ Cap	2" x 20" x 13"	60 units per pallet
 Tandem® Cap	3¼" x 24" x 15"	32 units per pallet
 U Start Base Block®	Full Unit = 18½" x 12" x 3½" As Laid Unit = 16⅞" x 12" x 3½"	56 units per pallet
 XL™ Cap	3" x 18 /12" x 13"	72 units per pallet

PROFESSIONAL SUPPORT



ENVIRONMENTAL SOLUTIONS

Belgard consultants can work with your team to develop the best P/ICP system design or retaining wall configuration to control runoff volume and discharge rates, improve the quality of local groundwater, reduce or prevent downstream impacts, and minimize the land consumed for stormwater management.



CAD FILES

For your convenience, Belgard offers a constantly expanding library of easy-to-download CAD files of our products and patterns.



CONTINUING EDUCATION

Belgard offers a variety of ongoing educational programs for our industry partners, including Lunch & Learns, online CEU courses, and our Belgard University training program.



SITE PLANNING

The experts at Belgard can help you optimize your site in a number of ways—whether you're looking for creative ways to define public spaces, manage or harvest stormwater, or increase the useable space for development.



ENGINEERING SERVICES

Our team of design consultants can help address both aesthetic and engineering design concerns, material quantity estimates and permit ready plans.

MID-ATLANTIC LOCATIONS



Oldcastle APG
A CRH COMPANY

2630 Conway Road
Odenton, MD 21113

1231 Willis Road,
Richmond VA 23237

Ph: 800-321-9141

Belgardcommercial.com



[BELGARDCOMMERCIAL.COM](https://www.belgardcommercial.com)