

COMMERCIAL

PRODUCT OFFERING

OLDCASTLE PACIFIC
CALIFORNIA & NEVADA



BELGARD
COMMERCIAL



PAVER APPLICATIONS



Pedestrian

Designated for areas that are primarily for pedestrian applications including commercial plazas that may require occasional access for emergency or maintenance vehicles, as well as residential driveways.



Light Vehicles

Designated for commercial vehicular areas, access ways, and parking lots where only cars and light trucks are anticipated. Heavy vehicles should have limited access and use.



Occasional Heavy Vehicles

Designated for vehicular areas, parking lots, and roadways where limited heavy vehicles are anticipated daily such as large delivery trucks or garbage trucks.



Frequent Heavy Vehicles

Designated for vehicular areas, parking lots, and roadways where heavy vehicles are a regular component of the daily traffic volume.

DIMENSIONS SERIES
SMOOTH & GROUND FACE

Paver application icons are general recommendations. Site conditions and pavement cross section must be considered. Paver application icons are based on placement over unbound aggregates for setting beds, base and subbase.










BELGARD PAVER COLORS & FINISHES



SMOOTH SHOT BLAST GROUND FACE

Belgard Commercial allows you to customize your project with optional finishes: Smooth, Shot Blast and Ground face. Contact your Belgard Commercial Representative for more information.

Contact your Belgard Representative for custom finish options and sample products, as well as ADA Compliant products.














BLENDED COLORS




* Light colored paver has an SRI value of ≥ 29 and/or an SR value of ≥ 0.33
Select Blended colors are available in SRI when custom ordered with white cement. Contact your Belgard Representative for more information.

MODULINE SERIES® VEHICULAR & ARCHITECTURAL PAVERS

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECHANICAL INSTALL	FINISHES				CHAMFER WIDTH	SQ. FT. PER PALLET
									Standard	Ground Face	Shot Blast	Antiqued		
 4" x 12"	80 mm	4" x 12"	80 mm	80mm			✓		✓	✓	✓		3 mm	85
 4" x 18"	80 mm	4" x 18"	80 mm				✓		✓	✓	✓		3 mm	72
 6" Bishop Hat	60 mm 80 mm 101.6 mm	4" x 24"	60 mm	80 mm	80 mm	80 mm 101.6 mm	✓		✓	✓	✓	✓	3 mm	84.5 (60 mm) 67.6 (80 mm) 50.7 (101.6 mm)
 3-Piece Modular <i>(Available in Natural Stone Finish)</i>	80 mm	6" x 6", 6" x 12", 12" x 12"	80 mm	80 mm			✓	✓	✓	✓	✓	✓	3 mm	96
 5-Piece Modular	80 mm	6" x 6", 6" x 9", 9" x 9", 6" x 12", 9" x 12"	80 mm	80 mm			✓	✓	✓	✓	✓	✓	3 mm	93.5

DIMENSIONS™ SERIES VEHICULAR & ARCHITECTURAL PAVERS

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECHANICAL INSTALL	FINISHES				CHAMFER WIDTH	SQ. FT. PER PALLET
									Standard	Ground Face	Shot Blast	Antiqued		
 3" x 9"	80 mm	9" x 9"	80 mm	80 mm	80 mm	80 mm	✓		✓	✓	✓	✓	3 mm	90
 3" x 12" <i>(Available in new Striated Finish)</i>	60 mm 80 mm 101.6 mm	3" x 12"	60 mm	80 mm	101.6 mm		✓		✓	✓	✓	✓	3 mm	110 (60 mm) 88 (80 mm) 66 (101.6 mm)
 3" x 18"	101.6 mm	3" x 18"	101.6 mm				✓		✓	✓	✓		3 mm	49.5
 6" x 6"	60 mm 80 mm 101.6 mm	6" x 6"	60 mm	80 mm	80 mm 101.6 mm		✓		✓	✓	✓	✓	3 mm	120 (60 mm) 96 (80 mm) 72 (101.6 mm)
 6" x 9"	60 mm 80 mm	6" x 9"	60 mm	80 mm	80 mm	80 mm	✓		✓	✓	✓	✓	3 mm	112.5 (60 mm) 90 (80 mm)
 6" x 12"	60 mm 80 mm 101.6 mm	6" x 12"	60 mm	80 mm	101.6 mm	101.6 mm	✓		✓	✓	✓	✓	3 mm	120 (60 mm) 96 (80 mm) 72 (101.6 mm)
 9" x 9"	80 mm	9" x 9"	80 mm	80 mm	80 mm		✓		✓	✓	✓	✓	3 mm	90
 12" x 12"	60 mm 80 mm 101.6 mm	12" x 12"	60 mm	80 mm 101.6 mm	101.6 mm		✓		✓	✓	✓	✓	3 mm	120 (60 mm) 96 (80 mm) 72 (101.6 mm)
 12" x 18"	60 mm	12" x 18"	60 mm				✓		✓	✓			3 mm	120
 12" x 24"	60 mm	12" x 24"	60 mm				✓		✓	✓			3 mm	120
 18" x 18"	60 mm	18" x 18"	60 mm				✓		✓	✓			3 mm	90
 24" x 24"	60 mm	24" x 24"	60 mm				✓		✓				3 mm	80
 Dimensions™ 18	60 mm	9" x 18" 18" x 18" 27" x 18"	60 mm				✓		✓				3 mm	112.5
 Dimensions™ 12	60 mm	6" x 12" 12" x 12" 12" x 18"	60 mm				✓		✓				3 mm	120
 Dimensions™ 6	60 mm	3" x 6" 6" x 6" 6" x 9"	60 mm				✓		✓			✓	3 mm	120




FOUNDRY & GRAPHITE



RIO BLEND



GRAPHITE, CHAMPAGNE & FOUNDRY



GRAPHITE, SUEDE, CHAMPAGNE & LINEN

















GRAPHITE, SUNSET & DESERT



LINEN

PICTURED ON SPREAD:
DIMENSIONS & MODULINE SERIES

VEHICULAR & ARCHITECTURAL PAVERS
















UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECHANICAL INSTALL	FINISHES				CHAMFER WIDTH	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
									Standard	Ground Face	Shot Blast	Antiqued				
 Avalon Slate Large (3 pc)	60 mm	6" x 12" 9" x 12" 12" x 12"	60 mm				✓					✓**	N/A	120	160	3,230
 Cambridge Cobble® (Square)	60 mm 80 mm	6" x 6"	60 mm	80 mm	80 mm				✓			✓**	Rounded Chamfer	120 (60 mm) 96 (80 mm)	480 (60 mm) 384 (80 mm)	3,230 (60 mm) 3,580 (80 mm)
 Cambridge Cobble® (Rectangle)	60 mm 80 mm	6" x 9"	60 mm	80 mm	80 mm	80 mm			✓			✓**	Rounded Chamfer	112 (60 mm) 90 (80 mm)	300 (60 mm) 240 (80 mm)	3,020 (60 mm) 3,360 (80 mm)
 Cambridge Cobble® (Large Rectangle)	60 mm	9" x 12"	60 mm						✓			✓**	Rounded Chamfer	120	160	3,086
 Cambridge Cobble® (Circle Kit)	60 mm	6" x various	60 mm						✓			✓**	Rounded Chamfer	78.5	N/A	2,140
 Catalina™ Grana Large (3 pc)	60 mm	6" x 12" 9" x 12" 12" x 12"	60 mm				✓		✓	✓**	✓**	✓**	4 mm	120	160	3,230
 Dublin Cobble® (3 pc)	60 mm	3" x 6" 6" x 6" 6" x 9"	60 mm									✓	N/A	114	480	3,080
 Dublin Cobble® (Large Square)	60 mm	9" x 9"	60 mm									✓	N/A	106	200	2,860
 Holland Stone 60 mm <i>(sizes sold separately)</i>	60 mm	4" x 4" 4" x 8" 8" x 8" 8" x 12" 8" x 16" 16" x 16"	60 mm				✓		✓	✓**	✓**		4 mm	98 (4 x 4) 120 (4 x 8) 106 (8 x 8) 106 (8 x 12) 106 (8 x 16) 106 (16 x 16)	880 (4 x 4) 540 (4 x 8) 240 (8 x 8) 160 (8 x 12) 120 (8 x 16) 60 (16 x 16)	3,020 (4 x 8)
 Holland Stone 80 mm <i>(sizes sold separately)</i>	80 mm	4" x 4" 4" x 8" 8" x 8" 8" x 12"	80 mm	80 mm	80 mm <i>(4 x 4, 4 x 8, 8 x 8 only)</i>	80 mm <i>(4 x 8 only)</i>	✓	80 mm <i>4 x 8 Herringbone Pattern</i>	✓	✓**	✓**		4 mm	78 (4 x 4) 96 (4 x 8) 85 (8 x 8) 85 (8 x 12)	704 (4 x 4) 432 (4 x 8) 192 (8 x 8) 128 (8 x 12)	3,575 (4 x 8)
 Mega-Arbel®	60 mm 80 mm	15¾" x 21"	60 mm 80 mm						✓				N/A	104.4 (60 mm) 78.3 (80 mm)	72 (60 mm) 54 (80 mm)	2,850 (60 mm) 2,870 (80 mm)
 Mega-Lafitt™ Slate (3 pc)	80 mm	5¼" x 10½" 10½" x 10½" 10½" x 15¾"	80 mm									✓	N/A	92.7	117	3,195
 Mega-Lafitt™ Slate (Large Square)	80 mm	15¾" x 15¾"	80 mm									✓	N/A	93	54	3,245











Interlocking pavers can be used for a variety of different vehicular applications. Appropriate shape and thickness is based on project-specific conditions including type of loading, base design, and subgrade conditions. It is recommended that you consult a Belgard representative in your area before specifying products for vehicular applications.


Secondary processes and finishes including, but not limited to, face-grind and shot blast, may impact dimensional tolerances from base dimensions.

* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.








** Custom finishes, contact Belgard Representative for details.

VEHICULAR & ARCHITECTURAL PAVERS (CONTINUED)																
UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECHANICAL INSTALL	FINISHES				CHAMFER WIDTH	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
									Standard	Ground Face	Shot Blast	Antiqued				
 Melville™ Plank Slim (3 pc)	60 mm	5" x 11 ¹³ / ₁₆ " 5" x 15 ³ / ₄ " 5" x 19 ¹ / ₁₆ "	60 mm				✓		✓	✓**	✓**		3 mm	114.5	210	3,150
 Melville™ Plank Large (3 pc)	60 mm	7 ¹ / ₂ " x 11 ¹³ / ₁₆ " 7 ¹ / ₂ " x 15 ³ / ₄ " 7 ¹ / ₂ " x 19 ¹ / ₁₆ "	60 mm				✓		✓	✓**	✓**		3 mm	122.7	150	3,380
 Old World Paver™	80 mm	5 ¹ / ₈ " x 7 ³ / ₄ " 5 ¹ / ₈ " x 10 ¹ / ₄ " 5 ¹ / ₈ " x 12 ¹³ / ₁₆ "	80 mm	80 mm								✓	N/A	90.27	256	3,030
 Origins™ Accent	60 mm	6" x 9"	60 mm				✓		✓				3 mm	112	300	3020
 Origins™ 6	60 mm	3" x 6" 6" x 6" 6" x 9"	60 mm				✓		✓				3 mm	120	480	3230
 Origins™ 12	60 mm	6" x 12" 12" x 12" 12" x 18"	60 mm				✓		✓				3 mm	120	120	3180
 Origins™ 18	60 mm	9" x 18" 18" x 18" 27" x 18"	60 mm				✓		✓				3 mm	112.5	50	3152
 Urbana® Stone (3 pc)	60 mm 80 mm	4" x 8" 8" x 8" 8" x 12"	60 mm 80 mm	80 mm			✓					✓	N/A	116.4 (60 mm) 105 (80 mm)	243 (60 mm) 243 (80 mm)	3,814 (60 mm) 3,814 (80 mm)
 Urbana® Stone (Large Square)	60 mm 80 mm	12" x 12"	60 mm 80 mm	80 mm			✓					✓	N/A	105 (60 mm) 105 (80 mm)	108 (60 mm) 108 (80 mm)	3,820 (60 mm) 3,820 (80 mm)

GEOMETRIC SHAPES																
UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECHANICAL INSTALL	FINISHES				CHAMFER WIDTH	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
									Standard	Ground Face	Shot Blast	Antiqued				
 Diamond	60 mm	12" x 12"	60 mm				✓		✓	✓	✓		3 mm	93.53	108	2,664
 Hexagon	60 mm	12" x 12"	60 mm				✓		✓	✓	✓		3 mm	100.02	154	2,845
 12" Parallelogram	60 mm	3" x 12"	60 mm				✓		✓	✓	✓		3 mm	85.73	396	2,392
 18" Parallelogram	60 mm	6" x 18"	60 mm				✓		✓	✓	✓		3 mm	114.31	176	3,225



PERMEABLE PAVERS																			
UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECHANICAL INSTALL	FINISHES				MANUF. JOINT WIDTH	% SURFACE OPENING	CHAMFER WIDTH	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)	
									Standard	Ground Face	Shot Blast	Antiqued							
AQUALINE™ SERIES																			
 3" x 12"	80 mm	3" x 12"	80 mm	80 mm			✓		✓	✓**	✓**		10 mm	10%	3 mm	88	352	3012	
 4.5" x 9"	80 mm	4.5" x 9"	80 mm	80 mm	80 mm	80 mm	✓	✓	✓	✓**	✓**		10 mm	10%	3 mm	90	320	3100	
 6" x 6"	80 mm	6" x 6"	80 mm	80 mm	80 mm		✓		✓	✓**	✓**		10 mm	7%	3 mm	96	384	3295	
 6" x 12"	80 mm 101.6 mm	6" x 12"	80 mm	80 mm	101.6 mm	101.6 mm	✓	✓	✓	✓**	✓**		10 mm	5%	3 mm	96 (80 mm) 69 (101 mm)	192 (80 mm) 144 (101 mm)	3350 (80 mm) 2867 (101 mm)	
 12" x 12"	80 mm	12" x 12"	80 mm	80 mm			✓		✓	✓**	✓**		10 mm	3%	3 mm	96	96	3485	
ADDITIONAL PRODUCT LINES																			
 Aqua Dublin	80 mm	3½" x 6⅛" 6⅛" x 6⅛" 10¼" x 6⅛"	80 mm	80 mm			✓	✓	✓	✓**	✓**	✓**	10 mm	10%	3 mm	92.4	288	3240	

CONCRETE GRID PAVEMENTS																
UNITS	THICKNESS	SIZE	APPLICATIONS				ADA	MECHANICAL INSTALL	FINISHES				% SURFACE OPENING	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
									Standard	Ground Face	Shot Blast	Antiqued				
 Turfstone™	80 mm	15¾" x 23⅝"	80 mm						✓				40%	101	40	2680


Secondary processes and finishes including, but not limited to, face-grind and shot blast, may impact dimensional tolerances from base dimensions.

* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.

** Custom finishes, contact Belgard Representative for details.



AQUA DUBLIN




AQUALINE



AQUALINE



AQUA DUBLIN









TURFSTONE




AQUALINE

PORCELAIN PAVERS										
UNITS		APPEARANCE	THICKNESS	SIZE	COLOR OPTIONS	ADA	PEDESTAL APPLICATION	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
										
	Ardesie	Stone	¾"	24" x 24"	African Stone, Island, Shore*, Vulcan*, Black Reef*	✓	✓	232.5	60	2,160
	Foundation	Concrete	¾"	24" x 24"	Amber Beige, Scandina Gray	✓	✓	275.04	72	2,517.36
	Genoa	Stone	¾"	24" x 24"	Blanco, Crema	✓	✓	275.04	72	2,517.36
	Genoa	Stone	¾"	12" x 24"	Blanco, Crema	✓	✓	303.6	160	2,807
	Glocal	Concrete	¾"	24" x 24"	Clear, Ideal, Type, Classic, Absolute*, Chamois*	✓	✓	232.5	60	2,160
	Glocal	Concrete	¾"	24" x 48"	Clear, Ideal, Type, Classic, Absolute*, Chamois*	✓	✓	271.25	35	2,621
	Glocal <i>(special order - allow 12-14 weeks lead time)</i>	Concrete	¾"	36" x 36"	Clear*, Ideal*, Type*, Classic*, Absolute*, Chamois*	✓	✓	156.94	18	1,525
	Glocal <i>(special order - allow 12-14 weeks lead time)</i>	Concrete	¾"	48" x 48"	Ideal*, Type*, Classic*, Absolute*, Chamois*	✓	✓	310	20	3,009
	Jurupa	Wood	¾"	12" x 48"	Cool, Master, Camp	✓	✓	279	72	2,664
	Lagoon	Stone	¾"	24" x 48"	Moonbeam, Sandshell, Atmosphere, Sharkskin, Cloudburst	✓	✓	271.25	35	2,621
	Lemmy	Concrete	¾"	32" x 32"	Nimbus, Excalibur, Venom, King	✓	✓	288.96	42	2,750
	Na.Me	Stone	¾"	24" x 24"	Bourgogne, Jura Beige	✓	✓	232.5	60	2,160
	Noon	Wood	¾"	8" x 48"	Daylight, Ember, Honey	✓	✓	151.8	60	1,415
	Noon	Wood	¾"	12" x 48"	Daylight, Ember, Honey	✓	✓	279	72	2,664


PORCELAIN PAVERS (CONTINUED)										
UNITS	APPEARANCE	THICKNESS	SIZE	COLOR OPTIONS	ADA	PEDESTAL APPLICATION	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)	
										
 Quarziti 2.0	Stone	¾"	24" x 24"	Glacier, Mountains, Waterfall, River, Mantle	✓	✓	232.5	60	2,160	
 Quarziti 2.0	Stone	¾"	12" x 24"	Glacier, Mountains, Waterfall, River, Mantle*	✓	✓	232.4	120	2,201	
 Quarziti 2.0 <i>(special order - allow 12-14 weeks lead time)</i>	Stone	¾"	18" x 36"	Glacier*, Mountains*, Waterfall*, River*, Mantle*	✓	✓	234.9	54	2,235	
 Quarziti 2.0	Stone	¾"	24" x 48"	Glacier, Mountains, Waterfall, River, Mantle*	✓	✓	271.25	35	2,621	
 Silverlake	Stone	¾"	24" x 24"	Braies, Resia, Moritz*, Nemi, Moro*, Orsi	✓	✓	232.5	60	2,160	
 Silverlake	Stone	¾"	24" x 48"	Braies, Resia, Moritz*, Nemi, Moro*, Orsi	✓	✓	271.25	35	2,621	
 Silverlake <i>(special order - allow 12-14 weeks lead time)</i>	Stone	¾"	32" x 32"	Braies*, Resia*, Moritz*, Nemi*, Moro*, Orsi*	✓	✓	289.33	42	2,751	
 Verona	Stone	¾"	24" x 24"	Blue Stone, Platinum, Taos, Yukon	✓	✓	232.5	60	2,160	
 Step Edge	Various	¾"	13" x 24"	Glocal: Ideal, Type, Classic, Clear; Jurupa: Cool, Master, Camp; Lagoon: Moonbeam, Sandshell; Lemmy: Nimbus, Excalibur, Venom, King; Silverlake: Braies, Resia, Moritz*, Nemi, Moro*, Orsi	✓		254.82	120	2,080	
 Unico	Various	¾"	13" x 24"	Ardesie: African Stone, Island; Glocal: Ideal, Type, Classic, Clear; Noon: Daylight, Ember, Honey; Quarziti 2.0: Glacier, Mountains, Waterfall, River; Verona: Blue Stone, Platinum, Taos, Yukon	✓		254.82	120	2,080	




RESISTANT TO FREEZE THAW
Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F).




RESISTANT TO BREAKAGE
Because every slab can withstand loads of over 2200 lbs.




RESISTANT TO CHEMICAL AGGRESSION
Because our pavers are unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.




RESISTANT TO STAINS
Because a high density and ultra-low absorption rate creates a tight paver surface, it fends off surface mold, moss, dirt and other types of stains.




EASY TO LAY
Because of superior accuracy in dimensional sizing and linear sides, the pavers allow for perfectly executed installations with tight and accurate lines.



EASY TO CLEAN
Because it can be cleaned with normal household cleaners and even pressure washed with a **low pressure** washing device.**























EASY TO REMOVE
Because a 24" x 24" slab weighs just 37 lbs., its light weight permits easy removal, serviceability and even reusability. (Excluding adhered installations).




EASY FOR YOU
Because the structured top textures formed on the surface of our pavers create slip resistant surfaces.


*** It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.*



SEGMENTAL RETAINING AND FREESTANDING WALLS (SRW & FSW)																			
UNITS		UNIT SIZE			CONNECTION TYPE		ACCESSORIES* (SOLD SEPARATELY)		TEXTURE			FACE STYLES				BATTER/ SETBACK	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
		Height	Width	Depth	Block	Other	Column/ Corner Unit	Step Unit	Sculpted	Split	Tumbled	Straight	Beveled	Virtual Joint	Stone Cut				
	Ashlar Tandem™	7"	13 ³ / ₁₆ ", 15 ¹ / ₁₆ ", 18 ⁷ / ₁₆ "	2 ⁵ / ₈ "	Modular Block	Reinforced Polypropylene Connector			✓							0 / 4°	70.1	90	2,003
	Belair Wall® 2.0 FSW	6"	6", 10", 16"	5"			✓		✓			✓				Vertical	30	120	2,700
	Belair Wall® 2.0 SRW	6"	6", 10", 16"	8"	Rear Lip		✓		✓			✓				9°; 1" Per Course	30	60	2,445
	Castlemanor®	6"	6", 12", 16"	10"		Fiberglass Pins	✓			✓	✓	✓				Vertical or 9.5° Setback	26	60	3,394
	Diamond® 9D	6"	16.7"	9"	Rear Lip					✓			✓			10.6°; 1.125" Per Course	35.5	48	2,670
	Diamond Pro®	8"	18"	12"	Rear Lip					✓		✓	✓	✓	✓	7.1°; 1" Per Course	45	45	3,375
	GeoHold Pro	8"	18"	12"		Mechanical Connection				✓		✓				1.7°	36	36	2,450
	Highland Stone® SRW	6"	18", 12", 6"	12"	Rear Lip		✓			✓		✓				10.6°; 1.125" Per Course	27	108	3,038
	Highland Stone® FSW	6"	18", 12", 6"	9"			✓			✓		✓				Vertical	27	108	3,728
	Melville Tandem™	7"	13 ³ / ₁₆ ", 15 ¹ / ₁₆ ", 18 ⁷ / ₁₆ "	2 ⁵ / ₈ "	Modular Block	Reinforced Polypropylene Connector						✓				0 / 4°	70.1	90	2,003
	Melville™ Wall	4"	20"	10"								✓				Vertical	26.67	48	3,120
	Shelton™ Wall	6"	6", 12", 16"	10"		Fiberglass Pins	✓				✓	✓				Vertical or 9.5° Setback	26	60	3,394
	Steeple Crest™	6"	6", 12", 16"	10"		Fiberglass Pins	✓					✓				Vertical or 9.5° Setback	26	60	3,394
	Sterling®	6"	17 ³ / ₄ "	12		Fiberglass Pins				✓		✓				10.6°	33.2	45	3,375
	Tandem® Modular Block	7"	7 ⁷ / ₈ "	7 ⁷ / ₈ "												N/A	49.29	128	2,816
	Vertica®	8"	18"	11"	Surface Lug		✓			✓		✓	✓	✓		2°; 9/32" Setback & 4°; 1/2" Setback	45	45	3,825
	Vertica Pro®	8"	18"	20"	Surface Lug		✓			✓		✓	✓			2°; 9/32" Setback	30	30	3,600
	Vertica® Planter Unit	8"	18"	16"	Surface Lug					✓		✓	✓			5" Nominal	30	30	2,850
	Weston Universal	4"	12"	8"							✓	✓				Vertical	33.5	100	3,509



ASHLAR TANDEM



MELVILLE WALL



DIAMOND PRO VIRTUAL JOINT



DIAMOND PRO STONE CUT



STERLING WALL



BELAIR WALL 2.0

ROOFTOP PAVERS & PEDESTALS

Possibilities are endless when designing and building plaza decks using Belgard Commercial Pedestals. The pedestal system’s elevation range of 1/8" - 36" allows for building plaza decks over almost any sloping or difficult surface.

Building plaza decks over occupied space has never been easier. The unique screw-to-adjust feature eliminates tedious and time-consuming installation often associated with constructing level decks over sloping surfaces. Construction crews quickly level each plaza paver by adjusting pedestal height, even while loaded.

Future access to waterproofing entails simply removing specific plaza pavers. Pedestal adjustments within the allowed range are accomplished by merely adjusting pedestal height and you're done – saving time and money.

SPECIFICATIONS

- Supports up to 1000 lbs.
- Maximum elevation up to 36" using couplers and braces
- Impervious to water, mold & freeze-thaw
- Preassembled
- Packaged in weather-resistant boxes
- Contains 20% post-industrial recycled material
- Engagement "bumps" warn of over-extension

RESOURCES AVAILABLE

- CAD details
- Specifications
- Technical cut sheets
- Maintenance guide
- Videos: planning, installation & more
- Take-off assistance
- Samples available
- Technical assistance
- Customer service



	MODEL SE SUPPORTS	MODEL NM SUPPORTS	PEDESTAL PRIME SUPPORTS
Self Leveling Head	✓		✓
Fixed Head	✓	✓	✓
Adjustable	✓	✓	✓
Extendable w/ Coupler	✓	✓	✓
Adjustment Key	✓	✓	✓
Locking IPE Pins	✓	✓	✓
Recycleable (LEED)	✓	✓	✓
Loading Capacity	✓	✓	✓
Integrated Extension Coupler			✓

ROOFTOP PLAZA SLABS							
UNITS	PAVER THICKNESS	PAVER SIZE	APPLICATIONS		ADA	SQ. FT. PER PALLET	PALLET WEIGHT (LBS)
				ROOFTOPS & PLAZAS			
Saturna 12 x 24	50 mm	12" x 24"	✓	✓	✓	135	2,900
Saturna 24 x 24	50 mm	24" x 24"	✓	✓	✓	96	2,300
Saturna 18 x 18	40mm	18" x 18"	✓	✓	✓	100	2,400
Texada 12 x 24	50 mm	12" x 24"	✓	✓	✓	135	2,900
Saturna 24 x 24	50 mm	24" x 24"	✓	✓	✓	96	2,300
Saturna 18 x 18	40 mm	18" x 18"	✓	✓	✓	100	2,400
Western Plaza Slab	1 13/16"	24" x 24"	✓	✓	✓	96	2,208
Ipe Wood Plaza Slab	1.69"	24" x 24"	✓	✓	✓	176	990.88
Ipe Wood Plaza Slab	1.69"	24" x 48"	✓	✓	✓	176	990.88
Cumaru Wood Plaza Slab	1.69"	24" x 24"	✓	✓	✓	176	990.88
Cumaru Wood Plaza Slab	1.69"	24" x 48"	✓	✓	✓	176	990.88

CUBES (PLANTERS/BENCHES) & CUBE TOPS			
PRODUCT NAME	COMMON SIZES (CUSTOM SIZES AVAILABLE)	COLORS (CUSTOM COLORS AVAILABLE)	MINIMUM QTY
Powder Coated Aluminum Cube	24"L x 24"H x 20"H 24"L x 24"H x 36"H 48"L x 24"H x 20"H 48"L x 24"H x 36"H	Red, Black, White, Charcoal, Silver, Bronze, Zinc*	1
Ipe Cube	24"L x 24"H x 16.5"H 48"L x 24"H x 16.5"H	Brown (Natural variations to be expected)	1
Ipe Top	24"L x 24" H 48"L x 24"H	Brown (Natural variations to be expected)	1

PEDESTALS & ACCESSORIES		
PRODUCT NAME	PRODUCT DESCRIPTION	PIECES PER CARTON
STAR-T	3/8" - 9/16" (10-15mm)	50
STAR-B	3/16" Extension (5mm)	50
SE0-P	1.125" - 1.5" (28-38mm)	40
SE1-P	1.5" - 2" (37.5-50mm)	30
SE2-P	2" - 3" (50-75mm)	25
SE3-P	3" - 4.75" (75-120mm)	25
SE4-P	4.75" - 6.75" (120-170mm)	25
SE5-P	6.75" - 8.75" (170-215mm)	25
NM-1	1"-1.57" (25-40mm)	40
NM-2	1.57"-2.75" (40-70mm)	30
NM-3	2.36"-3.93" (60-100mm)	25
NM-4	3.54"-6.30" (90-160mm)	15
NM-5	5.90"-10.63" (150-270mm)	12
NM-EXT	5.7" Extension (145mm)	30
EH-12	1/2" Fixed (12mm)	250
EH-15	5/8" Fixed (16mm)	200
EH-20	3/4" Fixed (20mm)	150
RUB-14	1/4" Fixed RUBBER	150
RUB-38	3/8" Fixed RUBBER	150
RUB-PINS	1/4" Fixed w/ 4 Pins	100
PR1	1.2" - 2.55" Adjustable Pedestal	1 per box
PR2	6.1" Adjustable Pedestal	1 per box
PR3	16" Adjustable Pedestal	1 per box



WESTERN PLAZA SLAB



WOOD PLAZA PAVERS





SATURNA



TEXADA



ALUMINUM CUBE COLORS



NOTICE: Colors subject to change without prior notice. Colors in this brochure may vary from current stock. Actual samples are available from Belgard Commercial. Slight variations in color may occur during manufacturing. Slight scuffing may occur during handling.

STOCKED COLORS FOR OLDCASTLE PACIFIC - FONTANA *(SUBJECT TO CHANGE)*

PRODUCT NAME	TOSCANA	BELLA	VICTORIAN	MONTECITO	SANTA MONICA	RIO	AUTUMN	GRAPHITE	FOUNDRY	LINEN
PAVERS										
Aqua Dubin	✓					✓				
Aqualine 4.5 x 9	✓		✓			✓				
Avalon 3-piece Large	✓	✓	✓	✓						
Cambridge Cobble 6 x 9 30 mm Overlay	✓		✓							
Cambridge Cobble 6 x 6 30 mm Overlay	✓		✓							
Cambridge Cobble 6 x 6 60 mm	✓	✓	✓	✓	✓	✓	✓			
Cambridge Cobble 6 x 9 60 mm	✓	✓	✓	✓	✓	✓	✓			
Cambridge Cobble 9 x 12 60 mm	✓	✓	✓	✓						
Cambridge Cobble Circle 60 mm	✓	✓	✓	✓						
Catalina Grana 3-piece Large	✓	✓	✓	✓		✓	✓			
Dimensions 3 x 12	✓		✓			✓				
Dimensions 6 x 9	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Dimensions 18	✓	✓	✓			✓				
Dimensions 12	✓	✓	✓			✓				
Dimensions 6	✓	✓	✓			✓				
Dimensions Slab 12 x 24 60 mm	✓	✓	✓	✓		✓		✓	✓	✓
Dimensions Slab 24 x 24 60 mm	✓	✓	✓	✓		✓	✓	✓	✓	✓
Dublin Cobble 3-piece Tumbled	✓	✓	✓	✓						
Dublin Cobble 9 x 9 Tumbled	✓	✓	✓	✓						
Dublin Cobble Circle Tumbled	✓	✓	✓	✓						

STOCKED COLORS FOR OLDCASTLE PACIFIC - FONTANA (SUBJECT TO CHANGE)

PRODUCT NAME	TOSCANA	BELLA	VICTORIAN	RIO	RIVIERA	GRAY	GRAPHITE	FOUNDRY	LINEN	VALENCIA
PAVERS										
Geometric Shapes							✓	✓	✓	
Holland 4 x 8 60mm	✓	✓	✓	✓			✓			✓
Holland 4 x 8 80mm	✓	✓	✓	✓						✓
Mega-Arbel Patio Stone	✓	✓	✓							
Melville Plank 5" Slim			✓	✓			✓	✓	✓	
Melville Plank 7.5" Large			✓	✓			✓	✓	✓	
Moduline 3-piece	✓		✓	✓						
Turfstone						✓				
Urbana Stone	✓		✓							
Urbana Stone 12 x 12	✓		✓							
WALLS										
Ashlar Tandem Wall & Cap	✓		✓		✓					
Belair Wall 2.0 Retaining Wall	✓		✓	✓						
Belair Wall 2.0 Freestanding Wall	✓		✓	✓						
Belair Wall 2.0 Corner/Column	✓		✓	✓						
Belair Wall 2.0 Cap	✓		✓	✓						
Belair Wall 2.0 Wall End	✓		✓	✓						
Belair Wall 2.0 Cap End	✓		✓	✓						

STOCKED COLORS FOR OLDCASTLE PACIFIC - FONTANA (SUBJECT TO CHANGE)													
PRODUCT NAME	TOSCANA	BELLA	VICTORIAN	MONTECITO	RIO	AUTUMN	GRAY	GRAPHITE	FOUNDRY	LINEN	RIVIERA	TAN	VALLEY TAN
WALLS													
Castlemanor Wall & Cap	✓		✓										
Diamond 9D			✓			✓							✓
Diamond Pro							✓					✓	
Highland Stone 6"/12" Retaining Wall	✓	✓	✓										
Highland Stone 18" Retaining Wall	✓	✓	✓										
Highland Stone 6"/12" Freestanding Wall	✓	✓	✓										
Highland Stone 18" Freestanding Wall	✓	✓	✓										
Highland Stone Column	✓	✓	✓										
Highland Stone Cap	✓	✓	✓		✓	✓		✓					
Melville Tandem Wall & Cap	✓		✓								✓		
Melville Wall & Cap			✓		✓			✓		✓			
Shelton Wall	✓		✓		✓	✓							
Steeple Crest	✓		✓		✓	✓							
Sterling Wall	✓		✓		✓								
U Start Base Block							✓						
Weston Stone 3-Piece	✓	✓	✓										
Weston Stone Universal	✓	✓	✓		✓								
ACCESSORIES													
Anglia Edger	✓	✓	✓										
Marina Coping	✓	✓	✓	✓	✓	✓		✓					
Melville Curb	✓		✓					✓	✓				

STOCKED COLORS FOR OLDCASTLE PACIFIC - STOCKTON *(SUBJECT TO CHANGE)*

PRODUCT NAME	VICTORIAN	TOSCANA	ASPEN	BELLA	AUTUMN	RIVIERA	FOUNDRY	GRAPHITE
PAVERS								
Aqualine 4.5 x 9	✓	✓						
Avalon Slate 3-piece Large	✓	✓		✓	✓	✓		
Belgian Cobble						✓		✓
Cambridge Cobble 6 x 6 60mm	✓	✓		✓	✓	✓		
Cambridge Cobble 6 x 9 60mm	✓	✓		✓	✓	✓		✓
Cambridge Cobble 9 x 12 60mm	✓	✓		✓	✓	✓		
Catalina Grana 3-piece Large	✓	✓	✓	✓	✓	✓		
Dimensions Accent	✓	✓		✓	✓	✓		✓
Dimensions 6	✓	✓		✓		✓		
Dimensions 12	✓	✓		✓		✓		
Dimensions 18	✓	✓		✓		✓		
Dimensions 3 x 12	✓	✓				✓		
Dimensions Slab 12 x 18 60 mm	✓	✓				✓		
Dimensions Slab 18 x 18 60 mm	✓	✓				✓		
Dimensions Slab 12 x 24 60 mm	✓	✓				✓	✓	
Dimensions Slab 24 x 24 60 mm	✓	✓				✓	✓	✓
Dublin Cobble 3-piece	✓	✓		✓		✓		
Dublin Cobble 6 x 9 Border	✓	✓		✓		✓		
Dublin Cobble Square 6 x 9	✓	✓		✓		✓		

STOCKED COLORS FOR OLDCASTLE PACIFIC - STOCKTON *(SUBJECT TO CHANGE)*

PRODUCT NAME	VICTORIAN	TOSCANA	RIVIERA	BELLA	GRAY	FOUNDRY	LINEN	AUTUMN	GRAPHITE
PAVERS									
Geometric Shapes						✓	✓		✓
Holland Stone	✓	✓							✓
Mega-Arbel 60mm	✓	✓		✓					
Melville Plank Slim	✓		✓						
Melville Plank Large	✓		✓						
Origins 6 x 9	✓	✓	✓	✓				✓	✓
Origins 6	✓	✓	✓	✓					
Origins 12	✓	✓	✓	✓					
Origins 18	✓	✓	✓	✓					
Turfstone					✓				
Urbana 12 x 12 60mm	✓	✓							
Urbana Stone 60mm	✓	✓							

STOCKED COLORS FOR OLDCASTLE PACIFIC - STOCKTON *(SUBJECT TO CHANGE)*

PRODUCT NAME	VICTORIAN	TOSCANA	BELLA	GRAY	TAN	RIO	GRAPHITE
WALLS							
Belair Wall 2.0 Cap	✓	✓				✓	
Belair Wall 2.0 Corner/Column	✓	✓				✓	
Belair Wall 2.0 Freestanding	✓	✓				✓	
Belair Wall 2.0 Retaining	✓	✓				✓	
Castlemanor Cap	✓	✓					
Castlemanor Wall	✓	✓					
Column Cap	✓	✓					✓
Diamond Pro				✓	✓		
Highland 18"	✓	✓	✓				
Highland 18" Freestanding Wall	✓	✓	✓				
Highland 6" & 12"	✓	✓	✓				
Highland 6" & 12" Freestanding Wall	✓	✓	✓				
Highland Cap	✓	✓	✓			✓	
Highland Column	✓	✓	✓				

STOCKED COLORS FOR OLDCASTLE PACIFIC - STOCKTON <small>(SUBJECT TO CHANGE)</small>							
PRODUCT NAME	VICTORIAN	TOSCANA	RIVIERA	BELLA	GRAY	AUTUMN	GRAPHITE
WALLS							
Melville Tandem	✓	✓	✓				
Melville Cap	✓		✓				✓
Melville Wall	✓		✓				
Shelton Cap	✓	✓	✓			✓	
Shelton Wall	✓	✓	✓			✓	
Steeple Crest	✓	✓	✓			✓	
Sterling Wall	✓	✓	✓				
Tandem Wall Ashlar w/Joints	✓	✓	✓				
Tandem Cap	✓	✓	✓				
Weston Stone Universal	✓	✓	✓	✓			
Weston Stone 3-piece	✓	✓		✓			
ACCESSORIES							
Anglia Edger	✓	✓	✓	✓			
Landings Step Unit	✓	✓			✓		✓
Marina Coping	✓	✓	✓	✓			✓
Melville Curb	✓	✓					✓

PLEASE CALL FOR AVAILABILITY
ON NON-STOCKED COLORS.

- Minimum non-stocking item order quantity is 1,000 sqft for pavers and 500 sqft for walls
- Setup charges will apply on non-stocking item orders less than 3,000 sqft for pavers and 1,000 sqft for walls
- Non-stocking item orders may take 6 to 8 weeks to manufacture + 2 weeks to Antique (Tumble)



NOON PORCELAIN PAVERS

PROFESSIONAL SUPPORT



ENVIRONMENTAL SOLUTIONS

Belgard consultants can work with your team to develop the best PLOP system design or retaining wall configuration to control runoff volume and discharge rates, improve the quality of local groundwater, reduce or prevent downstream impacts, and minimize the land consumed for stormwater management.



CAD FILES

For your convenience, Belgard offers a constantly expanding library of easy-to-download CAD files of our products and patterns.



CONTINUING EDUCATION

Belgard offers a variety of ongoing educational programs for our industry partners, including Lunch & Learns, online CEU courses, and our Belgard University training program.



SITE PLANNING

The experts at Belgard can help you optimize your site in a number of ways—whether you're looking for creative ways to define public spaces, manage or harvest stormwater, or increase the useable space for development.



ENGINEERING SERVICES

Our team of design consultants can help address both aesthetic and engineering design concerns, material quantity estimates and permit ready plans.

OLDCASTLE PACIFIC



Oldcastle APG
A CRH COMPANY

10714 Poplar Avenue
Fontana, CA 92337
Ph: 909.355.6422
Toll Free: 866.749.3838

4202 Gibraltar Court
Stockton, CA 95206
Ph: 209.983.1609
Fx: 209.983.8074



[BELGARDCOMMERCIAL.COM](https://www.belgardcommercial.com)