

COMMERCIAL

PRODUCT OFFERING

METRO

PENNSYLVANIA, NEW JERSEY,
DELAWARE & NEW YORK



BELGARD
COMMERCIAL

PAVER FINISHES & APPLICATIONS

Finishes



Standard (smooth)

Unit surfaces and micro-chamfers are carefully molded using a high-quality precision machined steel shoe assembly which creates units with an extremely smooth surface and precision detailed chamfer.



DuraFusion™

DuraFusion fuses a top layer of rich pigments with Belgard's core color process. The result is a paver with a richness and purity of color that's sleek and vibrant.



Textured (slate)

Units are molded to form a surface that emulates natural stone with a sculpted, textured finish.



DuraFusion™ + ColorTech™

DuraFusion™ + ColorTech™ multiplies the enhancement of DuraFusion™ with the protection of ColorTech™ to offer the highest quality concrete paver available today. The result is a smooth, gentle finish and vibrant color blend with unmatched protection against fading, stains and scratches.



Pedestrian

Designated for areas that are primarily for pedestrian applications including commercial plazas that may require occasional access for emergency or maintenance vehicles, as well as residential driveways.



Light Vehicles

Designated for commercial vehicular areas, access ways, and parking lots where only cars and light trucks are anticipated. Heavy vehicles should have limited access and use.



Occasional Heavy Vehicles

Designated for vehicular areas, parking lots, and roadways where limited heavy vehicles are anticipated daily such as large delivery trucks or garbage trucks.



Frequent Heavy Vehicles

Designated for vehicular areas, parking lots, and roadways where heavy vehicles are a regular component of the daily traffic volume.

Paver application icons are general recommendations. Site conditions and pavement cross section must be considered. Paver application icons are based on placement over unbound aggregates for setting beds, base and subbase.

PAVER COLORS



AUTUMN BLEND



BROWN



CHESAPEAKE



CHESWICK



DAKOTA BLEND



HARVEST BLEND



HICKORY



MIDNIGHT



PEWTER BLEND



PHOENIX



ROSEWOOD



SABLE BLEND



SCANDINA GRAY



SEPIA



SILEX BLEND



SONORAN



TUCSON

** Light colored paver has an SRI value of ≥ 29 and/or an SR value of ≥ 0.33*








MODULAR ARCHITECTURAL PAVERS









| UNITS | THICKNESS | SIZE | APPLICATIONS | | | | ADA** | FINISHES | | | | CHAMFER WIDTH | SQ. FT. PER PALLET | |
|--|----------------|---|---|---|---|---|---|----------|----------|------------|------------------------|---------------|--------------------|-------------|
| | | |  |  |  |  |  | Standard | Textured | DuraFusion | DuraFusion + ColorTech | | | |
| DIMENSIONS™ 3-PIECE SYSTEM | | | | | | | | | | | | | | |
|  Dimensions™ 6 | 60 mm | 3" x 6" 6" x 6" 6" x 9" | 60 mm | | | | | ✓ | ✓ | | | | 3 mm | 120 |
|  Dimensions™ 12 | 60 mm | 12" x 6" 12" x 12" 12" x 18" | 60 mm | | | | | ✓ | ✓ | | ✓ | ✓ | 3 mm | 120 |
|  Dimensions™ 18 | 60 mm | 18" x 9" 18" x 18" 18" x 27" | 60 mm | | | | | ✓ | ✓ | | ✓ | ✓ | 3 mm | 112.5 |
| ORIGINS™ 3-PIECE SYSTEM | | | | | | | | | | | | | | |
|  Origins™ 6 | 60 mm | 3" x 6" 6" x 6" 6" x 9" | 60 mm | | | | | ✓ | | ✓ | | | 3 mm | 120 |
|  Origins™ 12 | 60 mm | 12" x 6" 12" x 12" 12" x 18" | 60 mm | | | | | ✓ | | ✓ | ✓ | ✓ | 3 mm | 120 |
|  Origins™ 18 | 60 mm | 18" x 9" 18" x 18" 18" x 27" | 60 mm | | | | | ✓ | | ✓ | ✓ | ✓ | 3 mm | 112.5 |
| ADDITIONAL PRODUCTS | | | | | | | | | | | | | | |
|  Basalt™ 18 | 60 mm | 18" x 9" 18" x 18" 18" x 27" | 60 mm | | | | | ✓ | | ✓ | ✓ | | 3 mm | 112.5 |
|  Berkshire Plank Paver* <i>(special order)</i> | 80 mm | 5½" x 11⅓¼" 5½" x 15¾" 5½" x 19⅓¼" 5½" x 23¾" 5½" x 27⅓¼" | 80 mm | | | | | ✓ | ✓ | | ✓ | | 3 mm | 96 |
|  Brooklyn™ | 60 mm | 3" x 9" | 60 mm | | | | | | | ✓ | | ✓ | N/A | 99.5 |
|  Charlestone™ | 60 mm | 6" x 6" 6" x 9" 6" x 12" | 60 mm | | | | | | | ✓ | ✓ | | Rolled Edge | 105 |
|  Historic Brick* <i>(special order)</i> | 60 mm | 4" x 8" | 60 mm | | | | | | | | ✓ | | N/A | 120 |
|  Origins™ Accent | 60 mm | 6" x 9" | 60 mm | | | | | ✓ | | ✓ | ✓ | ✓ | 3 mm | 112.5 |
|  Papyrus™ 18 | 60 mm | 18" x 9" 18" x 18" 18" x 27" | 60 mm | | | | | ✓ | | ✓ | ✓ | | 3 mm | 112.5 |
|  Trilogy® Smooth | 60 mm | 6½" x 13" 13" x 13" 13" x 19" | 60 mm | | | | | | ✓ | | | ✓ | 3 mm | 105 |
|  Trilogy® Textured | 60 mm 80 mm | 6½" x 13" 13" x 13" 13" x 19" | 60 mm 80 mm | | | | | | | ✓ | | ✓ | 3 mm | 105 (60 mm) |
|  Village Square* <i>(special order)</i> | 60 mm | 12" x 12" | 60 mm | | | | | | ✓ | | ✓ | | 3 mm | 112 |

Secondary processes and finishes including, but not limited to, face-grinding, may impact dimensional tolerances from base dimensions. Interlocking pavers can be used for a variety of different vehicular applications. Appropriate shape and thickness is based on project-specific conditions including type of loading, base design, and subgrade conditions. It is recommended that you consult a Belgard representative in your area before specifying products for vehicular applications.











*Special orders subject to applicable production minimums and associated setup charge/color change fees.









** May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.

| VEHICULAR & ARCHITECTURAL PAVERS | | | | | | | | | | | | |
|--|----------------|--------------------|---|---|---|---|---|----------|------------|---------------|---------------------------|--|
| UNITS | THICKNESS | SIZE | APPLICATIONS | | | | ADA* | FINISHES | | CHAMFER WIDTH | SQ. FT. PER PALLET | |
| | | |  |  |  |  |  | Standard | DuraFusion | | | |
|  Brick Stone | 60 mm 80 mm | 4" x 8" | 60 mm | 80 mm <i>(special order)</i> | 80 mm <i>(special order)</i> | 80 mm <i>(special order)</i> | ✓ | ✓ | ✓ | 7 mm | 120 (60 mm) 96 (80 mm) | |
|  Old Towne Cobble | 60 mm 80 mm | 6" x 6" 6" x 9" | 60 mm | 80 mm <i>(special order)</i> | 80 mm <i>(special order)</i> | 80 mm <i>(special order)</i> | ✓ | ✓ | ✓ | 3 mm | 76 (80mm) 81.6 (80mm) | |

| SPECIALTY & COPING PAVERS | | | | | | | | | | | |
|--|-----------|-------------|---|---|---|---|---|----------|----------|---------------|--------------------|
| UNITS | THICKNESS | SIZE | APPLICATIONS | | | | ADA* | FINISHES | | CHAMFER WIDTH | SQ. FT. PER PALLET |
| | | |  |  |  |  |  | Standard | Textured | | |
|  Laguna™ Coping | 60 mm | 14¾" x 23⅝" | | | | | ✓ | ✓ | | – | – |
|  Marina® Coping | 60 mm | 5⅞" x 11⅜" | | | | | ✓ | ✓ | | – | 81 |
|  ADA Warning Pavers | 60 mm | 4" x 8" | 60 mm | | | | ✓ | ✓ | | 3 mm | 96 |















| PERMEABLE PAVERS | | | | | | | | | | | | | | | | |
|---|-----------|----------------------------------|--|---|---|---|---|---|----------|----------|------------|---------------------------|--------------------------|-------------------------|------------------|--------------------------|
| UNITS | THICKNESS | SIZE | APPLICATIONS | | | | ADA** | MECHANICAL INSTALL | FINISHES | | | | MANUF. JOINT WIDTH | % SURFACE OPENING | CHAMFER WIDTH | SQ. FT. PER PALLET |
| | | |  |  |  |  |  |  | Standard | Textured | DuraFusion | DuraFusion + ColorTech | | | | |
|  Aqualine Ashlar™ | 80 mm | 4½" x 4½" 4½" x 9" 9" x 9" | 80 mm | 80 mm | 80 mm | 80 mm | ✓ | ✓ | ✓ | | ✓ | | 10 mm | 12% | 3 mm | 88 |
|  Aqua-Roc™ | 80 mm | 4½" x 9" | 80 mm | 80 mm | 80 mm | 80 mm | ✓ | | ✓ | | | | 8 mm | 9% | 3 mm | 90 |
|  Eco™ Cobble® | 60 mm | 6¼" x 6¼" 6¼" x 9⅞" | 60 mm | | | | ✓ | | ✓ | | ✓ | | 10 mm | 8% | 3 mm | 94.5 102 |
|  Eco Paver | 80 mm | 6¾" x 9⅞" | 80 mm | 80 mm | 80 mm | 80 mm | ✓ | | ✓ | | ✓ | | 12 mm | 10% | 3 mm | 86 |

| CONCRETE GRID PAVEMENTS | | | | | | | | | | | | |
|---|-----------|-------------|--|---|---|---|---|---|----------|----------|----------------------|-----------------------|
| UNITS | THICKNESS | SIZE | APPLICATIONS | | | | ADA** | MECHANICAL INSTALL | FINISHES | | % SURFACE OPENING | SQ. FT. PER PALLET |
| | | |  |  |  |  |  |  | Standard | Textured | | |
|  Monoslab* <i>(special order)</i> | 116 mm | 15⅝" x 23½" | 116 mm | 116 mm | | | | | ✓ | | 14% | 112 |
|  Turfstone™ | 80 mm | 15¾" x 23⅝" | 80 mm | | | | | | ✓ | | 40% | 73 |

*Special orders subject to applicable production minimums and associated setup charge/color change fees.

** May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.



| PORCELAIN PAVERS | | | | | | | | | | |
|---|------------------------|------------|-----------|-----------------|---------------------------------------|---|----------------------|--------------------|-----------------|---------------------|
| UNITS | | APPEARANCE | THICKNESS | SIZE | COLOR OPTIONS | ADA | PEDESTAL APPLICATION | SQ. FT. PER PALLET | PCS. PER PALLET | PALLET WEIGHT (LBS) |
| | | | | | |  | | | | |
|  | Glocal | Concrete | ¾" | 23.54" x 23.54" | Ideal | ✓ | ✓ | 232.5 | 60 | 2,160 |
|  | Lagoon | Stone | ¾" | 23.54" x 47.17" | Moonbeam, Sandshell, Sharkskin | ✓ | ✓ | 271.25 | 70 | 2,621 |
|  | Noon – 8 x 48 | Wood | ¾" | 7.90" x 47.17" | Daylight, Ember, Honey, Charcoal | ✓ | ✓ | 151.8 | 60 | 1,380 |
|  | Noon – 12 x 48 | Wood | ¾" | 11.73" x 47.17" | Daylight, Ember, Honey, Charcoal | ✓ | ✓ | 155 | 40 | 1,480 |
|  | Quarziti 2.0 – 24 x 48 | Stone | ¾" | 23.54" x 47.17" | Mountains, Waterfall, River | ✓ | ✓ | 155 | 20 | 1,480 |
|  | Quarziti 2.0 – 24 x 24 | Stone | ¾" | 23.54" x 23.54" | Mountains, Waterfall, River | ✓ | ✓ | 32.5 | 60 | 2,160 |
|  | Verona | Stone | ¾" | 24" x 24" | Blue Stone, Platinum, Yukon | ✓ | ✓ | 232.5 | 60 | 2,160 |
|  | Unico | Stone/Wood | ¾" | 12.99" x 23.54" | Quarziti 2.0, Noon and Ardesie Colors | ✓ | | 254.82 | 120 | 2,080 |

ROOFTOP PAVERS & ACCESSORIES

| UNITS | THICKNESS | SIZE | MATERIAL | FINISHES | | | PEDESTAL APPLICATION | PCS. PER PALLET | WEIGHT PER SQ. FT. (LBS) |
|---|-----------|--------------------------------------|---------------------------------------|----------|------------|---------|----------------------|--|--------------------------|
| | | | | Smooth | Shot Blast | Diamond | | | |
| ROOFTOP PAVERS | | | | | | | | | |
| Classic Plaza Slab | 1⅞" | 24" x 24" | Concrete | ✓ | ✓ | ✓ | ✓ | Varies 24-25 <i>Contact Belgard Representative for info</i> | 23 |
| Porcelain Plaza Pavers | ¾" | See page 14 | Porcelain | ✓ | | | ✓ | – | – |
| Wood Plaza Paver | 1.5" | 24" x 24" 24" x 48" | Ipe Wood | ✓ | | | ✓ | – | 5.56 |
| ACCESSORIES | | | | | | | | | |
| Cubes & Cube Tops <i>(Made to order, custom sizes available)</i> | – | 24" x 24" x 16½" 48" x 24" x 16½" | Ipe Wood or Powder Coated Aluminum | ✓ | | | ✓ | – | – |
| Pedestals - Fixed Height | – | ¼", ½", ¾" height | – | | | | ✓ | 100 pcs per box | – |
| Pedestals - Adjustable | – | 1¼" – 36" height* | – | | | | ✓ | 30 pcs per box | – |

Classic Plaza Slab Colors



Chamois



Charcoal



Ginger



SRI White**



Cinnamon



Limestone



Natural



Red

Cube Top



Aluminum



Ipe Wood




* Higher heights require extension couplers. Additionally, heights over 24" require bracing.
**SRI Color - Solar Reflective Index in excess of 80



WOOD PLAZA PAVERS



CLASSIC PLAZA SLAB



QUARZITI 2.0



GLOCAL







NOON








LAGOON

SEGMENTAL RETAINING WALLS (SRW)


| UNITS | UNIT SIZE | | | CONNECTION TYPE | | ACCESSORIES* (SOLD SEPARATELY) | | TEXTURE | | | FACE STYLES | | | BATTER/ SETBACK | SQ. FT. PER PALLET |
|---|-----------|-------|----------------------|-----------------|----------------|-----------------------------------|--|----------|-------|---------|-------------|-----------|----------|---------------------|-----------------------|
| | Height | Width | Depth | Block | Other | Column/Corner Unit | | Sculpted | Split | Tumbled | Straight | Stone Cut | Quarried | | |
|  AB® Classic | 8" | 18" | 12" | Front Lip | | ✓ | | | ✓ | | ✓ | | | 6° | 48 |
|  Diamond Pro® | 8" | 18" | 12" | Rear Lip | | ✓ | | | ✓ | | ✓ | ✓ | | 7.1°; 1" Per Course | 48 |
|  Diamond Pro® PS | 8" | 18" | 12" | | Fiberglass Pin | ✓ | | ✓ | ✓ | | ✓ | | ✓ | 1.7° or 7.1° | 48 |
|  Vertica® | 8" | 18" | 11" (2D) 12" (4D) | Surface Lug | | ✓ | | | ✓ | | ✓ | | | 2° (2D) 4° (4D) | 36 |

ARCHITECTURAL SINGLE & DOUBLE SIDED WALLS

| UNITS | UNIT SIZE | | | CONNECTION TYPE | ACCESSORIES* (SOLD SEPARATELY) | | TEXTURE | | | FACE STYLES | | | BATTER/ SETBACK | SQ. FT. PER PALLET |
|---|-----------|------------------|-----------------|-----------------|-----------------------------------|-----|----------|-------|---------|-------------|-----------|----------|--------------------|-----------------------|
| | Height | Width | Depth | Block | Column/ Corner Unit | Cap | Sculpted | Split | Tumbled | Straight | Stone Cut | Quarried | | |
|  Cast Stone Wall Single Sided | 6" | 16" | 12" | | ✓ | ✓ | ✓ | | | | | | Vertical | 40 |
|  Cast Stone Wall Double Sided | 6" | 6" 10" 16" | 7" | | ✓ | ✓ | ✓ | | | | | | Vertical | 30 |
|  Cast Stone Wall Face Shells | 6" | 16" | 1" 1¼" - 2¼" | | ✓ | ✓ | ✓ | | | | | | Vertical | 12 Per Box |
|  Melville™ Wall <i>(limited to 24" gravity)</i> | 4" | 20" | 10" | | ✓ | ✓ | | | | | | | Vertical | 26.6 |



AB CLASSIC




VERTICA




CAST STONE WALL




DIAMOND PRO PS



AB CLASSIC



DIAMOND PRO PS



DIAMOND PRO QUARRIED FACE




CAST STONE WALL



COVENTRY WALL III



AB CLASSIC



VERTICA



DIAMOND PRO PS

| COMPLEMENTARY PRODUCTS | | |
|---|------------------------|----------------------|
| PRODUCT | SIZE | PALLET INFORMATION |
|  6" Universal Corner | 6" x 16" x 8" | 108 units per pallet |
|  8" Universal Corner | 8" x 18" x 9" | 60 units per pallet |
|  12" AB Full Return Corner | 8" x 12" x 8" | 36 units per pallet |
|  3" Double Sided Universal Cap | 3" x 17¼" x 10⅜" | 48 units per pallet |
|  4" Universal Cap | 4" x 16"/14" x 10¾" | 72 units per pallet |
|  4" Diamond Pro Cap | 4" x 18" x 12" | 60 units per pallet |
|  AB Cap | 4" x 17½" x 12" | 40 units per pallet |
|  Anchor Landing Step | 6" x 48" x 18" | 2 units per pallet |
|  Belair Wall Cap | 3" x 13.5" x 7.5" | 144 units per pallet |
|  Belmont 13" Stair Tread | 2"x 52" x 13" | 18 units per pallet |
|  Belmont 14" Double Sided Cap | 2"x 36" x 14" | 18 units per pallet |
|  Belmont 16" Double Sided Cap | 2"x 24¼" - 21¼" x 16" | 32 units per pallet |
|  Belmont Chilton Step | 6"x 47½" x 15" | 3 units per pallet |
|  Belmont Pier Cap | 3"x 28" x 28" | 4 units per pallet |
|  Diamond Pro® Quarried Face Cap | 4" x 17¼" / 12" x 10⅜" | 54 units per pallet |
|  Melville™ Cap | 2" x 20" x 13" | 60 units per pallet |
|  Vertica Cap 2D | 4" x 18" x 11.5" | 72 units per pallet |
|  Vertica Cap 4D | 4" x 18" x 12" | 72 units per pallet |

PROFESSIONAL SUPPORT



ENVIRONMENTAL SOLUTIONS

Belgard consultants can work with your team to develop the best P/ICP system design or retaining wall configuration to control runoff volume and discharge rates, improve the quality of local groundwater, reduce or prevent downstream impacts, and minimize the land consumed for stormwater management.



CAD FILES

For your convenience, Belgard offers a constantly expanding library of easy-to-download CAD files of our products and patterns.



CONTINUING EDUCATION

Belgard offers a variety of ongoing educational programs for our industry partners, including Lunch & Learns, online CEU courses, and our Belgard University training program.



SITE PLANNING

The experts at Belgard can help you optimize your site in a number of ways—whether you're looking for creative ways to define public spaces, manage or harvest stormwater, or increase the useable space for development.



ENGINEERING SERVICES

Our team of design consultants can help address both aesthetic and engineering design concerns, material quantity estimates and permit ready plans.

METRO LOCATIONS



OldcastleAPG
A CRH COMPANY

EASTON
800 Uhler Road
Easton, PA 18040

WRIGHTSTOWN
2 Farago Blvd,
Wrightstown, NJ 08640

PARKER FORD
16 Anderson Rd,
Parker Ford, PA 19457

WOODBURY
201 Park Ave,
Woodbury, NJ 08096
Ph: 1-800-444-3679



BELGARDCOMMERCIAL.COM