



COMMERCIAL

PRODUCT OFFERING

MID-ATLANTIC

DELAWARE, MARYLAND, VIRGINIA
& WASHINGTON, D.C.



BELGARD
COMMERCIAL

PAVER FINISHES & APPLICATIONS

Finishes



Standard (smooth)

Unit surfaces and micro-chamfers are carefully molded using a high-quality precision machined steel shoe assembly which creates units with an extremely smooth surface and precision detailed chamfer.



Textured (slate)

Units are molded to form a surface that emulates natural stone with a sculpted, textured finish.



Antiqued

Units are molded to form specific surface and side textures that are processed through tumbling equipment, imparting a distressed or aged appearance.



DuraFusion™

DuraFusion fuses a top layer of rich pigments with Belgard's core color process. The result is a paver with a richness and purity of color that's sleek and vibrant.



DuraFusion™ + ColorTech™

DuraFusion™ + ColorTech™ multiplies the enhancement of DuraFusion™ with the protection of ColorTech™ to offer the highest quality concrete paver available today. The result is a smooth, gentle finish and vibrant color blend with unmatched protection against fading, stains and scratches.



Pedestrian

Designated for areas that are primarily for pedestrian applications including commercial plazas that may require occasional access for emergency or maintenance vehicles, as well as residential driveways.



Light Vehicles

Designated for commercial vehicular areas, access ways, and parking lots where only cars and light trucks are anticipated. Heavy vehicles should have limited access and use.



Occasional Heavy Vehicles

Designated for vehicular areas, parking lots, and roadways where limited heavy vehicles are anticipated daily such as large delivery trucks or garbage trucks.



Frequent Heavy Vehicles

Designated for vehicular areas, parking lots, and roadways where heavy vehicles are a regular component of the daily traffic volume.

Paver application icons are general recommendations. Site conditions and pavement cross section must be considered. Paver application icons are based on placement over unbound aggregates for setting beds, base and subbase.

PAVER COLORS

Blended Colors



FOSSIL BEIGE



JAMES RIVER



LINEN BEIGE



MOUNTAIN MIST



SABLE BLEND



CHESAPEAKE



JEFFERSON



POTOMAC



SANDBRIDGE



SIENNA



PEWTER BLEND



SONORAN



TUCSON



CHESWICK



HICKORY



SCANDINA GRAY




SEPIA

Accent Colors



CHOCOLATE



MIDNIGHT







SABLE BLEND

* Light colored paver has an SRI value of ≥ 29 and/or an SR value of ≥ 0.33

| DIMENSIONS™ SERIES VEHICULAR & ARCHITECTURAL PAVERS | | | | | | | | | | | | | | | |
|--|----------------------------|------------------------------------|---|---|---|---|---|----------|----------|------------|------------------------|---------------|--------------------|--|--|
| UNITS | THICKNESS | SIZE | APPLICATIONS | | | | ADA* | FINISHES | | | | CHAMFER WIDTH | SQ. FT. PER PALLET | | |
| | | |  |  |  |  |  | Standard | Antiqued | DuraFusion | DuraFusion + ColorTech | | | | |
| DIMENSIONS™ 3-PIECE SYSTEM | | | | | | | | | | | | | | | |
|  Dimensions 6 | 60 mm | 3" x 6" 6" x 6" 6" x 9" | 60 mm | | | | | ✓ | ✓ | | | | 3 mm | 120 | |
|  Dimensions 12 | 60 mm | 6" x 12" 12" x 12" 12" x 18" | 60 mm | | | | | ✓ | ✓ | | ✓ | ✓ | 3 mm | 120 | |
|  Dimensions 18 | 60 mm | 9" x 18" 18" x 18" 18" x 27" | 60 mm | | | | | ✓ | ✓ | | ✓ | ✓ | 3 mm | 112.5 | |
|  Dimensions Antiqued 3-Piece | 60 mm | 3" x 6" 6" x 6" 6" x 9" | 60 mm | | | | | | | ✓ | | | N/A | 120 | |
|  Dimensions Antiqued Accent | 60 mm | 6" x 9" | 60 mm | | | | | | | ✓ | | | N/A | 112 | |
| DIMENSIONS™ SINGLE PIECE | | | | | | | | | | | | | | | |
|  Dimensions 3" x 12" | 60 mm 80 mm 101.6 mm | 3" x 12" | 60 mm | 80 mm | 101.6 mm | | | ✓ | ✓ | | ✓ | | 3 mm | 110 (60 mm) 88 (80 mm) 60 (101 mm) | |
|  Dimensions 6" x 6" <i>(80 mm & 101.6 mm special order)</i> | 60 mm 80 mm 101.6 mm | 6" x 6" | 60 mm | 80 mm | 101.6 mm | | | ✓ | ✓ | | | | 3mm | 120 (60 mm) 96 (80 mm) 72 (101 mm) | |
|  Dimensions 6" x 9" | 60 mm 80 mm | 6" x 9" | 60 mm | 80 mm | 80 mm | 80 mm | | ✓ | ✓ | | ✓ | | 3mm | 112 (60 mm) 90 (80 mm) | |
|  Dimensions 6" x 12" <i>(80 mm & 101.6 mm special order)</i> | 60 mm 80 mm 101.6 mm | 6" x 12" | 60 mm | 80 mm | 101.6 mm | 101.6 mm | | ✓ | ✓ | | | | 3 mm | 120 (60 mm) 96 (80 mm) 72 (101 mm) | |
|  Dimensions 12" x 12" <i>(80 mm & 101.6 mm special order)</i> | 60 mm 80 mm 101.6 mm | 12" x 12" | 60 mm | 80 mm | 101.6 mm | | | ✓ | ✓ | | | | 3 mm | 120 (60 mm) 96 (80 mm) 72 (101 mm) | |
|  Dimensions 24" x 36" Slab | 60 mm | 24" x 36" | 60 mm | | | | | ✓ | ✓ | | ✓ | | 3 mm | 120 | |





















Secondary processes and finishes including, but not limited to, face-grinding, may impact dimensional tolerances from base dimensions. Interlocking pavers can be used for a variety of different vehicular applications. Appropriate shape and thickness is based on project-specific conditions including type of loading, base design, and subgrade conditions. It is recommended that you consult a Belgard representative in your area before specifying products for vehicular applications.


* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.




PICTURED ON SPREAD: **DIMENSIONS SERIES**



| MODULAR VEHICULAR & ARCHITECTURAL PAVERS (CONT.) | | | | | | | | | | | | | | |
|---|-----------|------------------------------------|---|---|---|---|---|---|----------|------------|---------------------------|------------------|-----------------------|--|
| UNITS | THICKNESS | SIZE | APPLICATIONS | | | | ADA* | MECHANICAL INSTALL | FINISHES | | | CHAMFER WIDTH | SQ. FT. PER PALLET | |
| | | |  |  |  |  |  |  | Textured | DuraFusion | DuraFusion + ColorTech | | | |
| ORIGINS™ 3-PIECE SYSTEM | | | | | | | | | | | | | | |
|    Origins™ 6 | 60 mm | 3" x 6" 6" x 6" 6" x 9" | 60 mm | | | | ✓ | | ✓ | | | 3 mm | 120 | |
|    Origins™ 12 | 60 mm | 6" x 12" 12" x 12" 12" x 18" | 60 mm | | | | ✓ | | ✓ | ✓ | ✓ | 3 mm | 120 | |
|    Origins™ 18 | 60 mm | 9" x 18" 18" x 18" 18" x 27" | 60 mm | | | | ✓ | | ✓ | ✓ | ✓ | 3 mm | 112.5 | |
|  Origins™ Accent | 60 mm | 6" x 9" | 60 mm | | | | ✓ | | ✓ | ✓ | | 3 mm | 112.5 | |
| ADDITIONAL PRODUCTS | | | | | | | | | | | | | | |
|  Brooklyn™ | 60 mm | 3" x 9" | 60 mm | | | | | | ✓ | ✓ | | N/A | 99.5 | |
|    Charlestone™ | 60 mm | 6" x 6" 6" x 9" 6" x 12" | 60 mm | | | | | | ✓ | ✓ | | Rolled Edge | 105 | |

| VEHICULAR & ARCHITECTURAL PAVERS | | | | | | | | | | | |
|---|----------------|---------|---|---|---|---|---|---|----------|---------------|---------------------------|
| UNITS | THICKNESS | SIZE | APPLICATIONS | | | | ADA* | MECHANICAL INSTALL | FINISH | CHAMFER WIDTH | SQ. FT. PER PALLET |
| | | |  |  |  |  |  |  | Standard | | |
|  Holland Stone | 60 mm 80 mm | 4" x 8" | 60 mm | 80 mm <i>(special order)</i> | 80 mm <i>(special order)</i> | 80 mm <i>(special order)</i> | ✓ | | ✓ | 7 mm | 120 (60 mm) 96 (80 mm) |



DIMENSIONS 6 & 12



ORIGINS 18



DIMENSIONS ANTIQUED













BROOKLYN









ORIGINS 12



HOLLAND STONE

| PERMEABLE PAVERS | | | | | | | | | | | | | | |
|--|-----------|---|--|---|---|---|---|---|----------|---|----------------------|---------------|-----------------------|--|
| UNITS | THICKNESS | SIZE | APPLICATIONS | | | | ADA* | MECHANICAL INSTALL | FINISH | MANUF. JOINT WIDTH | % SURFACE OPENING | CHAMFER WIDTH | SQ. FT. PER PALLET | |
| | | |  |  |  |  |  |  | Standard | | | | | |
|  Aqua-Bric® 4L | 80 mm | 9 ¹³ / ₁₆ " x 9 ¹³ / ₁₆ " | 80 mm | 80 mm | 80 mm | | ✓ | ✓ | ✓ | 5 mm <i>(Maintenance Void: 9 mm)</i> | 9% | 3 mm | 107.6 | |
|  Aqualine 4.5" x 9" | 80 mm | 4 ¹ / ₂ " x 9" | 80 mm | 80 mm | 80 mm | 80 mm | ✓ | | ✓ | 10 mm | 10% | 3 mm | 90 | |
|  Eco Bay II | 80 mm | 4 ³ / ₄ " x 4 ³ / ₄ " 4 ³ / ₄ " x 9 ¹ / ₂ " | 80 mm | 80 mm | 80 mm | 80 mm | ✓ | ✓ | ✓ | 10 mm | 10% | 3 mm | 100.28 | |
|  Eco Dublin® | 80 mm | 3 ¹ / ₂ " x 6 ¹⁵ / ₁₆ " 6 ¹⁵ / ₁₆ " x 6 ¹⁵ / ₁₆ " 6 ¹⁵ / ₁₆ " x 10 ⁵ / ₁₆ " | 80 mm | 80 mm | | | ✓ | ✓ | ✓ | 12 mm | 7% | N/A | 91.6 | |

| CONCRETE GRID PAVEMENTS | | | | | | | | | | |
|--|-----------|-------------|---|--|--|--|--|----------|-------------------|--------------------|
| UNITS | THICKNESS | SIZE | APPLICATIONS | | | | ADA | FINISH | % SURFACE OPENING | SQ. FT. PER PALLET |
| | | |  |  |  |  |  | Standard | | |
|  Turfstone™ | 80 mm | 15¾" x 23⅝" | 80 mm | | | | | ✓ | 40% | 107 |



AQUALINE 4.5 X 9




ECO BAY II




AQUA-BRIC 4L












ECO BAY II



TURFSTONE



ECO DUBLIN

| PORCELAIN PAVERS | | | | | | | | | | |
|--|------------------------|------------|-----------|-----------------|---|---|----------------------|--------------------|-----------------|---------------------|
| UNITS | | APPEARANCE | THICKNESS | SIZE | COLOR OPTIONS | ADA | PEDESTAL APPLICATION | SQ. FT. PER PALLET | PCS. PER PALLET | PALLET WEIGHT (LBS) |
| | | | | | |  | | | | |
|  | Glocal - 24 x 24 | Concrete | ¾" | 23.54" x 23.54" | Ideal | ✓ | ✓ | 232.5 | 60 | 2,160 |
|  | Glocal - 24 x 48 | Concrete | ¾" | 23.54" x 47.17" | Ideal | ✓ | ✓ | 271.25 | 70 | 2,621 |
|  | Lagoon - 24 x 48 | Stone | ¾" | 23.54" x 47.17" | Moonbeam, Sandshell, Sharkskin | ✓ | ✓ | 271.25 | 70 | 2,621 |
|  | Noon - 12 x 48 | Wood | ¾" | 11.73" x 47.17" | Daylight, Ember, Honey, Charcoal | ✓ | ✓ | 155 | 40 | 1,480 |
|  | Quarziti 2.0 - 24 x 48 | Stone | ¾" | 23.54" x 47.17" | Mountains, Waterfall, River | ✓ | ✓ | 155 | 20 | 1,480 |
|  | Quarziti 2.0 - 24 x 24 | Stone | ¾" | 23.54" x 23.54" | Mountains, Waterfall, River | ✓ | ✓ | 32.5 | 60 | 2,160 |
|  | Silverlake - 24 x 24 | Stone | ¾" | 23.54" x 23.54" | Braies, Nemi, Resia | ✓ | ✓ | 32.5 | 60 | 2,160 |
|  | Verona - 24 x 24 | Stone | ¾" | 23.54" x 23.54" | Blue Stone, Platinum, Yukon | ✓ | ✓ | 232.5 | 60 | 2,160 |
|  | Unico - 13 x 24 | Stone/Wood | ¾" | 12.99" x 23.54" | Quarziti 2.0, Noon, Lagoon and Ardesie Colors | ✓ | | 254.82 | 120 | 2,080 |

ROOFTOP PAVERS & ACCESSORIES

| UNITS | THICKNESS | SIZE | MATERIAL | FINISHES | | | PEDESTAL APPLICATION | PCS. PER PALLET | WEIGHT PER SQ. FT. (LBS) |
|---|-----------|--------------------------------------|---------------------------------------|----------|------------|---------|----------------------|--|--------------------------|
| | | | | Smooth | Shot Blast | Diamond | | | |
| ROOFTOP PAVERS | | | | | | | | | |
| Classic Plaza Slab | 1⅞" | 24" x 24" | Concrete | ✓ | ✓ | ✓ | ✓ | Varies 24-25 <i>Contact Belgard Representative for info</i> | 23 |
| Porcelain Plaza Pavers | ¾" | See page 14 | Porcelain | ✓ | | | ✓ | – | – |
| Wood Plaza Paver | 1.5" | 24" x 24" 24" x 48" | Ipe Wood | ✓ | | | ✓ | – | 5.56 |
| ACCESSORIES | | | | | | | | | |
| Cubes & Cube Tops <i>(Made to order, custom sizes available)</i> | – | 24" x 24" x 16½" 48" x 24" x 16½" | Ipe Wood or Powder Coated Aluminum | ✓ | | | ✓ | – | – |
| Pedestals - Fixed Height | – | ¼", ½", ¾" height | – | | | | ✓ | 100 pcs per box | – |
| Pedestals - Adjustable | – | 1¼" – 36" height* | – | | | | ✓ | 30 pcs per box | – |

Classic Plaza Slab Colors




* Higher heights require extension couplers. Additionally, heights over 24" require bracing.
**SRI Color - Solar Reflective Index in excess of 80



WOOD PLAZA PAVERS



CLASSIC PLAZA SLAB



QUARZITI 2.0



GLOCAL








NOON






GLOCAL

SEGMENTAL RETAINING WALLS (SRW)

| UNITS | UNIT SIZE | | | CONNECTION TYPE | | ACCESSORIES* (SOLD SEPARATELY) | | TEXTURE | | FACE STYLES | | BATTER/SETBACK | SQ. FT. PER PALLET |
|---|-----------|-----------------|-------|-----------------|--------------------------|-----------------------------------|-----|----------|-------|-------------|-----------|---------------------|--------------------|
| | Height | Width | Depth | Block | Other | Column/ Corner Unit | Cap | Sculpted | Split | Straight | Stone Cut | | |
|  Ashlar Tandem™ | 7" | 13⅜", 15⅝", 18" | 3" | | Polypropylene Connectors | | ✓ | ✓ | | | | 0/4° | 70 |
|  Diamond® 10 DS | 6" | 17¼" | 10" | Rear Lip | | | ✓ | | ✓ | | ✓ | 10.6° | 43.2 |
|  Diamond Pro® | 8" | 18" | 12" | Rear Lip | | ✓ | ✓ | | | | ✓ | 7.1°; 1" Per Course | 48 |
|  Diamond Pro® PS Straight Face | 8" | 18" | 12" | | Fiberglass Pin | ✓ | ✓ | | ✓ | ✓ | | 1.7° or 7.1° | 48 |
|  Vertica® | 8" | 18" | 11" | Surface Lug | | ✓ | ✓ | | ✓ | ✓ | | 4° | 36 |

ARCHITECTURAL SINGLE & DOUBLE SIDED WALLS

| UNITS | UNIT SIZE | | | CONNECTION TYPE | | ACCESSORIES* (SOLD SEPARATELY) | | TEXTURE | | FACE STYLES | | BATTER/SETBACK | SQ. FT. PER PALLET |
|---|-----------|--------------|-------|-----------------|-------|-----------------------------------|-----|----------|-------|-------------|-----------|----------------|--------------------|
| | Height | Width | Depth | Block | Other | Column/ Corner Unit | Cap | Sculpted | Split | Straight | Stone Cut | | |
|  Highland Stone® Retaining Wall | 6" | 6", 12", 18" | 12" | Rear Lip | | | ✓ | | ✓ | | ✓ | 10.6° | 24 |
|  Highland Stone® Freestanding Wall | 6" | 6", 12", 18" | 9" | | | ✓ | ✓ | | ✓ | | ✓ | Vertical | 27 |
|  Melville™ Wall <i>(limited to 24" gravity)</i> | 4" | 20" | 10" | | | | | | | ✓ | | Vertical | 26.6 |

WALL COLORS

Diamond® 10 DS



CHESAPEAKE



JAMES RIVER



JEFFERSON

Diamond Pro® & Diamond Pro® PS Straight Face



BRITTANY BLEND



GRAY



JAMES RIVER



SABLE BLEND

Highland Stone® Retaining Wall



CHESAPEAKE



JAMES RIVER



JEFFERSON



POTOMAC

Melville™ Wall



CHESWICK




SANDBRIDGE




SCANDINA GRAY




MIDNIGHT



DIAMOND 10D




DIAMOND PRO PS STRAIGHT FACE



MELVILLE WALL

COMPLEMENTARY PRODUCTS

| PRODUCT | SIZE | PALLET INFORMATION |
|--|---|---------------------|
|  3" Double Sided Universal Cap | 3" x 17¼" x 10⅝" | 48 units per pallet |
|  4" Universal Cap | 4" x 16"/14" x 10¼" | 48 units per pallet |
|  4" Universal Cap | 4" x 12" x 16" | 60 units per pallet |
|  6" Corner | 6" x 18" x 9" | 40 units per pallet |
|  8" Corner | 8" x 18" x 9" | 40 units per pallet |
|  Landings™ Step Unit | 6" x 48" x 18" | 2 units per pallet |
|  Melville™ Cap | 2" x 20" x 13" | 60 units per pallet |
|  Tandem® Cap | 3¼" x 24" x 15" | 32 units per pallet |
|  U Start Base Block® | Full Unit = 18½" x 12" x 3½" As Laid Unit = 16⅞" x 12" x 3½" | 56 units per pallet |
|  XL™ Cap | 3" x 18 /12" x 13" | 72 units per pallet |



VISIT Belgard.com/Elements
FOR MORE PRODUCTS

ELEMENTS™
OUTDOOR ESSENTIALS

OUTDOOR COOKING



FIRE PIT BURNER KITS & INSERTS



OUTDOOR KITCHEN STORAGE




OUTDOOR BAR & SINK



OUTDOOR ACCESSORIES





PROFESSIONAL SUPPORT



ENVIRONMENTAL SOLUTIONS

Belgard consultants can work with your team to develop the best PICP system design or retaining wall configuration to control runoff volume and discharge rates, improve the quality of local groundwater, reduce or prevent downstream impacts, and minimize the land consumed for stormwater management.



CAD FILES

For your convenience, Belgard offers a constantly expanding library of easy-to-download CAD files of our products and patterns.



CONTINUING EDUCATION

Belgard offers a variety of ongoing educational programs for our industry partners, including Lunch & Learns, online CEU courses, and our Belgard University training program.



SITE PLANNING

The experts at Belgard can help you optimize your site in a number of ways—whether you're looking for creative ways to define public spaces, manage or harvest stormwater, or increase the useable space for development.



ENGINEERING SERVICES

Our team of design consultants can help address both aesthetic and engineering design concerns, material quantity estimates and permit ready plans.

MID-ATLANTIC LOCATIONS



2630 Conway Road
Odenton, MD 21113

1231 Willis Road,
Richmond VA 23237

Belgardcommercial.com | Ph: 800-321-9141



BELGARDCOMMERCIAL.COM