

# BELGARD®

Commercial Product Offering




Florida

HOW TO SELECT

# THE RIGHT PAVER FOR YOUR APPLICATION

The following icons provide general recommendations for both standard and permeable paving products. A pavement design professional should confirm that the product selected is suitable for the site-specific conditions such as subgrade soil properties, slope, drainage conditions, and traffic loading.



### PEDESTRIAN

Designated for areas that are pedestrian only – walkways, patios and other pavement areas not subjected to any vehicular traffic. **All** Belgard paver and slab products are suitable for this application.



### RESIDENTIAL DRIVEWAYS

Pavements used primarily for residential driveways, but also includes golf cart paths, commercial plazas, courtyards and pathways exposed to only light maintenance equipment, including infrequent heavy fire truck or maintenance equipment. Belgard pavers with a **minimum thickness of 60mm and a maximum aspect ratio of 4:1** are suitable for this application. 60mm multi-piece paver systems up to 12” in length are also acceptable for residential driveways with an appropriate base dependent on site conditions. 80mm thick slabs up to a length of 18 inches can be used in residential driveways subjected to only cars with adequate base thickness and subgrade soil strength. Typical lifetime ESALs should be < 7,500 maximum and heavy vehicles must be < 1 per day on average.



### LIGHT VEHICULAR

Pavements used for low-traffic municipal or commercial parking lots, including access ways where only cars and light trucks are anticipated. Belgard pavers with a **minimum thickness of 80mm and a maximum aspect ratio of 4:1** are suitable for this application. Typical lifetime ESALs must be < 30,000 ESALs and maximum heavy vehicles should be < 5 per day on average.




### HEAVY VEHICULAR

Pavements designated for regular vehicular traffic, including commercial parking lots, access roads where heavy vehicles are a regular component of the daily traffic volume. Belgard pavers with a **minimum thickness of 80mm and a maximum ratio of 3:1** are suitable for this application. Herringbone laying pattern is recommended on all roadways. Typical lifetime ESALs typically are > 30,000 ESALs and > 5 heavy vehicles per day.

The information set forth herein is for general informational purposes only. All such information is provided in good faith, however Oldcastle APG, Inc. and its affiliates make no representation or warranty of any kind, express or implied, regarding the accuracy, adequacy, validity, reliability, availability or completeness of any of the information and shall have no liability to any party for loss or damage incurred as a result of the use or reliance on any information provided herein. Any use of the information is at the user's sole risk.

# COLORS & FINISHES OFFERING


## Finishes



**STANDARD (SMOOTH)**  
Unit surfaces and micro chamfers are precision molded using high-quality machined steel shoe assemblies for smooth surfaces and detailed chamfers.



**TEXTURED (SLATE)**  
Units are molded to form a surface that emulates natural stone with a sculpted, textured finish.



**GROUND FACE**  
The top of the paving units are ground smooth which exposes the aggregate colors and pigmented background.



**SPECIALTY AGGREGATE AND GROUND FACE**  
Specialty aggregates, such as coarse sand, colored glass or shells are added as a face mix. The paving units are ground smooth, exposing the specialty aggregate colors.  
Please contact your local Sales Representative for product availability.

## Solid Colors












 CREAM*	 MALT*	 WHITE*	 PEWTER	 GRAY*
 PEARL*	 FOG*	 CHARCOAL	 MIDNIGHT*	
 BOURBON*	 ROSEWOOD*			

\*Available in Pavers Only

## Tone-on-Tone Colors

 SEPIA* Also available without DuraFusion	 HICKORY Also available without DuraFusion	 SCANDINA GRAY Also available without DuraFusion
 SHADED GRAY	 SLATE	 ANTHRACITE Also available without DuraFusion

## Blended Colors

 TITANIUM*	 CHESWICK* Also available without DuraFusion	 NEWPORT GRAY	 IRON BAY	 KNIGHTSBRIDGE*
 TEAK*	 ASHWOOD* Also available without DuraFusion	 AMARETTO	 NAPOLI	
 HARVEST BLEND*	 ADOBE*			

Due to the natural materials in our products, colors may vary from those shown in here. We recommend viewing actual product samples to ensure the perfect color and finish for each project.



NEW

- ✓ Bold, vibrant color that resists fading
- ✓ High-definition finish for a smoother, tighter texture
- ✓ Engineered to withstand unpredictable weather and freeze-thaw conditions

# Vehicular & Architectural Pavers

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	FINISHES			TECHNOLOGY	CHAMFER WIDTH	SQ. FT. PER PALLET
								Standard	Ground Face	Textured	DuraFusion		
<b>DIMENSIONS™ SERIES</b>													
 Dimensions 3" x 12"	60 mm 80 mm 101.6 mm	3" x 12"	60 mm	80 mm	80 mm		✓	✓	✓		✓	3 mm	100 (60 mm) 88 (80 mm) 66 (101.6 mm)
 Dimensions 6" x 6"	60 mm 80 mm	6" x 6"	60 mm	80 mm			✓	✓	✓		✓	3 mm	120 (60 mm) 96 (80 mm)
 Dimensions 6" x 12"	60 mm 80 mm	6" x 12"	60 mm	80 mm	80 mm		✓	✓	✓		✓	3 mm	120 (60 mm) 96 (80 mm)
 Dimensions 12" x 12"	60 mm	12" x 12"	60 mm				✓	✓	✓		✓	3 mm	120
 Dimensions 9" x 18"	60 mm	9" x 18"	60 mm				✓	✓			✓	3 mm	112.5
 Dimensions 12" x 24"	60 mm	12" x 24"	60 mm				✓	✓			✓	3 mm	120
 Dimensions 15" x 30"	60 mm	15" x 30"	60 mm				✓	✓			✓	3 mm	93.75
 Dimensions 24" x 24"	60 mm	24" x 24"	60 mm				✓	✓			✓	3 mm	80
 Dimensions 24" x 36"	60 mm	24" x 36"	60 mm				✓	✓			✓	3 mm	120
 Dimensions 12	60 mm 80 mm	6" x 12" 12" x 12" 12" x 18"	60 mm	80 mm			✓	✓			✓	3 mm	120 (60 mm) 96 (80 mm)
 Dimensions 18	60 mm	9" x 18" 18" x 18" 18" x 27"	60 mm				✓	✓			✓	3 mm	112.5
<b>GEOMETRIC SHAPES</b>													
 Diamond Compatible with Dimensions™	60 mm	12" Side	60 mm				✓	✓			✓	3 mm	93.53
 Parallelogram Compatible with Dimensions™	60 mm	3", 12" Sides	60 mm				✓	✓			✓	3 mm	**
 Hexagon Compatible with Dimensions™	60 mm	6" Sides	60 mm	60 mm			✓	✓			✓	3 mm	**
<b>HEXAGON SERIES</b>													
 8" Hexagon	80 mm	8"	80 mm	80 mm	80 mm		✓	✓				7 mm	**
 12" Hexagon	60 mm	12"	60 mm				✓	✓				7 mm	**
 16" Hexagon	60 mm	16"	60 mm				✓	✓				7 mm	**

Interlocking pavers can be used for a variety of different vehicular applications. Appropriate shape and thickness is based on project-specific conditions including type of loading, base design, and subgrade conditions. It is recommended that you consult a Belgard representative in your area before specifying products for vehicular applications.

Secondary processes and finishes including, but not limited to, face-grinding, may impact dimensional tolerances from base dimensions.

\* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.

\*\* Pallet information varies by manufacturer. Contact your Belgard Representative for more information.



Oceanside in Gray



**EXPLORE  
MORE  
PAVERS**



Dimensions in Gray



Hexagon in Charcoal & White



Dimensions in Charcoal, Gray & White

























Hexagon in Titanium



Dimensions in Gray, Malt & Cream

# Vehicular & Architectural Pavers (Continued)

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECH. INSTALL	FINISHES		TECHNOLOGY	CHAMFER WIDTH	SQ. FT. PER PALLET	
									Standard	Textured	DuraFusion			
	60 mm	6" x 9"	60 mm					✓		✓			Rolled edge	103
	30 mm 60 mm 80 mm	6" x 6" 6" x 9"	30 mm 60 mm	80 mm	80 mm	80 mm		✓		✓			Rolled edge	124 (30 mm) 103 (60 mm) 82 (80 mm)
	70 mm	Various	70 mm	70 mm						✓	✓		N/A	98
	60 mm	3" x 9"	60 mm	60 mm				✓	✓		✓		N/A	99.5
	30 mm 60 mm 80 mm	4" x 8" 8" x 8" 8" x 12"	30 mm 60 mm 80 mm	80 mm				✓			✓		3 mm	103 (30 mm) 103 (60 mm) 82 (80 mm)
	30 mm 60 mm 80 mm	4" x 8" 8" x 8" 8" x 12"	30 mm 60 mm 80 mm	80 mm				✓		✓			3 mm	103 (30 mm) 103 (60 mm) 82 (80 mm)
	60 mm	6" x 6" 6" x 9" 6" x 12"	60 mm	60 mm							✓	✓	Rolled edge	105
	60 mm 80 mm	3" x 12"	60 mm	80 mm	80 mm			✓			✓	✓	3 mm	110 (60 mm) 88 (80 mm)
	60 mm 80 mm 101.6 mm	4" x 8"	60 mm 80 mm 101.6 mm	60 mm 80 mm 101.6 mm	80 mm 101.6 mm	80 mm 101.6 mm		✓	80 mm	✓	✓	✓	7 mm	** (60 mm) ** (80 mm) 80 (101.6 mm)
	30 mm 60 mm 80 mm	6" x 9" 9" x 9" 9" x 12"	30 mm 60 mm 80 mm	80 mm						✓			Rolled edge	136 (30 mm) 114 (60 mm) 92 (80 mm)
	60 mm	5" x 11 <sup>3</sup> / <sub>16</sub> " 5" x 15 <sup>3</sup> / <sub>16</sub> " 5" x 19 <sup>1</sup> / <sub>16</sub> "	60 mm					✓		✓			3 mm	98
	60 mm 80 mm	6" x 12" 12" x 12" 12" x 18"	60 mm	80 mm				✓			✓	✓	3 mm	120 (60 mm) 96 (80 mm)
	60 mm	9" x 18" 18" x 18" 18" x 27"	60 mm					✓			✓	✓	3 mm	112.5
	60 mm	9" x 18" 18" x 18" 18" x 27"	60 mm					✓			✓	✓	3 mm	112.5
<b>TRUNCATED DOME PAVERS</b>														
	60 mm	4" x 8"	60 mm					✓		✓			7 mm	120
	60 mm	12" x 12"	60 mm					✓		✓			3 mm	120













Interlocking pavers can be used for a variety of different vehicular applications. Appropriate shape and thickness is based on project-specific conditions including type of loading, base design, and subgrade conditions. It is recommended that you consult a Belgard representative in your area before specifying products for vehicular applications.



Secondary processes and finishes including, but not limited to, face-grinding, may impact dimensional tolerances from base dimensions.

\* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.

\*\* Pallet information varies by manufacturer. Contact your Belgard Representative for more information.

## Vehicular & Architectural Pavers (Continued)

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	FINISHES			TECHNOLOGY	CHAMFER WIDTH	SQ. FT. PER PALLET
								Standard	Ground Face	Textured	DuraFusion		
 Oceanside 3 x 12	60 mm 80 mm	3" x 12"	60 mm	80 mm	80 mm		✓	✓	✓			N/A	100 (60 mm) 88 (80 mm)
 Oceanside 4 x 8	30 mm 60 mm	4" x 8"	30 mm 60 mm				✓	✓	✓			N/A	145 (30 mm) 96 (60 mm)
 Oceanside 6 x 12	60 mm 80 mm	6" x 12"	60 mm	80 mm	80 mm		✓	✓	✓			N/A	120 (60 mm) 96 (80 mm)
 Oceanside 8 x 8	60 mm	8" x 8"	60 mm				✓	✓	✓			N/A	96
 Oceanside 8 x 12	60 mm	8" x 12"	60 mm				✓	✓	✓			N/A	96
 Oceanside 12 x 12	30 mm 60 mm	12" x 12"	30 mm 60 mm				✓	✓	✓			N/A	192 (30 mm) 96 (60 mm)
 Oceanside 16 x 16	60 mm	16" x 16"	60 mm				✓	✓	✓			N/A	107













Interlocking pavers can be used for a variety of different vehicular applications. Appropriate shape and thickness is based on project-specific conditions including type of loading, base design, and subgrade conditions. It is recommended that you consult a Belgard representative in your area before specifying products for vehicular applications.

\* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.


\*\* Pallet information varies by manufacturer. Contact your Belgard Representative for more information.

# Permeable Pavers

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECH. INSTALL	FINISHES	TECHNOLOGY	MANUF. JOINT WIDTH	% SURFACE OPENING	CHAMFER WIDTH	SQ. FT. PER PALLET
									Standard	DuraFusion				
 Aqualine™ 3-Piece Ashlar	80 mm	4½" x 9" 4½" x 4½" 9" x 9"	✓	✓	✓	✓	✓	✓	✓	10 mm	12%	3 mm	90	
 Aqualine™ 4½ x 9	80 mm	4½" x 9"	✓	✓	✓	✓	✓	✓	✓	10 mm	10%	3 mm	90	
 Aqualine™ 3 x 12	80 mm	3" x 12"	✓	✓	✓	✓	✓	✓	✓	7 mm	10%	3 mm	88	
 Aqualine™ 6 x 12	80 mm	6" x 12"	✓	✓	✓	✓	✓	✓	✓	7 mm	5%	3 mm	96	



Aqualine 3-Piece Ashlar in Slate




**EXPLORE MORE PERMEABLE PAVERS**



Aqualine in Adobe



Aqualine in Napoli




















Aqualine 3-Piece Ashlar in Napoli

\* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.

Secondary processes and finishes including, but not limited to, face-grinding, may impact dimensional tolerances from base dimensions.

# Porcelain Pavers

UNITS	APPEARANCE	THICKNESS	SIZE	COLOR OPTIONS	ADA	PEDESTAL APPLICATION	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
									
 <b>Dijon</b>	Stone	¾"	24" x 24"	Couches, Commarin, Rochepot, Bazoches	✓	✓	232.5	60	2,160
 <b>Dijon</b>	Stone	¾"	24" x 36"	Couches, Commarin, Rochepot, Bazoches	✓	✓	279	48	2,486.8
 <b>Dijon</b>	Stone	¾"	24" x 48"	Couches, Commarin, Rochepot, Bazoches	✓	✓	271.25	35	2,621
 <b>Foundation</b>	Concrete	¾"	24" x 24"	Amber Beige, Scandina Gray	✓	✓	275.04	2	2533.8
 <b>Genoa</b>	Stone	¾"	12" x 24"	Blanco, Crema	✓	✓	232.5	120	2,201
 <b>Genoa</b>	Stone	¾"	24" x 24"	Blanco, Crema	✓	✓	232.5	60	2,160
 <b>Glocal</b>	Concrete	¾"	24" x 24"	Clear, Ideal, Type, Classic, Absolute, Chamois	✓	✓	232.5	60	2,160
 <b>Glocal</b>	Concrete	¾"	24" x 48"	Ideal, Type, Classic, Absolute, Chamois	✓	✓	271.25	35	2,621
 <b>Glocal</b>	Concrete	¾"	48" x 48"	Ideal, Absolute	✓	✓	310	20	3,009
 <b>Glocal</b>	Concrete	¾"	32" x 32"	Ideal, Type, Classic, Absolute, Chamois	✓	✓	289.3	42	2,751
 <b>Jurupa</b>	Wood	¾"	12" x 48"	Cool, Master, Camp	✓	✓	279	72	2,664
 <b>Kao</b>	Wood	¾"	12" x 48"	Hazelnut, Hazelnut Raw, Caramel, Caramel Raw, Spice, Spice Raw	✓	✓	279	72	2,664
 <b>Lagoon</b>	Stone	¾"	24" x 48"	Moonbeam, Sandshell, Sharkskin	✓	✓	271.25	35	2,621
 <b>Norr</b>	Stone	¾"	24" x 48"	Vit, Gra, Svart, Farge, Hav, Oken, Grus	✓	✓	271.25	35	2,621
 <b>Norr</b>	Stone	¾"	48" x 48"	Vit, Gra, Svart, Farge, Hav, Oken, Grus	✓	✓	310	20	3,009
 <b>Oudh</b>	Wood	¾"	12" x 48"	Copahu, Elem, Jinkoh, Pino, Laos, Ladano, Cedro	✓	✓	279	72	2,664

## Porcelain Pavers (Continued)

UNITS	APPEARANCE	THICKNESS	SIZE	COLOR OPTIONS	ADA	PEDESTAL APPLICATION	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
									
 Noon	Wood	¾"	12" x 48"	Daylight, Ember, Honey	✓	✓	279	72	2,664
 Norr	Stone	¾"	24" x 24"	Vit, Gra, Svart, Farge, Hav, Oken, Grus	✓	✓	232.5	60	2,160
 Norr	Stone	¾"	32" x 32"	Vit, Gra, Svart, Farge, Hav, Oken, Grus	✓	✓	289.3	42	2,751
 Norr	Stone	¾"	24" x 48"	Vit, Gra, Svart, Farge	✓	✓	279	-	-
 Norr	Stone	¾"	48" x 48"	Vit, Gra, Svart, Farge	✓	✓	310	-	-
 November	Stone	¾"	24" x 24"	Rain, Wind, Warm, Land	✓	✓	232.5	60	2,160
 Oudh	Wood	¾"	12" x 48"	Copahu, Elem, Jinkoh, Pino, Laos, Ladano, Cedro	✓	✓	235.5	-	-
 Quarziti 2.0	Stone	¾"	12" x 24"	Glacier, Mountains, Waterfall, River, Mantle	✓	✓	232.5	120	2,201
 Quarziti 2.0	Stone	¾"	18" x 36"	Glacier, Mountains, Waterfall, River, Mantle	✓	✓	234.9	54	2,235
 Quarziti 2.0	Stone	¾"	24" x 24"	Glacier, Mountains, Waterfall, River, Mantle	✓	✓	232.5	60	2,160
 Quarziti 2.0	Stone	¾"	24" x 48"	Glacier, Mountains, Waterfall, River, Mantle	✓	✓	271.25	35	2,621
 Quarziti Modular (2 pc)	Stone	¾"	12" x 24" 24" x 36"	Mountains, Waterfall, Mantle	✓	✓	279	72	2,640
 Silverlake	Stone	¾"	24" x 48"	Braies, Resia, Orsi	✓	✓	271.25	35	2,621
 Travertini	Travertine	¾"	24" x 24"	Pearly Cross, Light Cross, Misty Cross, Rustic Cross	✓	✓	232.5	60	2,160
 Travertini	Travertine	¾"	32" x 32"	Pearly Cross, Light Cross, Misty Cross, Rustic Cross	✓	✓	289.3	42	2,751
 Travertini	Travertine	¾"	24" x 48"	Pearly Cross, Light Cross, Misty Cross, Rustic Cross, Light Vein, Dark Vein, Misty Vein	✓	✓	271.25	35	2,621
 Unico 2.0	Stone	¾"	12" x 24"	Available in all Glocal, Noon, Quarziti 2.0 & Travertini Colors	✓	✓	205.2 LN FT	108	1,944



November in Land

EXPLORE MORE  
PORCELAIN  
PAVERS




Quarziti 2.0 in River, Glacier & Waterfall



Travertini in Pearly Cross



Noon in Honey & Ember















Quarziti 2.0 in Glacier & Waterfall



Glocal in Perfect

# Segmental Retaining & Freestanding Walls (SRW & FSW)

UNITS	UNIT SIZE			CONNECTION TYPE		ACCESSORIES* (SOLD SEPARATELY)		AVAILABLE FACE STYLES						BATTER	SQ. FT. PER PALLET
	Height	Width	Depth	Block	Other	Column/ Corner Unit	Cap	Sculpted	Smooth	Split	Tumbled	Straight	Victorian		
 Castlemanor®	6"	6", 12", 16" (long side dimension)	10"		Fiberglass Pins		✓				✓	✓		0° and 9.5°	31
 Castlemanor® Grana	6"	6", 12", 16" (long side dimension)	10"		Fiberglass Pins		✓		✓			✓		0° and 9.5°	31
 Belair Wall® 2.0 Freestanding Wall	6"	6", 10", 16"	5"			✓	✓	✓						Vertical	30
 Belair Wall® 2.0 Retaining Wall	6"	6", 10", 16"	8"	Rear Lip		✓	✓	✓						9.5°	30
 Diamond Pro® Air	8"	18"	11½"	Lugs		✓	✓		✓	✓		✓		4°	36
 Diamond Pro®	8"	18"	12"	Rear Lip		✓	✓		✓	✓		✓		7.1°	48
 Diamond Pro® PS	8"	18"	12"		Fiberglass Pins	✓	✓			✓		✓**	✓ (special order)	1.7°, 7.1°	48
 Easton Stone™	4"	8/5" 12/9" 16/13"	8"						✓			✓		Vertical	42
 Melville™ Wall	4"	20"	10"				✓		✓			✓		Vertical	48 units per pallet
 Torpedo Base Block®	4"	15¾"	11"											N/A	48 units per pallet
 Weston Stone™	4"	8/5" 12/9" 16/13"	8"								✓	✓		Vertical	42
 Weston Stone™ Universal	4"	12"	8"								✓	✓		Vertical	40

\* Sold separately: all walls have available cap options. Contact your representative for more information.

\*\* Straight II Face



Belair Wall 2.0 in Custom Color




**EXPLORE MORE  
FREESTANDING &  
RETAINING WALLS**




Weston Stone in Amaretto



Melville Wall in Titanium



Easton Stone in Titanium



Diamond Pro Straight Face in Pebble



Castlemanor in Napoli

# ROOFTOP PAVERS & PEDESTALS

Possibilities are endless when designing and building pedestal decks using Belgard Commercial Pedestals. The pedestal system's elevation range of 1/8" - 36" allows for building plaza decks over almost any sloping or difficult surface.

Building pedestal decks over occupied space has never been easier. The unique screw-to-adjust feature eliminates tedious and time-consuming installation often associated with constructing level decks over sloping surfaces. Construction crews quickly level each pedestal paver by adjusting pedestal height, even while loaded.

Future access to waterproofing entails simply removing specific pedestal pavers. Pedestal adjustments within the allowed range are accomplished by merely adjusting pedestal height and you're done – saving time and money.

## Specifications

- Supports up to 1000 lbs.
- Maximum elevation up to 36" using couplers and braces
- Impervious to water, mold & freeze-thaw
- Preassembled
- Packaged in weather-resistant boxes
- Contains 20% post-industrial recycled material
- Engagement "bumps" warn of over-extension

## Resources Available

- CAD details
- Specifications
- Technical cut sheets
- Maintenance guide
- Videos: planning, installation & more
- Take-off assistance
- Samples available
- Technical assistance
- Customer service



	MODEL SE SUPPORTS	MODEL NM SUPPORTS	MODEL B SUPPORTS	PEDESTAL PRIME SUPPORTS
Self Leveling Head	✓			✓
Fixed Head	✓	✓	✓	✓
Adjustable	✓	✓	✓	✓
Extendable w/ Coupler	✓	✓	✓	✓
Adjustment Key	✓	✓		✓
Locking IPE Pins	✓	✓		✓
Recycleable (LEED)	✓	✓	✓	✓
Loading Capacity	✓	✓	✓	✓
Integrated Extension Coupler				✓

NOTE: Contact your local Belgard Representative for information on additional pedestals and accessories available.

## Rooftop Slabs

UNITS	PAVER THICKNESS	PAVER SIZE	APPLICATIONS		ADA	SQ. FT. PER PALLET	PALLET WEIGHT (LBS)
				ROOFTOPS & PLAZAS			
Classic Plaza Slab 12 x 24	50 mm	12" x 24"	✓	✓	✓	135	2,900
Classic Plaza Slab 24 x 24	50 mm	24" x 24"	✓	✓	✓	96	2,300
Classic Plaza Slab 18 x 18	50 mm	17¾" x 17¾"	✓	✓	✓	-	-
Classic Plaza Slab 24 x 36	50 mm	24" x 36"	✓	✓	✓	-	-
Ipe Wood Tile	1.69"	24" x 24"	✓	✓	✓	176	990.88
Ipe Wood Tile	1.69"	24" x 48"	✓	✓	✓	176	990.88
Cumaru Wood Tile	1.69"	24" x 24"	✓	✓	✓	176	990.88
Cumaru Wood Tile	1.69"	24" x 48"	✓	✓	✓	176	990.88
Bamboo Wood Tile	1.69"	24" x 24"	✓	✓	✓	176	990.88
Itauba Wood Tile	1.69"	24" x 24"	✓	✓	✓	176	990.88
Garapa Wood Tile	1.69"	24" x 24"	✓	✓	✓	176	990.88
Tigerwood Wood Tile	1.69"	24" x 24"	✓	✓	✓	176	990.88

## Pedestals & Accessories

PRODUCT NAME	PRODUCT DESCRIPTION	PIECES PER CARTON
STAR-T	3/8" - 9/16" (10-15mm)	50
STAR-B	3/16" Extension (5mm)	50
SE0-P	1.125" - 1.5" (28-38mm)	40
SE1-P	1.5" - 2" (37.5-50mm)	30
SE2-P	2" - 3" (50-75mm)	25
SE3-P	3" - 4.75" (75-120mm)	25
SE4-P	4.75" - 6.75" (120-170mm)	25
SE5-P	6.75" - 8.5" (170-215mm)	25
SEP-1	5" Extension (127mm)	30
NM-1	1"-1.57" (25-40mm)	40
NM-2	1.57"-2.75" (40-70mm)	30
NM-3	2.36"-3.93" (60-100mm)	25
NM-4	3.54"-6.30" (90-160mm)	15
NM-5	5.90"-10.63" (150-270mm)	12
NM-EXT	5.7" Extension (145mm)	30
EH-12	1/2" Fixed (12mm)	250
EH-15	5/8" Fixed (16mm)	200
EH-20	3/4" Fixed (20mm)	150
RUB-14	1/4" Fixed RUBBER	150
RUB-38	3/8" Fixed RUBBER	150
RUB-PINS	1/4" Fixed w/ 4 Pins	100
PR1	1.2" - 2.55" Adjustable Pedestal	25 per box
PR2	6.1" Adjustable Pedestal	25 per box
PR3	16" Adjustable Pedestal	25 per box
B1	1.25"-2" (31-50 mm)	30 per box
B2	2"-3" (50-75mm)	30 per box
B3	3" - 4.75" (75-120mm)	30 per box
B4	4.75" - 7.75" (120-196mm)	30 per box
C4	2.5"-4" (63-101mm)	30 per box

## Cubes (Planters/Benches) & Cube Tops

PRODUCT NAME	COMMON SIZES (CUSTOM SIZES AVAILABLE)	COLORS (CUSTOM COLORS AVAILABLE)	MINIMUM QTY
Powder Coated Aluminum Cube	24"L x 24"H x 20"H 24"L x 24"H x 36"H 48"L x 24"H x 20"H 48"L x 24"H x 36"H	Red, Black, White, Charcoal, Silver, Bronze, Zinc*	1
Ipe Cube	24"L x 24"H x 16.5"H 48"L x 24"H x 16.5"H	Brown (Natural variations to be expected)	1
Ipe Top	24"L x 24" H 48"L x 24"H	Brown (Natural variations to be expected)	1

\* Premium color



EXPLORE MORE  
ROOFTOP PAVERS  
& SLABS

Cube Top



Aluminum Cube



Ipe Wood Cube



Classic Plaza Slab in Natural

## Classic Plaza Slab

### SHOT BLAST



CHAMOIS



CHARCOAL



CINNAMON



GINGER



LIMESTONE



NATURAL



RED




SRI WHITE\*


### DIAMOND



BROOKLYN




CHAMOIS




CHARCOAL



CINNAMON



GINGER



LIMESTONE



NATURAL



RED




SRI WHITE\*


### MATTE



CHAMOIS



CHARCOAL



CINNAMON



GINGER



LIMESTONE



NATURAL



RED




SRI WHITE\*

## Wood Pavers



CUMARU




GARAPA



ITAUBA



IPE



TIGERWOOD



Ipe Wood Plaza Pavers

\* SRI Color - Solar Reflective Index in Excess of 80. Contact your local Belgard® representative for more information.

Notice: Colors subject to change without prior notice. Colors in this brochure may vary from current stock. Actual samples are available from Belgard Commercial. Slight variations in color may occur during manufacturing. Slight scuffing may occur during handling.

PRODUCT FEATURE

# ARTFORMS™

## Modular Panel System

Innovative large-format modular panels offer contemporary lines and the versatility to create unlimited architectural features for outdoor living spaces.










**Uplevel the Look**

Add texture and visual impact with Papyrus Artforms™ panels, available now!

**PALLET INFORMATION**


ARTFORMS™		SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
OPEN END	18 x 36 x 3	81	9	9	9	2745
CLOSE END	18 x 36 x 3				9	
OPEN END	6 x 36 x 3	31.5	10.5	3	3	1095
CLOSE END	6 x 36 x 3				18	

**SHAPES & SIZES**

- 18 X 36**  
 18 x 36 x 3  
 Pallets contain both open and close ended units
- 6 X 36**  
 6 x 36 x 3  
 Pallets contain both open and close ended units
- INSTALLATION HARDWARE\***
  -  ANCHOR SLIDE & NUT  
50 units per box
  -  JOINING PLATE  
10 units per box
  -  OUTER CORNER  
10 units per box
  -  INNER CORNER  
10 units per box
  -  STRETCHER  
10 units per box

\*Installation hardware is sold separately

**AVAILABLE COLORS & TEXTURES**



ANTHRACITE – SMOOTH

HICKORY – SMOOTH

SCANDINA GRAY – SMOOTH

HICKORY – PAPYRUS


SCANDINA GRAY – PAPYRUS



Quarziti 2.0 in Glacier & Mantle

# BELGARD RESOURCES


## DESIGN FILES



## TECHNICAL RESOURCES



## CONTINUING EDUCATION



# MANUFACTURING LOCATIONS

5959 Soutel Drive  
Jacksonville, FL 32219  
Ph: 904-713-9996  
Fx: 904-713-9985

39 West Landstreet Road  
Orlando, FL 32824  
Ph: 800-226-9117  
Fx: 407-851-9316

2200 12 Street  
Sarasota, FL 34237  
Ph: 941-957-3933  
Fx: 941-366-1343

8910 North 12 Street  
Tampa, FL 33604  
Ph: 800-356-7283  
Fx: 813-933-4914

7167 Interpace  
West Palm Beach, FL 33407  
Ph: 800-226-0004  
Fx: 561-844-5454

3302 NE 2 Street  
Gainesville, FL 32609  
Ph: 352-377-1699  
Fx: 352-377-2604

421 Leonard Blvd N  
Lehigh Acres, FL 33971  
Ph: 239-368-9700

325 North Street  
Longwood, FL 32750  
Ph: 407-831-1050  
Fx: 407-331-6150

5603 Anderson Road  
Tampa, FL 33614  
Ph: 813-886-7761  
Fx: 813-886-8822

2902 Warehouse Road  
Ft. Myers, FL 33916  
Ph: 239-334-8022  
Fx: 239-334-0870

3749 Copeland Drive  
Zephyrhills, FL 33542  
Ph: 813-783-1970  
Fx: 813-783-2728

1980 Marley Drive  
Haines City, FL 33844  
Ph: 863-421-7422  
Fx: 863-421-1250

1590 North Andrews Ave Ext  
Pompano Beach, FL 33069  
Ph: 954-972-7400  
Fx: 855-265-5169

28 Gene Hurley Road  
De Funiak Springs, FL 32435  
Ph: 850-892-5155  
Fx: 850-892-7247

3019 S US Hwy 1  
Fort Pierce, FL 34982  
Ph: 772-429-1124

## SHOWROOMS (by appointment only)

4630 Shirley Street  
Naples, FL 34109  
Ph: 239-633-2596

2874 NW 79 Ave  
Doral, FL 33122  
Ph: 305-216-0947

11657 Phillips Hwy  
Jacksonville, FL 32256  
Ph: 877-924-2766

## SALES REPRESENTATIVES

**James Bellamy**  
Ph: 615.714.1456  
james.bellamy@oldcastle.com

**Mike Jeffreys**  
Ph: 561.631.1192  
mike.jeffreys@oldcastle.com



## ORDER SAMPLES



## FIND YOUR SALES REP

# BELGARD®

AN OLDCASTLE® APG OUTDOOR BRAND

## BELGARDCOMMERCIAL.COM

© 2026 Oldcastle® APG, Inc. All Rights Reserved. BELCOMM26-D-643650 | Florida | Revised 03/2026

