

BELGARD[®]

Commercial Product Offering




Northeast

Connecticut, Delaware, Maine, Maryland, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, Vermont, Virginia & Washington D.C.


HOW TO SELECT THE RIGHT PAVER FOR YOUR APPLICATION

The following icons provide general recommendations for both standard and permeable paving products. A pavement design professional should confirm that the product selected is suitable for the site-specific conditions such as subgrade soil properties, slope, drainage conditions, and traffic loading.



PEDESTRIAN

Designated for areas that are pedestrian only – walkways, patios and other pavement areas not subjected to any vehicular traffic. **All** Belgard paver and slab products are suitable for this application.



RESIDENTIAL DRIVEWAYS

Pavements used primarily for residential driveways, but also includes golf cart paths, commercial plazas, courtyards and pathways exposed to only light maintenance equipment, including infrequent heavy fire truck or maintenance equipment. Belgard pavers with a **minimum thickness of 60mm and a maximum aspect ratio of 4:1** are suitable for this application. 60mm multi-piece paver systems up to 12” in length are also acceptable for residential driveways with an appropriate base dependent on site conditions. 80mm thick slabs up to a length of 18 inches can be used in residential driveways subjected to only cars with adequate base thickness and subgrade soil strength. Typical lifetime ESALs should be < 7,500 maximum and heavy vehicles must be < 1 per day on average.



LIGHT VEHICULAR

Pavements used for low-traffic municipal or commercial parking lots, including access ways where only cars and light trucks are anticipated. Belgard pavers with a **minimum thickness of 80mm and a maximum aspect ratio of 4:1** are suitable for this application. Typical lifetime ESALs must be < 30,000 ESALs and maximum heavy vehicles should be < 5 per day on average.



HEAVY VEHICULAR

Pavements designated for regular vehicular traffic, including commercial parking lots, access roads where heavy vehicles are a regular component of the daily traffic volume. Belgard pavers with a **minimum thickness of 80mm and a maximum ratio of 3:1** are suitable for this application. Herringbone laying pattern is recommended on all roadways. Typical lifetime ESALs typically are > 30,000 ESALs and > 5 heavy vehicles per day.

The information set forth herein is for general informational purposes only. All such information is provided in good faith, however Oldcastle APG, Inc. and its affiliates make no representation or warranty of any kind, express or implied, regarding the accuracy, adequacy, validity, reliability, availability or completeness of any of the information and shall have no liability to any party for loss or damage incurred as a result of the use or reliance on any information provided herein. Any use of the information is at the user's sole risk.

COLORS & FINISHES OFFERING

Solid Colors



Tone-on-Tone Colors



Blended Colors



Finishes



Technologies




*Available in Pavers Only **Available in Walls Only

Modular Architectural Pavers

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	FINISHES		TECHNOLOGIES		CHAMFER WIDTH	SQ. FT. PER PALLET
								Standard	Textured	DuraFusion	DuraFusion + ColorTech		
DIMENSIONS™ 3-PIECE SYSTEM													
 Dimensions™ 6	60 mm	3" x 6" 6" x 6" 6" x 9"	60 mm	60 mm			✓	✓				3 mm	120
 Dimensions™ 12	60 mm 80 mm	12" x 6" 12" x 12" 12" x 18"	60 mm	80 mm			✓	✓		✓	✓	3 mm	120 (60 mm) 96 (80 mm)
 Dimensions™ 18	60 mm	18" x 9" 18" x 18" 18" x 27"	60 mm				✓	✓		✓	✓	3 mm	112.5
DIMENSIONS™ SINGLE PIECE													
 Dimensions™ 3 x 12	60 mm 80 mm 101.6 mm	3" x 12"	60 mm	80 mm	80 mm	101.6 mm	✓	✓		✓		3 mm	110 (60 mm) 88 (80 mm) 66 (101.6 mm)
 Dimensions™ 6 x 12	60 mm 80 mm	6" x 12"	60 mm	80 mm	80 mm		✓	✓		✓		3 mm	120 (60 mm) 96 (80 mm)
 Dimensions™ 6 x 6	60 mm 80 mm	6" x 6"	60 mm	80 mm	80 mm		✓	✓		✓		3 mm	120 (60 mm) 96 (80 mm)
 Dimensions™ 6 x 9	60 mm 80 mm	6" x 9"	60 mm	80 mm	80 mm	80 mm	✓	✓		✓		3 mm	112 (60 mm) 90 (80 mm)
 Dimensions™ 12 x 12	60 mm 80 mm	12" x 12"	60 mm	80 mm	80 mm		✓	✓		✓		3 mm	120 (60 mm) 96 (80 mm)
 Dimensions™ Slab 9 x 18	60 mm	9" x 18"	60 mm				✓	✓		✓		3 mm	112.5
 Dimensions™ Slab 12 x 24	60 mm	12" x 24"	60 mm				✓	✓		✓		3 mm	120
 Dimensions™ Slab 15 x 30	60 mm	15" x 30"	60 mm				✓	✓		✓		3 mm	93.75
 Dimensions™ Slab 24 x 24	60 mm	24" x 24"	60 mm				✓	✓		✓		3 mm	80
 Dimensions™ Slab 24 x 36	60 mm	24" x 36"	60 mm				✓	✓		✓		3 mm	120
ORIGINS™ 3-PIECE SYSTEM													
 Origins™ 6	60 mm	3" x 6" 6" x 6" 6" x 9"	60 mm				✓		✓			3 mm	120
 Origins™ 12	60 mm 80 mm	12" x 6" 12" x 12" 12" x 18"	60 mm	80 mm			✓		✓	✓	✓	3 mm	120 (60 mm) 96 (80 mm)
 Origins™ 18	60 mm	18" x 9" 18" x 18" 18" x 27"	60 mm				✓		✓	✓		3 mm	112.5

Secondary processes and finishes including, but not limited to, face-grinding, may impact dimensional tolerances from base dimensions. Interlocking pavers can be used for a variety of different vehicular applications. Appropriate shape and thickness is based on project-specific conditions including type of loading, base design, and subgrade conditions. It is recommended that you consult a Belgard representative in your area before specifying products for vehicular applications.


* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.



Dimensions Slab 12 x 24



Origins 12 & Origins 6 x 9





Dimensions 6 x 9 & 3 x 12



Hexagon 6

Modular Architectural Pavers (Continued)

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	FINISHES		TECHNOLOGIES		CHAMFER WIDTH	SQ. FT. PER PALLET
								Standard	Textured	DuraFusion	DuraFusion + ColorTech		
GEOMETRIC SHAPES													
 Diamond	60 mm	12"	60 mm				✓	✓				3 mm	93.5
 Hexagon 6"	60 mm 80 mm	6"	60 mm	60 mm 80 mm			✓	✓		✓		3 mm	100.02 (60 mm) 71.24 (80 mm)
ADDITIONAL PRODUCTS													
 Basalt™ 18	60 mm	18" x 9" 18" x 18" 18" x 27"	60 mm				✓		✓	✓		3 mm	112.5
 Brooklyn™	60 mm	3" x 9"	60 mm	60 mm					✓		✓	N/A	99.5
 Charlestone™	60 mm	6" x 6" 6" x 9" 6" x 12"	60 mm	60 mm					✓	✓		Rolled Edge	105
 Empire™	60 mm	3" x 12"	60 mm						✓	✓		-	110
 London Cobble™ 3-Piece	60 mm	3" x 6" 6" x 6" 6" x 9"	60 mm	60 mm			✓	✓		✓		-	120
 London Cobble™ 6 x 9	60 mm	6" x 9"	60 mm	60 mm			✓	✓		✓		-	112.5
 Origins™ 6 x 9	60 mm	6" x 9"	60 mm	60 mm			✓		✓	✓		3 mm	112.5
 Papyrus™ 18	60 mm	18" x 9" 18" x 18" 18" x 27"	60 mm				✓		✓	✓		3 mm	112.5





Secondary processes and finishes including, but not limited to, face-grinding, may impact dimensional tolerances from base dimensions. Interlocking pavers can be used for a variety of different vehicular applications. Appropriate shape and thickness is based on project-specific conditions including type of loading, base design, and subgrade conditions. It is recommended that you consult a Belgard representative in your area before specifying products for vehicular applications.

* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.

Vehicular & Architectural Pavers

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	FINISHES		TECHNOLOGIES		CHAMFER WIDTH	SQ. FT. PER PALLET
								Standard	Textured	DuraFusion	DuraFusion + ColorTech		
 Belgian Cobble®	60 mm	7 irregular round sizes	60 mm	60 mm					✓			N/A	112.5
 Brick Stone	60 mm	4" x 8"	60 mm	60 mm			✓	✓		✓		7 mm	120
 Holland Stone	60 mm 80 mm	4" x 8"	60 mm	60 mm	80 mm	80 mm	✓	✓				7 mm	120 (60 mm) 96 (80 mm)
 Old Towne Cobble	60 mm 80 mm	6" x 6" 6" x 9"	60 mm	80 mm	80 mm		✓	✓		✓		3 mm	76 (80mm) 81.6 (80mm)



Secondary processes and finishes including, but not limited to, face-grinding, may impact dimensional tolerances from base dimensions. Interlocking pavers can be used for a variety of different vehicular applications. Appropriate shape and thickness is based on project-specific conditions including type of loading, base design, and subgrade conditions. It is recommended that you consult a Belgard representative in your area before specifying products for vehicular applications.

* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.

Permeable Pavers

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECH. INSTALL	FINISHES		TECHNOLOGY	MANUF. JOINT WIDTH	% SURFACE OPENING PER SQ. FT.	CHAMFER WIDTH	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
									Standard	Textured							
 Aqualine 3" x 12"	80 mm	3" x 12"	80 mm	80 mm	80 mm	80 mm	✓		✓			7 mm	10%	3 mm	88	352	3,012
 Aqualine 4.5" x 9"	80 mm	4½" x 9"	80 mm	80 mm	80 mm	80 mm	✓		✓			10 mm	10%	3 mm	90	320	3,100
 Aqualine 6" x 12"	80 mm	6" x 12"	80 mm	80 mm	80 mm	80 mm	✓		✓			7 mm	5%	3 mm	96	192	3,350
 Aqualine Ashlar™	80 mm	4½" x 4½" 4½" x 9" 9" x 9"	80 mm	80 mm	80 mm	80 mm	✓	✓	✓		✓	10 mm	12%	3 mm	88	-	-
 Eco™ Cobble®	60 mm	6¼" x 6¼" 6¼" x 9¾"	60 mm	60 mm			✓		✓		✓	10 mm	8%	3 mm	94.5 102	350 (6 x 6) 250 (6 x 9)	2,500 (6 x 6) 2,800 (6 x 9)
 Eco Dublin®	80 mm	3½" x 6½" 6½" x 6½" 6½" x 10½"	80 mm	80 mm	80 mm		✓		✓			12 mm	7%	N/A	91.6	288	3,155

Concrete Grid Pavements

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA	MECH. INSTALL	FINISHES		TECHNOLOGIES		% SURFACE OPENING	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
									Standard	Textured	DuraFusion	DuraFusion + ColorTech				
 Turfstone™	80 mm	15¾" x 23⅝"	80 mm	80 mm					✓				40%	101	40	2,575

Secondary processes and finishes including, but not limited to, face-grinding, may impact dimensional tolerances from base dimensions.

* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.



Aqualine Ashlar



**EXPLORE MORE
PERMEABLE
PAVERS**




Aqualine



Aqualine



Eco Dublin



Aqualine Ashlar

Porcelain Pavers

UNITS	APPEARANCE	THICKNESS	SIZE	COLOR OPTIONS	ADA	PEDESTAL APPLICATION	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
									
 Glocal	Stone	3/4"	24" x 24"	Classic, Clear, Ideal	✓	✓	232.5	60	2,160
 Glocal	Concrete	3/4"	24" x 48"	Classic, Clear, Ideal	✓	✓	271.25	35	2,621
 Lagoon	Stone	3/4"	24" x 48"	Moonbeam, Sandshell, Sharkskin	✓	✓	271.25	35	2,621
 Noon	Wood	3/4"	12" x 48"	Daylight, Ember, Honey	✓	✓	279	72	2,664
 November	Stone	3/4"	24" x 24"	Rain, Wind, Warm, Land	✓	✓	232.5	60	2,160
 Quarziti 2.0	Stone	3/4"	24" x 24"	Glacier, Mountains, Waterfall, River	✓	✓	232.5	60	2,160
 Quarziti 2.0	Stone	3/4"	24" x 48"	Glacier, Mountains, Waterfall, River	✓	✓	271.25	35	2,621
 Unico 2.0	Stone	3/4"	11.62" x 23 1/2"	Glacier, Mountains, Waterfall, River, Daylight, Ember, Honey, Classic, Clear, Ideal	✓	✓	205.2	108	1,944

If installing on elevated surface over 3/4" all porcelain must have a factory applied fiber mesh backing. Spacers are required for all porcelain paver installations. For vehicular applications, there must be a mortar install over a concrete slab. Visit Belgard.com/porcelain for additional installation details.

Field applied trays are an alternative to the factory applied fiber mesh.



Quarziti 2.0

 EXPLORE MORE
PORCELAIN
PAVERS



Unico 2.0




November




Glocal



Glocal




Noon



Quarziti 2.0

Segmental Retaining & Freestanding Walls (SRW & FSW)

UNITS	UNIT SIZE			CONNECTION TYPE		ACCESSORIES (SOLD SEPARATELY)		TEXTURE		AVAILABLE FACE STYLES					BATTER/ SETBACK	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
	Height	Width	Depth	Block	Other	Column/ Corner Unit	Cap	Sculpted	Split	Straight	Victorian	Smooth	Stone Cut	Quarried				
 Brookshire™	6"	6" / 4", 12" / 10", 16" / 14"	9"		Fiberglass Pins	✓	✓		✓	✓					9.5° / 1"	32	75	3,260
 Coventry Wall III 6 Inch	6"	8" / 6", 10" / 8", 16" / 14"	10"		Fiberglass Pins	✓	✓		✓	✓					0° / Vertical	32	72	3,223
 Diamond Pro® Air	8"	18"	12"	Surface Lug		✓	✓	✓	✓	✓		✓		✓	4° / 1/16"	40	40	2,160
 Diamond Pro® PS	8"	18"	12"		Fiberglass Pins	✓	✓	✓	✓		✓		✓	✓	1.7° or 7.1°	48	48	3,616
 Diamond Pro®	8"	18"	12"	Rear Lip		✓	✓		✓	✓					7.1° / 1"	48	48	3,467
 Highland Stone® SRW Small & Medum	6"	12", 6"	12"	Rear Lip		✓	✓		✓	✓					10.6° / 1.125"	33.75	45	3,875
 Highland Stone® SRW Large	6"	18"	12"	Rear Lip		✓	✓		✓	✓					10.6° / 1.125"	33.75	45	3,875
 Highland Stone® FSW Small & Medium	6"	12", 6"	9"			✓	✓		✓	✓					0° / Vertical	32	40	2,630
 Highland Stone® FSW Large	6"	18"	9"			✓	✓		✓	✓					0° / Vertical	30	40	2,850
 Melville™ Wall	4"	20"	10"				✓			✓					0° / Vertical	26.67	48	3,120
 Terrace Wall®	6"	16"	12"	Rear Lip		✓	✓		✓	✓					9.5° / 1"	48	72	3,665
 Vanguard	6"	6" / 4", 12" / 10", 16" / 14"	10"		Fiberglass Pins		✓					✓			9.5° / 1" (Retaining) 0° / Vertical (Freestanding)	28.4	60	1,921
 Vertica®	8"	18"	11" (2°) 12" (4°)	Surface Lug		✓	✓		✓	✓					2° / 1/32" (2°) 4° / 1/16" (4°)	36	36	2,628



Highland Stone

 **EXPLORE MORE
FREESTANDING &
RETAINING WALLS**



Diamond Pro PS Quarried Face



Vanguard



Diamond Pro Straight Face



Diamond Pro Air Quarried Face



Diamond Pro Air Smooth Face

ROOFTOP PAVERS & PEDESTALS

Possibilities are endless when designing and building pedestal decks using Belgard Commercial Pedestals. The pedestal system's elevation range of 1/8" - 36" allows for building plaza decks over almost any sloping or difficult surface.

Building pedestal decks over occupied space has never been easier. The unique screw-to-adjust feature eliminates tedious and time-consuming installation often associated with constructing level decks over sloping surfaces. Construction crews quickly level each pedestal paver by adjusting pedestal height, even while loaded.

Future access to waterproofing entails simply removing specific pedestal pavers. Pedestal adjustments within the allowed range are accomplished by merely adjusting pedestal height and you're done – saving time and money.

Specifications

- Supports up to 1000 lbs.
- Maximum elevation up to 36" using couplers and braces
- Impervious to water, mold & freeze-thaw
- Preassembled
- Packaged in weather-resistant boxes
- Contains 20% post-industrial recycled material
- Engagement "bumps" warn of over-extension

Resources Available

- CAD details
- Specifications
- Technical cut sheets
- Maintenance guide
- Videos: planning, installation & more
- Take-off assistance
- Samples available
- Technical assistance
- Customer service



	MODEL SE SUPPORTS	MODEL NM SUPPORTS	PEDESTAL PRIME SUPPORTS
Self Leveling Head	✓		✓
Fixed Head	✓	✓	✓
Adjustable	✓	✓	✓
Extendable w/ Coupler	✓	✓	✓
Adjustment Key	✓	✓	✓
Locking IPE Pins	✓	✓	✓
Recycleable (LEED)	✓	✓	✓
Loading Capacity	✓	✓	✓
Integrated Extension Coupler			✓

NOTE: Contact your local Belgard Representative for information on additional pedestals and accessories available.

Rooftop Slabs

UNITS	PAVER THICKNESS	PAVER SIZE	APPLICATIONS		ADA	SQ. FT. PER PALLET	PALLET WEIGHT (LBS)
				ROOFTOPS & PLAZAS			
Classic Plaza Slab 12 x 24	50 mm	12" x 24"	✓	✓	✓	135	2,900
Classic Plaza Slab 24 x 24	50 mm	24" x 24"	✓	✓	✓	96	2,300
Classic Plaza Slab 12 x 24	50 mm	17¾" x 17¾"	✓	✓	✓	-	-
Classic Plaza Slab 24 x 24	50 mm	24" x 36"	✓	✓	✓	-	-
Ipe Wood Tile	1.69"	24" x 24"	✓	✓	✓	176	990.88
Ipe Wood Tile	1.69"	24" x 48"	✓	✓	✓	176	990.88
Cumaru Wood Tile	1.69"	24" x 24"	✓	✓	✓	176	990.88
Cumaru Wood Tile	1.69"	24" x 48"	✓	✓	✓	176	990.88
Bamboo Wood Tile	1.69"	24" x 24"	✓	✓	✓	176	990.88
Itauba Wood Tile	1.69"	24" x 24"	✓	✓	✓	176	990.88
Garapa Wood Tile	1.69"	24" x 24"	✓	✓	✓	176	990.88
Tigerwood Wood Tile	1.69"	24" x 24"	✓	✓	✓	176	990.88

Pedestals & Accessories

PRODUCT NAME	PRODUCT DESCRIPTION	PIECES PER CARTON
STAR-T	3/8" - 9/16" (10-15mm)	50
STAR-B	3/16" Extension (5mm)	50
SE0-P	1.125" - 1.5" (28-38mm)	40
SE1-P	1.5" - 2" (37.5-50mm)	30
SE2-P	2" - 3" (50-75mm)	25
SE3-P	3" - 4.75" (75-120mm)	25
SE4-P	4.75" - 6.75" (120-170mm)	25
SE5-P	6.75" - 8.5" (170-215mm)	25
SEP-1	5" Extension (127mm)	30
NM-1	1"-1.57" (25-40mm)	40
NM-2	1.57"-2.75" (40-70mm)	30
NM-3	2.36"-3.93" (60-100mm)	25
NM-4	3.54"-6.30" (90-160mm)	15
NM-5	5.90"-10.63" (150-270mm)	12
NM-EXT	5.7" Extension (145mm)	30
EH-12	1/2" Fixed (12mm)	250
EH-15	5/8" Fixed (16mm)	200
EH-20	3/4" Fixed (20mm)	150
RUB-14	1/4" Fixed RUBBER	150
RUB-38	3/8" Fixed RUBBER	150
RUB-PINS	1/4" Fixed w/ 4 Pins	100
PR1	1.2" - 2.55" Adjustable Pedestal	1 per box
PR2	6.1" Adjustable Pedestal	1 per box
PR3	16" Adjustable Pedestal	1 per box
B1	1.25"-2" (31-50 mm)	-
B2	2"-3" (50-75mm)	-
B3	3" - 4.75" (75-120mm)	-
B4	4.75" - 7.75" (120-196mm)	-
C4	2.5"-4" (63-101mm)	-

Cubes (Planters/Benches) & Cube Tops

PRODUCT NAME	COMMON SIZES (CUSTOM SIZES AVAILABLE)	COLORS (CUSTOM COLORS AVAILABLE)	MINIMUM QTY
Powder Coated Aluminum Cube	24"L x 24"H x 20"H 24"L x 24"H x 36"H 48"L x 24"H x 20"H 48"L x 24"H x 36"H	Red, Black, White, Charcoal, Silver, Bronze, Zinc*	1
Ipe Cube	24"L x 24"H x 16.5"H 48"L x 24"H x 16.5"H	Brown (Natural variations to be expected)	1
Ipe Top	24"L x 24" H 48"L x 24"H	Brown (Natural variations to be expected)	1

* Premium color



EXPLORE MORE
ROOFTOP PAVERS
& SLABS


Cube Top



Aluminum Cube



Ipe Wood Cube



Classic Plaza Slab

Classic Plaza Slab

SHOT BLAST



CHAMOIS



CHARCOAL



CINNAMON



GINGER



LIMESTONE



NATURAL



RED



SRI WHITE*


DIAMOND



BROOKLYN



CHAMOIS




CHARCOAL



CINNAMON



GINGER



LIMESTONE



NATURAL



RED



SRI WHITE*

MATTE



CHAMOIS



CHARCOAL



CINNAMON



GINGER



LIMESTONE



NATURAL



RED



SRI WHITE*

Wood Pavers



CUMARU



GARAPA




ITAUBA



IPE



TIGERWOOD



Ipe Wood Plaza Pavers

* SRI Color - Solar Reflective Index in Excess of 80. Contact your local Belgard® representative for more information.


Notice: Colors subject to change without prior notice. Colors in this brochure may vary from current stock. Actual samples are available from Belgard Commercial. Slight variations in color may occur during manufacturing. Slight scuffing may occur during handling.

Accessories

PRODUCT	SIZE	LN. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
 Anchor® Column Cap	28" x 28" x 4"	-	4	600
 Artforms™	3" x 18" x 36"	-	18	2,745
 Artforms™	3" x 6" x 36"	-	21	1,095
 Curbstone	9" x 3¾" x 8"	-	144	2,880
 Delmaro Coping	6" x 12" x 2¾"	54	108	1,580
 Edgestone	8" x 2½" x 6"	-	336	3,360
 Grava Coping	36" x 15" x 2¾"	54	18	3,222
 Laguna™ Coping	14¾" x 23⅝" x 2¾"	-	28	2,016
 Landings™ Step Unit	6" x 48" x 18"	-	6	2,565
 Marina™ Coping	6" x 12" x 2¾"	63	126	1,764
 Melville™ Curb	4" x 24" x 6½"	96	48	2,449
 Modena Coping	36" x 15" x 2¾"	54	18	3,222
 Moduline Truncated Dome	12" x 12" x 2¾"	-	120	3,338



Artforms




Delmaro Coping

PRODUCT FEATURE

ARTFORMS™

Modular Panel System

Innovative large-format modular panels offer contemporary lines and the versatility to create unlimited architectural features for outdoor living spaces.



PALLET INFORMATION

ARTFORMS™		SQFT/ PALLET	SQFT/ LAYER	LAYER/ PALLET	UNITS/ PALLET	WEIGHT/ PALLET
OPEN END	18 x 36 x 3	81	9	9	9	2745
CLOSE END	18 x 36 x 3				9	
OPEN END	6 x 36 x 3	31.5	10.5	3	3	1095
CLOSE END	6 x 36 x 3				18	

SHAPES & SIZES

18 X 36
 18 x 36 x 3
 Pallets contain both open and close ended units

6 X 36
 6 x 36 x 3
 Pallets contain both open and close ended units

INSTALLATION HARDWARE*

-  ANCHOR SLIDE & NUT
50 units per box
-  JOINING PLATE
10 units per box
-  OUTER CORNER
10 units per box
-  INNER CORNER
10 units per box
-  STRETCHER
10 units per box

*Installation hardware is sold separately

Stocked Colors For Oldcastle - APG New England (subject to change)

PRODUCT NAME	CORE MIX	DURAFUSION
PAVERS		
Aqualine 4.5 x 9	Iron Bay, Newport Gray	
Belgian Cobble	Bourbon, Midnight, Pearl	
Brooklyn		Bourbon, Midnight, Pearl, Rosewood
Charlestone		Ashwood, Fog, Iron Bay, Midnight
Dimensions 6	Anthracite, Danville, Hickory, Iron Bay, Newport Gray, Scandina Gray	
Dimensions 12 60 mm	Danville, Iron Bay, Newport Gray	Anthracite, Hickory, Scandina Gray, Sepia, Shaded Gray
Dimensions 12 80 mm		Anthracite, Hickory, Scandina Gray, Sepia, Shaded Gray
Dimensions 18	Danville, Iron Bay, Newport Gray	Anthracite, Cheswick, Hickory, Scandina Gray, Sepia, Shaded Gray
Dimensions 6 Antiqued	Anthracite, Danville, Hickory, Iron Bay, Newport Gray, Scandina Gray	
Dimensions 6 x 9		Midnight
Dimensions 6 x 12 60 mm		Bourbon, Fog, Midnight, Pearl
Dimensions 6 x 12 80 mm		Bourbon, Midnight
Dimensions Plank 3 x 12		Bourbon, Fog, Midnight, Pearl, Rosewood
Dimensions Slab 9 x 18		Anthracite, Hickory, Scandina Gray, Sepia, Shaded Gray
Dimensions Slab 15 x 30		Anthracite, Hickory, Scandina Gray, Sepia, Shaded Gray
Dimensions Slab 12 x 24		Anthracite, Hickory, Scandina Gray, Sepia, Shaded Gray
Dimensions Slab 24 x 24		Anthracite, Hickory, Scandina Gray, Sepia, Shaded Gray
Dimensions Slab 24 x 36		Anthracite, Hickory, Scandina Gray, Sepia, Shaded Gray
Empire		Midnight, Scandina Gray
Holland Stone 60 mm	Faneuil Hall, Iron Bay, Midnight, Newport Gray	
Hexagon 6		Anthracite, Scandina Gray, Shaded Gray
London Cobble 6x6	Iron Bay, Midnight, Newport Gray	
London Cobble 6x9	Iron Bay, Midnight, Newport Gray	
Mega-Arbel	Iron Bay, Newport Gray	

Stocked Colors For Oldcastle - APG New England (subject to change)

PRODUCT NAME	CORE MIX	DURAFUSION
PAVERS		
Origins 6	Ashwood, Iron Bay, Newport Gray	
Origins 12 60 mm	Danville, Iron Bay, Newport Gray	Ashwood, Cheswick, Newport Gray, Sonoran, Teak
Origins 12 80 mm		Ashwood, Cheswick, Iron Bay, Newport Gray, Teak
Origins 18	Danville, Iron Bay, Newport Gray	Ashwood, Cheswick, Iron Bay, Newport Gray, Sonoran, Teak
Origins 6 x 9		Midnight
Papyrus 18		Scandina Gray, Sepia
Turfstone		Gray
WALLS		
Diamond Pro Air Smooth Face	Anthracite, Hickory, Shaded Gray	
Diamond Pro Air Straight Face	Charcoal, Gray, Tan	
Diamond Pro PS Quarried Face	Danville, Newport Gray	
Diamond Pro PS Victorian	Granite Gray, Sable Blend	
Vanguard Wall	Anthracite, Hickory, Shaded Gray	
ACCESSORIES		
Artforms Modular Panel System	Anthracite, Hickory, Scandina Gray	
Landing Step Units	Bourbon, Iron Bay, Newport Gray	
Melville Curb	Bourbon, Fog, Midnight, Pearl	
Delmaro 6 x 12 Coping	Bourbon, Fog, Midnight, Pearl, Rosewood	
Grava 15 x 36 Coping	Ashwood, Cheswick, Iron Bay, Newport Gray, Teak	
Laguna 15 x 24 Coping	Alpine Gray, Sterling Gray	
Marina Bullnose Coping	Bourbon, Fog, Midnight, Pearl, Rosewood	
Modena 15 x 36 Coping	Anthracite, Hickory, Scandina Gray, Sepia, Shaded Gray	

Stocked Colors For Oldcastle - Metro (subject to change)

PRODUCT NAME	CORE MIX	DURAFUSION
PAVERS		
Aqualine 4.5 x 9	Dakota Blend, Newport Gray	
Belgian Cobble	Bourbon, Midnight, Pearl	
Brick Stone		Midnight, Autum Blend, Newport Gray
Brooklyn		Bourbon, Fog, Midnight, Pearl, Rosewood
Charlestone		Bourbon, Iron bay, Midnight, Fog, Ashwood
Dimensions 6	Iron Bay, Hickory, Scandina Gray	
Dimensions 12 60 mm	Hickory, Iron Bay, Scandina Gray	Anthracite, Hickory, Iron Bay, Scandina Gray, Sepia, Shaded Gray
Dimensions 12 80 mm		Anthracite, Hickory, Iron Bay, Scandina Gray, Sepia, Shaded Gray
Dimensions 18		Anthracite, Hickory, Iron Bay, Scandina Gray, Sepia, Shaded Gray
Dimensions 6 x 9		Midnight
Dimensions 6 x 12		Bourbon, Fog, Midnight, Pearl
Dimensions Plank 3 x 12		Bourbon, Fog, Midnight, Pearl, Rosewood
Dimensions Slab 9 x 18		Anthracite, Hickory, Scandina Gray, Sepia, Shaded Gray
Dimensions Slab 15 x 30		Anthracite, Hickory, Scandina Gray, Sepia, Shaded Gray
Dimensions Slab 12 x 24		Anthracite, Hickory, Scandina Gray, Sepia, Shaded Gray
Dimensions Slab 24 x 24		Anthracite, Hickory, Scandina Gray, Sepia, Shaded Gray
Dimensions Slab 24 x 36		Anthracite, Hickory, Scandina Gray, Sepia, Shaded Gray
Eco Cobble 6x6 & 6x9		Dakota Blend, Pewter Blend
Empire		Midnight, Scandina Gray
Hexagon 6		Anthracite, Scandina Gray, Shaded Gray
Mega-Arbel	Hickory, Iron Bay, Newport Gray	
Old Town Cobble 6x6		Dakota Blend, Harvest Blend, Pewter Blend
Old Town Cobble 6x9		Dakota Blend, Harvest Blend, Pewter Blend, Midnight, Brown

Stocked Colors For Oldcastle - Metro (subject to change)

PRODUCT NAME	CORE MIX	DURAFUSION
PAVERS		
Origins 6	Hickory, Ashwood, Iron Bay, Newport Gray	
Origins 12 60 mm	Hickory, Newport Gray, Iron Bay	Ashwood, Cheswick, Iron Bay, Newport Gray, Sonoran, Teak
Origins 12 80 mm		Ashwood, Cheswick, Iron Bay, Newport Gray, Teak
Origins 18		Ashwood, Cheswick, Iron Bay, Newport Gray, Sonoran, Teak
Origins 6 x 9		Bourbon, Midnight, Teak, Sonoran, Cheswick, Iron Bay, Newport Gray
Papyrus 18		Scandina Gray, Sepia
Turfstone		Gray
WALLS		
Conventry III Wall 6"	Dakota Blend, Harvest Blend, Pewter Blend	
Diamond Pro Air Smooth Face	Anthracite, Hickory, Shaded Gray	
Diamond Pro Air Straight Face	Tan Blend, Grey Blend, Midnight	
Diamond Pro	Dakota Blend, Harvest Blend, Pewter Blend	
Diamond Pro PS	Hickory, Sable, Silex	
Diamond Pro PS Quarried Face	Hickory, Newport Gray, Iron Bay	
Terrace Wall Stretcher	Dakota Blend, Harvest Blend, Pewter Blend	
Vanguard Wall	Anthracite, Hickory, Shaded Gray	
ACCESSORIES		
Artforms Modular Panel System	Anthracite, Hickory, Scandina Gray	
Landing Step Units	Hickory, Bourbon, Newport Gray, Iron Bay	
Melville Curb	Bourbon, Fog, Midnight, Pearl	
Delmaro 6 x 12 Coping	Bourbon, Fog, Midnight, Pearl, Rosewood	
Grava 15 x 36 Coping	Ashwood, Cheswick, Iron Bay, Newport Gray, Teak	
Marina Bullnose 6 x 12 Coping	Bourbon, Fog, Iron Bay, Midnight, Pearl, Shaded Gray, Rosewood	
Modena 15 x 36 Coping	Anthracite, Hickory, Iron Bay, Scandina Gray, Sepia, Shaded Gray	

Stocked Colors For Oldcastle - Mid-Atlantic (subject to change)


PRODUCT NAME	CORE MIX	DURAFUSION
PAVERS		
Aqualine 4.5 x 9	Ashwood, Shaded Gray	
Belgian Cobble	Bourbon, Midnight, Pearl	
Brooklyn		Bourbon, Fog, Midnight, Pearl, Rosewood
Charlestone		Ashwood, Fog, Iron Bay, Midnight, Shaded Gray
Dimensions 6		Hickory, Scandina Gray
Dimensions 12 60 mm	Ashwood, Iron Bay, Shaded Gray	Anthracite, Cheswick, Cliffside, Hickory, Iron Bay, Scandina Gray, Sepia, Shaded Gray
Dimensions 12 80 mm		Anthracite, Hickory, Iron Bay, Scandina Gray, Sepia, Shaded Gray
Dimensions 18		Anthracite, Cheswick, Cliffside, Hickory, Scandina Gray, Sepia, Shaded Gray
Dimensions 6 x 9		Bourbon, Fog, Midnight, Pearl
Dimensions 6 x 12		Bourbon, Fog, Midnight, Pearl
Dimensions Plank 3 x 12		Bourbon, Fog, Midnight, Pearl, Rosewood
Dimensions Slab 9 x 18		Anthracite, Hickory, Scandina Gray, Sepia, Shaded Gray
Dimensions Slab 15 x 30		Anthracite, Cheswick, Hickory, Iron Bay, Scandina Gray, Sepia, Shaded Gray
Dimensions Slab 12 x 24		Anthracite, Hickory, Scandina Gray, Sepia, Shaded Gray
Dimensions Slab 24 x 24		Anthracite, Hickory, Scandina Gray, Sepia, Shaded Gray
Dimensions Slab 24 x 36		Anthracite, Cheswick, Hickory, Scandina Gray, Sepia, Shaded Gray
Dimensions Antiqued	Ashwood, Shaded Gray	
Eco Dublin	Ashwood, Shaded Gray	
Empire		Midnight, Scandina Gray
Holland Stone	Ashwood, Liberty Blend, Shaded Gray	
Hexagon 6		Anthracite, Scandina Gray, Shaded Gray
London Cobble 3-Piece	Ashwood, Shaded Gray, Cliffside, Iron Bay	Cliffside, Iron Bay
London Cobble 6 x 9	Ashwood, Bourbon, Shaded Gray, Midnight, Cliffside, Iron Bay	Cliffside, Iron Bay
Mega-Arbel	Ashwood, Shaded Gray	

Stocked Colors For Oldcastle - Mid-Atlantic (subject to change)

PRODUCT NAME	CORE MIX	DURAFUSION
PAVERS		
Origins 6		Ashwood, Iron Bay, Newport Gray
Origins 12 60 mm	Ashwood, Iron Bay, Shaded Gray	Ashwood, Cheswick, Cliffside, Iron Bay, Newport Gray, Shaded Gray, Teak
Origins 12 80 mm		Ashwood, Cheswick, Iron Bay, Newport Gray, Teak
Origins 18		Ashwood, Cheswick, Cliffside, Iron Bay, Newport Gray, Shaded Gray, Teak
Origins 6 x 9		Bourbon, Midnight
Papyrus 18		Scandina Gray, Sepia
Turfstone		Gray
WALLS		
Diamond Pro Air Smooth Face	Anthracite, Scandina Gray, Hickory, Shaded Gray	
Diamond Pro Air Straight Face	Ashwood, Shaded Gray, Cliffside, Iron Bay	
Diamond Pro Stone Cut	Shaded Gray, Brittany Blend, Aylett, Gray	
Diamond Pro PS	Shaded Gray, Brittany Blend	
Highland Wall 18" / 6 & 12	Ashwood, Iron Bay, Shaded Gray	
Highland Wall 3-Piece	Ashwood, Cliffside, Iron Bay, Shaded Gray	
Vanguard Wall	Anthracite, Ashwood, Hickory, Shaded Gray	
ACCESSORIES		
Artforms Modular Panel System	Anthracite, Hickory, Scandina Gray	
Melville Curb	Bourbon, Fog, Midnight, Pearl	
Delmaro 6 x 12 Coping	Bourbon, Fog, Midnight, Pearl, Rosewood	
Grava 15 x 36 Coping	Ashwood, Cheswick, Iron Bay, Newport Gray, Teak	
Laguna Coping	Alpine Gray, Sterling Gray	
Marina Bullnose Coping	Bourbon, Fog, Iron Bay, Midnight, Pearl, Scandina Gray, Shaded Gray, Rosewood	
Modena 15 x 36 Coping	Anthracite, Cheswick, Cliffside, Hickory, Iron Bay, Scandina Gray, Sepia, Shaded Gray	

Please call for availability on non-stocked colors.


- Minimum non-stocking item order quantity is 2,000 sqft for pavers and 1,000 sqft for walls
- Setup charges will apply on non-stocking item orders less than 3,000 sqft for pavers and 1,500 sqft for walls
- Non-stocking item orders may take 6 to 8 weeks to manufacture + 2 weeks to Antique (Tumble)



Aqualine

BELGARD RESOURCES


DESIGN FILES



TECHNICAL RESOURCES



CONTINUING EDUCATION



MANUFACTURING LOCATIONS

APG NEW ENGLAND

WEST LEBANON
35 Glen Road
West Lebanon, NH 03784
Ph: 603-298-5959

CRANSTON
30 Budlong Road
Cranston, RI 02920
Ph: 401-942-4800

REHOBOTH
41 Almeida Road
Rehoboth, MA 02769
Ph: 774-901-3270

APG MID-ATLANTIC

CROFTON
2630 Conway Rd.
Odenton, MD 21113
Ph: 800-321-9141

RICHMOND
1231 Willis Road
Richmond, VA 23237
Ph: 800-321-9141

APG METRO

PARKER FORD
16 Anderson Rd
Parker Ford, PA 19457

WRIGHTSTOWN
2 Farago Blvd
Wrightstown, NJ 08640

EASTON
800 Uhler Road
Easton PA 18040
Ph: 610-923-5000



ORDER SAMPLES



FIND YOUR SALES REP

BELGARD®

AN OLDCASTLE® APG OUTDOOR BRAND

BELGARDCOMMERCIAL.COM

© 2026 Oldcastle® APG, Inc. All Rights Reserved. BELCOMM25-D-599022 | Northeast | Revised 01/2026

