

BELGARD®

Commercial Product Offering




West

California, Nevada,
Arizona & Utah


HOW TO SELECT THE RIGHT PAVER FOR YOUR APPLICATION

The following icons provide general recommendations for both standard and permeable paving products. A pavement design professional should confirm that the product selected is suitable for the site-specific conditions such as subgrade soil properties, slope, drainage conditions, and traffic loading.



PEDESTRIAN

Designated for areas that are pedestrian only – walkways, patios and other pavement areas not subjected to any vehicular traffic. **All** Belgard paver and slab products are suitable for this application.



RESIDENTIAL DRIVEWAYS

Pavements used primarily for residential driveways, but also includes golf cart paths, commercial plazas, courtyards and pathways exposed to only light maintenance equipment, including infrequent heavy fire truck or maintenance equipment. Belgard pavers with a **minimum thickness of 60mm and a maximum aspect ratio of 4:1** are suitable for this application. 60mm multi-piece paver systems up to 12" in length are also acceptable for residential driveways with an appropriate base dependent on site conditions. 80mm thick slabs up to a length of 18 inches can be used in residential driveways subjected to only cars with adequate base thickness and subgrade soil strength. Typical lifetime ESALs should be < 7,500 maximum and heavy vehicles must be < 1 per day on average.



LIGHT VEHICULAR

Pavements used for low-traffic municipal or commercial parking lots, including access ways where only cars and light trucks are anticipated. Belgard pavers with a **minimum thickness of 80mm and a maximum aspect ratio of 4:1** are suitable for this application. Typical lifetime ESALs must be < 30,000 ESALs and maximum heavy vehicles should be < 5 per day on average.



HEAVY VEHICULAR

Pavements designated for regular vehicular traffic, including commercial parking lots, access roads where heavy vehicles are a regular component of the daily traffic volume. Belgard pavers with a **minimum thickness of 80mm and a maximum ratio of 3:1** are suitable for this application. Herringbone laying pattern is recommended on all roadways. Typical lifetime ESALs typically are > 30,000 ESALs and > 5 heavy vehicles per day.

The information set forth herein is for general informational purposes only. All such information is provided in good faith, however Oldcastle APG, Inc. and its affiliates make no representation or warranty of any kind, express or implied, regarding the accuracy, adequacy, validity, reliability, availability or completeness of any of the information and shall have no liability to any party for loss or damage incurred as a result of the use or reliance on any information provided herein. Any use of the information is at the user's sole risk.

BELGARD PAVER

CORE MIX

Colors & Finishes



SMOOTH SHOT BLAST GROUND FACE

Belgard Commercial allows you to customize your project with optional finishes: Smooth, Shot Blast and Ground face. Contact your Belgard Commercial Representative for more information.

Contact your Belgard Representative for custom finish options and sample products, as well as ADA Compliant products.

Solid Colors

Available Throughout West



LINEN GRAPHITE FOUNDRY SUNSET RUST ALMOND



DESERT SUEDE TRUFFLE

Arizona



BURNT UMBER MONSOON GREY RAVEN GREY MIST DESERT SAND

California



CADO SAHARA CHAMPAGNE

Blended Colors

Available Throughout West



BELLA TOSCANA VICTORIAN RIO RIVIERA



SEDONA SIERRA

Arizona



FUEGO BLEND OLD TOWN BLEND RED SONORAN GRAY MACCHIATO



SILVERADO ECHO CANYON

California



ASPEN AUTUMN BARCELONA BAJA MONTECITO



SANTA MONICA VALENCIA

DURAFUSION®

Colors & Finishes

DuraFusion® Technology

- ✓ Bold, vibrant color that resists fading
- ✓ High-definition finish for a smoother, tighter texture
- ✓ Engineered to withstand unpredictable weather and freeze-thaw conditions


Solid Colors



Tone-on-Tone Colors Available in DuraFusion & Core Mix



Blended Colors













Truncated Domes













Handicap & EV Kits



Moduline Series® Vehicular & Architectural Pavers

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECHANICAL INSTALL	TECHNOLOGIES		SPECIAL ORDER FINISHES**			CHAMFER WIDTH	SQ. FT. PER PALLET
									Core Mix	DuraFusion	Ground Face	Shot Blast	Antiqued		
 4" x 12"	80 mm	4" x 12"	80 mm	80mm			✓		✓		✓	✓		3 mm	85
 4" x 18"	80 mm	4" x 18"	80 mm				✓		✓		✓	✓		3 mm	72
 3-Piece Modular <small>(Available in Natural Stone Finish)</small>	80 mm	6" x 6", 6" x 12", 12" x 12"	80 mm	80 mm	80 mm		✓		✓	✓	✓	✓	✓	3 mm	96
 5-Piece Modular	60mm 80 mm	6" x 6", 6" x 9", 9" x 9", 6" x 12", 9" x 12"	60mm 80 mm	80 mm	80 mm		✓	✓	✓		✓	✓	✓	3 mm	120 (60 mm) 93.5 (80 mm)

Geometric Shapes

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECH. INSTALL	TECHNOLOGIES		SPECIAL ORDER FINISHES**			CHAMFER WIDTH	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
									Core Mix	DuraFusion	Ground Face	Shot Blast	Antiqued				
 Diamond	60 mm	12" x 12"	60 mm				✓		✓	✓	✓	✓		3 mm	93.53	108	2,664
 6" Hexagon	60mm 80 mm	6" sides 10½" wide	60 mm	80 mm			✓		✓	✓	✓	✓		3 mm	100.02 (60mm) 71.24 (80mm)	154 (60mm) 112 (80mm)	2,845 (60mm) 2,708 (80mm)
 12" Parallelogram	60 mm	3" x 12"	60 mm				✓		✓	✓	✓	✓		3 mm	85.73	396	2,390
 18" Parallelogram	60 mm	6" x 18"	60 mm				✓		✓	✓	✓	✓		3 mm	114.31	176	3,165


Secondary processes and finishes including, but not limited to, face-grind and shot blast, may impact dimensional tolerances from base dimensions.

* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.

** Custom finishes, contact Belgard Representative for details.

Contact your Belgard Representative for colors and finishes available in your local market.

Dimensions™ Series Vehicular & Architectural Pavers


UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	TECHNOLOGIES		SPECIAL ORDER FINISHES**				CHAMFER WIDTH	SQ. FT. PER PALLET
								Core Mix	DuraFusion	Ground Face	Shot Blast	Antiqued	Striated		
 3" x 9"	80 mm	3" x 9"	80 mm	80 mm	80 mm	80 mm	✓	✓	✓	✓	✓	✓		3 mm	82.4
 3" x 12"	60 mm 80 mm 101.6 mm	3" x 12"	60 mm	80 mm	80 mm	101.6 mm	✓	✓	✓	✓	✓	✓	✓	3 mm	110 (60 mm) 88 (80 mm) 66 (101.6 mm)
 3" x 18"	101.6 mm	3" x 18"	101.6 mm				✓	✓	✓	✓	✓			3 mm	49.5
 6" x 6"	60 mm 80 mm 101.6 mm	6" x 6"	60 mm	80 mm			✓	✓	✓	✓	✓	✓		3 mm	120 (60 mm) 96 (80 mm) 72 (101.6 mm)
 6" x 9"	60 mm 80 mm	6" x 9"	60 mm	80 mm	80 mm	80 mm	✓	✓	✓	✓	✓	✓		3 mm	112.5 (60 mm) 90 (80 mm)
 6" x 12"	60 mm 80 mm 101.6 mm	6" x 12"	60 mm	80 mm	101.6 mm	101.6 mm	✓	✓	✓	✓	✓	✓		3 mm	120 (60 mm) 96 (80 mm) 72 (101.6 mm)
 6" x 24"	101.6 mm	6" x 24"	101.6 mm				✓	✓	✓	✓				3 mm	60
 9" x 9"	80 mm	9" x 9"	80 mm	80 mm	80 mm		✓	✓	✓	✓	✓	✓		3 mm	90
 9" x 18"	60 mm	9" x 18"	60 mm				✓	✓	✓	✓	✓	✓		3 mm	112.5
 12" x 12"	60 mm 80 mm 101.6 mm	12" x 12"	60 mm	80 mm 101.6 mm	80 mm 101.6 mm		✓	✓	✓	✓	✓	✓		3 mm	120 (60 mm) 96 (80 mm) 72 (101.6 mm)
 12" x 12" ADA Truncated Domes	60 mm	12" x 12"	60 mm				✓		✓					—	120
 12" x 18"	60 mm	12" x 18"	60 mm				✓	✓	✓	✓	✓			3 mm	120
 12" x 24"	60 mm	12" x 24"	60 mm				✓	✓	✓	✓	✓			3 mm	120
 15" x 30"	60 mm	15" x 30"	60 mm				✓	✓	✓	✓				3 mm	93.75
 18" x 18"	60 mm	18" x 18"	60 mm				✓	✓	✓	✓				3 mm	90
 18" x 24"	60 mm	18" x 24"	60 mm				✓	✓	✓	✓				3 mm	120
 24" x 24"	60 mm	24" x 24"	60 mm				✓	✓	✓	✓				3 mm	80
 24" x 30"	60 mm	24" x 30"	60 mm				✓	✓		✓				3 mm	100
 24" x 36"	60 mm	24" x 36"	60 mm				✓		✓	✓				3 mm	120
 Dimensions™ 18	60 mm	9" x 18" 18" x 18" 18" x 27"	60 mm				✓	✓	✓	✓				3 mm	112.5
 Dimensions™ 12	60 mm 80 mm	6" x 12" 12" x 12" 12" x 18"	60 mm 80 mm	80 mm			✓	✓	✓		✓	✓		3 mm	120 (60 mm) 96 (80 mm)
 Dimensions™ 6	60 mm	3" x 6" 6" x 6" 6" x 9"	60 mm				✓	✓		✓	✓	✓		3 mm	120

* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.


** Custom finishes, contact Belgard Representative for details.

Contact your Belgard Representative for colors and finishes available in your local market.


Secondary processes and finishes including, but not limited to, face-grind and shot blast, may impact dimensional tolerances from base dimensions.



Dimensions Slab 12 x 24



Dimensions 6 x 12



Dimensions 6 x 9 & 3 x 12

 **EXPLORE
MORE
PAVERS**




Dimensions 3 x 9




Geometric Shapes - Hexagon



Dimensions 3 x 12



Dimensions 3 x 9 & 12 x 24



Dimensions Slab 12 x 24

Vehicular & Architectural Pavers

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECH. INSTALL	TECHNOLOGIES		SPECIAL ORDER FINISHES**			CHAMFER WIDTH	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
									Core Mix	DuraFusion	Ground Face	Shot Blast	Antiqued				
 Avalon Slate Large (3-Piece)	60 mm	6" x 12" 9" x 12" 12" x 12"	60 mm	60 mm			✓		✓				✓	N/A	120	160	3,230
 Basalt™	60 mm	18" x 9" 18" x 18" 18" x 27"	60 mm				✓		✓	✓				3 mm	112.5	50	3,152
 Belgian Cobble®	60 mm	Variable	60 mm						✓					N/A	85	-	2,085
 Bergerac® (3-Piece)	60 mm	3 ⁷ / ₁₆ " x 7 ¹ / ₁₆ " 7 ¹ / ₁₆ " x 7 ¹ / ₁₆ " 7 ¹ / ₁₆ " x 10 ⁹ / ₁₆ "	60 mm						✓				✓	N/A	113	-	-
 Bergerac® (Lg Square)	60 mm	10 ⁵ / ₈ " x 10 ⁵ / ₈ "	60 mm						✓				✓	N/A	89	-	-
 Brooklyn™	60 mm	3" x 9"	60mm	60 mm					✓	✓				N/A	99.5	550	2,784
 Cambridge Cobble® (Square)	60 mm 80 mm	6" x 6"	60 mm	80 mm	80 mm				✓				✓	Rounded Chamfer	120 (60 mm) 96 (80 mm)	480 (60 mm) 384 (80 mm)	3,230 (60 mm) 3,580 (80 mm)
 Cambridge Cobble® (Rectangle)	60 mm 80 mm	6" x 9"	60 mm	80 mm	80 mm	80 mm			✓				✓	Rounded Chamfer	112 (60 mm) 90 (80 mm)	300 (60 mm) 240 (80 mm)	3,020 (60 mm) 3,360 (80 mm)
 Cambridge Cobble® (Large Rectangle)	60 mm	9" x 12"	60 mm						✓				✓	Rounded Chamfer	120	160	3,086
 Cambridge Cobble® (Circle Kit)	60 mm	6" x various	60 mm	60 mm					✓				✓	Rounded Chamfer	78.5	N/A	2,140
 Catalina™ Grana Large (3-Piece)	60 mm	6" x 12" 9" x 12" 12" x 12"	60 mm	60 mm			✓		✓	✓	✓	✓	✓	4 mm	120	160	3,230
 Charlestone™	60 mm	6" x 6" 6" x 9" 6" x 12"	60 mm	60 mm										Rolled Edge	103.88	270	2,997
 Dimensions™ Terrazzo 12	60 mm	6" x 12" 12" x 12" 12" x 18"	60 mm				✓				✓			-	120	-	3,180
 Dublin Cobble® (3-Piece)	60 mm	3" x 6" 6" x 6" 6" x 9"	60 mm	60 mm					✓				✓	N/A	114	480	3,080
 Dublin Cobble® 6 x 9	60 mm	6" x 9"	60 mm	60 mm					✓				✓	N/A	57	160	1,540
 Dublin Cobble® (Large Square)	60 mm	9" x 9"	60 mm	60 mm					✓				✓	N/A	106	200	2,860
 Empire™	60 mm	3" x 12"	60 mm							✓				3 mm	110	440	3,100

Interlocking pavers can be used for a variety of different vehicular applications. Appropriate shape and thickness is based on project-specific conditions including type of loading, base design, and subgrade conditions. It is recommended that you consult a Belgard representative in your area before specifying products for vehicular applications.























Secondary processes and finishes including, but not limited to, face-grind and shot blast, may impact dimensional tolerances from base dimensions.

* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.

** Custom finishes, contact Belgard Representative for details.

Contact your Belgard Representative for colors and finishes available in your local market.

Vehicular & Architectural Pavers

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECH. INSTALL	TECHNOLOGIES		SPECIAL ORDER FINISHES**			CHAMFER WIDTH	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
									Core Mix	DuraFusion	Ground Face	Shot Blast	Antiqued				
 Holland Stone 60 mm (sizes sold separately)	60 mm	4" x 4" 4" x 8" 6" x 12" 8" x 8" 8" x 12" 8" x 16"	60 mm	60 mm (All except 8 x 12 & 8 x 16)				✓	✓	✓	✓	✓	4 mm	98 (4 x 4) 120 (4 x 8) 120 (6 x 12) 106 (8 x 8) 106 (8 x 12) 106 (8 x 16)	880 (4 x 4) 540 (4 x 8) 240 (6 x 12) 240 (8 x 8) 160 (8 x 12) 120 (8 x 16)	2,475 (4x4) 3,230 (4x8) 3,218 (6x12) 2,779 (8x8) 2,968 (8x12) 2,968 (8x16)	
 Holland Stone 80 mm (sizes sold separately)	80 mm	4" x 4" 4" x 8" 6" x 12" 8" x 8"	80 mm	80 mm	80 mm (4 x 4, 4 x 8, 8 x 8 only)	80 mm (4 x 8 only)	✓	80 mm 4 x 8 Herringbone Pattern	✓	✓	✓	✓	4 mm	78 (4 x 4) 96 (4 x 8) 96 (6 x 12) 85 (8 x 8)	704 (4 x 4) 432 (4 x 8) 192 (6 x 12) 192 (8 x 8)	2,673 (4x4) 3,450 (4x8) 3,375 (6x12) 2,933 (8x8)	
 Mega-Arbel™	60 mm 80 mm	15 ³ / ₁₆ " x 21"	60 mm 80 mm						✓				✓	N/A	104.4 (60 mm) 78.3 (80 mm)	72 (60 mm) 54 (80 mm)	2,850 (60 mm) 2,870 (80 mm)
 Mega-Bergerac® (3-Piece)	80 mm	4 ³ / ₁₆ " x 9 ⁷ / ₁₆ " 9 ⁷ / ₁₆ " x 9 ⁷ / ₁₆ " 9 ⁷ / ₁₆ " x 14 ³ / ₁₆ "	80 mm						✓				✓	N/A	88	-	-
 Mega-Bergerac® (Lg Square)	80 mm	14 ³ / ₁₆ " x 14 ³ / ₁₆ "	80 mm						✓				✓	N/A	68	-	-
 Mega-Lafitt™ Grana (3-Piece)	80 mm	5 ¹ / ₂ " x 10 ¹ / ₂ " 10 ¹ / ₂ " x 10 ¹ / ₂ " 10 ¹ / ₂ " x 15 ³ / ₄ "	80 mm						✓				✓	N/A	92.7	117	3,340
 Mega-Lafitt™ Grana (Large Square)	80 mm	15 ³ / ₄ " x 15 ³ / ₄ "	80 mm						✓				✓	N/A	93	54	3,340
 Melville™ Plank Slim (3-Piece)	60 mm	5" x 11 ¹³ / ₁₆ " 5" x 15 ³ / ₄ " 5" x 19 ¹¹ / ₁₆ "	60 mm				✓		✓		✓	✓	3 mm	114.5	210	3,150	
 Melville™ Plank Large (3-Piece)	60 mm	7 ¹ / ₂ " x 11 ¹³ / ₁₆ " 7 ¹ / ₂ " x 15 ³ / ₄ " 7 ¹ / ₂ " x 19 ¹¹ / ₁₆ "	60 mm				✓		✓		✓	✓	3 mm	122.7	150	3,380	
 Mission 4 x 8	60 mm 80 mm	4" x 8"	60 mm 80 mm	60 mm 80 mm	80 mm	80 mm	✓			✓	✓	✓	6 mm	105 (60 mm) 82 (80 mm)	486 (60 mm) 378 (80 mm)	2,940 (60 mm) 3,034 (80 mm)	
 Mission 6 x 6	60 mm	6" x 6"	60 mm	60 mm			✓			✓	✓	✓	6 mm	105	432	2,940	
 Mission 6 x 9	60 mm	6" x 9"	60 mm	60 mm			✓			✓	✓	✓	6 mm	98	270	2,774	
 Mission 6 x 12	60 mm 80 mm	6" x 12"	60 mm 80 mm	80 mm			✓			✓	✓	✓	6 mm	105 (60 mm) 82 (80 mm)	216 (60 mm) 168 (80 mm)	2,940 (60 mm) 3,120 (80 mm)	
 Old World Paver™	80 mm	5 ¹ / ₈ " x 7 ³ / ₄ " 5 ¹ / ₈ " x 10 ¹ / ₂ " 5 ¹ / ₈ " x 12 ¹³ / ₁₆ "	80 mm						✓				✓	N/A	90.27	256	3,250
 Origins™ 6 x 9	60 mm	6" x 9"	60 mm	60 mm			✓		✓	✓			3 mm	112.5	300	3,020	
 Origins™ 6	60 mm	3" x 6" 6" x 6" 6" x 9"	60 mm	60 mm			✓		✓	✓			3 mm	120	480	3,230	
 Origins™ 12	60 mm 80 mm	6" x 12" 12" x 12" 12" x 18"	60 mm 80 mm	80 mm			✓		✓	✓			3 mm	120 (60 mm) 96 (80 mm)	120 (60 mm) 96 (80 mm)	3,180 (60 mm) 3,600 (80 mm)	
 Origins™ 18	60 mm	9" x 18" 18" x 18" 27" x 18"	60 mm				✓		✓	✓			3 mm	112.5	50	3,152	

Interlocking pavers can be used for a variety of different vehicular applications. Appropriate shape and thickness is based on project-specific conditions including type of loading, base design, and subgrade conditions. It is recommended that you consult a Belgard representative in your area before specifying products for vehicular applications.














Secondary processes and finishes including, but not limited to, face-grind and shot blast, may impact dimensional tolerances from base dimensions.




* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.

** Custom finishes, contact Belgard Representative for details.

Contact your Belgard Representative for colors and finishes available in your local market.

Vehicular & Architectural Pavers (Continued)

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	TECHNOLOGIES		SPECIAL ORDER FINISHES**			CHAMFER WIDTH	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
								Core Mix	DuraFusion	Ground Face	Shot Blast	Antiqued				
 Papyrus™	60 mm	18" x 9" 18" x 18" 18" x 27"	60 mm				✓	✓	✓				3 mm	112.5	50	3,212
 Quarry Stone (3-Piece)	60 mm	6" x 9" 9" x 9" 9" x 12"	60 mm	60 mm					✓					105	198	2,940
 Quarry Stone 9 x 12	60 mm	9" x 12"	60 mm						✓					105	144	2,940
 Quarry Stone 9 x 9	60 mm	9" x 9"	60 mm	60 mm					✓					98	180	2,744
 Quarry Stone 6 x 9	60 mm	6" x 9"	60 mm	60 mm					✓					98	270	2,774
 Quarry Stone 6 x 6	60 mm	6" x 6"	60 mm	60 mm					✓					105	432	2,940
 Urbana® Stone (3-Piece)	60 mm 80 mm	4" x 8" 8" x 8" 8" x 12"	60 mm 80 mm	60 mm 80 mm	80 mm		✓	✓				✓	N/A	116.4 (60 mm) 105 (80 mm)	270 (60 mm) 108 (80 mm)	3,140 (60 mm) 3,770 (80 mm)
 Urbana® Stone (Large Square)	60 mm 80 mm	12" x 12"	60 mm 80 mm	80 mm			✓	✓				✓	N/A	116.25 (60 mm) 105 (80 mm)	120 (60 mm) 108 (80 mm)	3,140 (60 mm) 3,770 (80 mm)



Secondary processes and finishes including, but not limited to, face-grind and shot blast, may impact dimensional tolerances from base dimensions.
Contact your Belgard Representative for colors and finishes available in your local market.

* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.
** Custom finishes, contact Belgard Representative for details.

Permeable Pavers

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECH. INSTALL	TECHNOLOGIES		SPECIAL ORDER FINISHES**			MANUF. JOINT WIDTH	% SURFACE OPENING	CHAMFER WIDTH	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
									Core Mix	DuraFusion	Ground Face	Shot Blast	Antiqued						
AQUALINE™ SERIES																			
3" x 12"	80 mm	3" x 12"	80 mm	80 mm			✓		✓		✓	✓		7 mm	10%	3 mm	88 (80 mm)	352 (80 mm)	3,012 (80 mm)
4.5" x 9" <small>(See note below)</small>	80 mm	4.5" x 9"	80 mm	80 mm	80 mm	80 mm	✓	✓	✓	✓	✓	✓		10 mm	10%	3 mm	90	320	3,100
6" x 6"	80 mm	6" x 6"	80 mm	80 mm	80 mm		✓		✓	✓	✓	✓		7 mm	7%	3 mm	96	384	3,295
6" x 12" <small>(See note below)</small>	80 mm 101.6 mm	6" x 12"	80 mm	80 mm	80 mm 101.6 mm	101.6 mm	✓	✓	✓	✓	✓	✓		7 mm	5%	3 mm	96 (80 mm) 69 (101.6 mm)	192 (80 mm) 150 (101.6 mm)	3,350 (80 mm) 2,955 (101.6 mm)
12" x 12"	80 mm	12" x 12"	80 mm	80 mm	80 mm		✓		✓	✓	✓	✓		7 mm	3%	3 mm	96	96	3,485
ADDITIONAL PRODUCT LINES																			
Aqua Dublin	80 mm	3½" x 6¼" 6¼" x 6¼" 10¼" x 6¼"	80 mm	80 mm	80 mm		✓	✓	✓		✓	✓	✓	10 mm	10%	3 mm	92.4	288	3,240
Aqua Roc™	80 mm	4½" x 9"	80 mm	80 mm	80 mm	80 mm	✓				✓	✓	✓	8 mm	9%	3 mm	90	-	-
Narrow Joint Mission	80 mm	4" x 8" 6" x 6" 6" x 12"	80 mm	80 mm	80 mm (6" x 6")	80 mm (4" x 8")	✓			✓	✓	✓	✓	4 mm	4% 4% 5%	4 mm	93 93 93	192 384 432	3,441 3,441 3,441
Narrow Joint Quarry Stone	80 mm	6" x 6" 6" x 9"	80 mm	80 mm	80 mm (6" x 6")	80 mm (6" x 9")				✓			✓	4 mm	4%	N/A	87 93	240 384	3,219 3,441

NOTE: 6 x 12 x 101mm and 4.5 x 9 x 80mm are available in herringbone pattern. Contact your Belgard Representative for further details and product specific specifications. 4.5x9 80 mm is available in stacked and herringbone pattern.

NOTE: Narrow Joint initial surface infiltration rate is approximately 150" per hour. Narrow Joint products recommended for residential projects only.

Concrete Grid Pavements

UNITS	THICKNESS	SIZE	APPLICATIONS				ADA*	MECH. INSTALL	TECHNOLOGIES		SPECIAL ORDER FINISHES**			% SURFACE OPENING	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
									Core Mix	DuraFusion	Ground Face	Shot Blast	Antiqued				
Turfstone™	80 mm	15¾" x 23½"	80 mm	80 mm					✓					40%	101	40	2680

* May be Suitable for ADA applications. Always evaluate site-specific uses to ensure surface suitability. Product installation and surface maintenance influence compliance with ADA Standards for Accessible Design Section 302 Floors or Ground Surfaces. Tumbling or antiquing pavers can also create surface or edges that may make the product unsuitable for ADA applications.

** Custom finishes, contact Belgard Representative for details.

Contact your Belgard Representative for colors and finishes available in your local market.

Secondary processes and finishes including, but not limited to, face-grind and shot blast, may impact dimensional tolerances from base dimensions.



Aqua Dublin


 **EXPLORE MORE
PERMEABLE
PAVERS**




Aqualine




Aqualine



Aqua Dublin



















Aqualine



Aqualine

Porcelain Pavers
















UNITS	APPEARANCE	THICKNESS	SIZE	COLOR OPTIONS	ADA	PEDESTAL APPLICATION	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
									
 Foundation	Concrete	3/4"	24" x 24"	Amber Beige, Scandina Gray	✓	✓	275.04	72	2,646
 Genoa	Stone	3/4"	24" x 24"	Blanco, Crema	✓	✓	275.04	72	2,646
 Genoa	Stone	3/4"	12" x 24"	Blanco, Crema	✓	✓	303.6	160	3,795
 Glocal	Concrete	3/4"	24" x 24"	Clear, Ideal, Type, Classic, Absolute*, Chamois*	✓	✓	232.5	60	2,160
 Glocal <small>(special order - allow 12-14 weeks lead time)</small>	Concrete	3/4"	24" x 48"	Clear*, Ideal*, Type, Classic*, Absolute*, Chamois*	✓	✓	271.25	35	2,582
 Glocal <small>(special order - allow 12-14 weeks lead time)</small>	Concrete	3/4"	32" x 32"	Ideal*, Type*, Classic*, Absolute*, Chamois*, Perfect*, Sugar*	✓	✓	288.96	42	2,744
 Glocal <small>(special order - allow 12-14 weeks lead time)</small>	Concrete	3/4"	48" x 48"	Ideal*, Type*, Classic*, Absolute*, Chamois*	✓	✓	310	20	3,009
 Jurupa	Wood	3/4"	12" x 48"	Cool, Master, Camp	✓	✓	279	72	2,628
 Jurupa	Wood	3/4"	24" x 24"	Cool, Master, Camp	✓	✓	232.5	60	2,160
 Lagoon	Stone	3/4"	24" x 48"	Moonbeam, Sandshell, Sharkskin	✓	✓	271.25	35	2,582
 Na.Me	Stone	3/4"	24" x 24"	Bourgogne, Jura Beige	✓	✓	232.5	60	2,160
 Noon	Wood	3/4"	12" x 48"	Daylight, Ember, Honey	✓	✓	279	72	2,628
 Norr <small>(special order - allow 12-14 weeks lead time)</small>	Stone	3/4"	24" x 24"	Vit*, Gra*, Svart*, Farge*, Hav*, Oken*, Grus*	✓	✓	232.5	60	2,160
 Norr <small>(special order - allow 12-14 weeks lead time)</small>	Stone	3/4"	24" x 48"	Vit*, Gra*, Svart*, Farge*, Hav*, Oken*, Grus*	✓	✓	271.25	35	2,582
 Norr	Stone	3/4"	32" x 32"	Vit*, Gra*, Svart*, Farge, Hav, Oken, Grus	✓	✓	289.33	42	2,744
 Norr <small>(special order - allow 12-14 weeks lead time)</small>	Stone	3/4"	48" x 48"	Vit*, Gra*, Svart*, Farge*, Hav*, Oken*, Grus*	✓	✓	279	18	2,774

If installing on elevated surface over 3/4" all porcelain must have approved safety backing.

Spacers are required for all porcelain paver installations. For vehicular applications, there must be a mortar install over a concrete slab. Visit Belgard.com/porcelain for additional installation details.

* Special Order

Porcelain Pavers (Continued)

UNITS	APPEARANCE	THICKNESS	SIZE	COLOR OPTIONS	ADA	PEDESTAL APPLICATION	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
									
 November	Stone	3/4"	24" x 24"	Rain, Wind, Warm, Land	✓	✓	232.5	60	2,162.25
 Nyuma <small>(special order - allow 12-14 weeks lead time)</small>	Concrete	3/4"	24" x 24"	Quickline, Portland, Torching, Parker, Talcum, Shotcrete	✓	✓	232.5	60	2,160
 Nyuma <small>(special order - allow 12-14 weeks lead time)</small>	Concrete	3/4"	32" x 32"	Quickline, Portland, Torching, Parker, Talcum, Shotcrete	✓	✓	289.33	42	2,744
 Nyuma <small>(special order - allow 12-14 weeks lead time)</small>	Concrete	3/4"	24" x 48"	Quickline, Portland, Torching, Parker, Talcum, Shotcrete	✓	✓	271.25	35	2,582
 Oudh <small>(special order - allow 12-14 weeks lead time)</small>	Wood	3/4"	12" x 48"	Cedro, Copahu, Elem, Jinkoh, Pino, Laos, Laodano	✓	✓	279	72	2,628
 Quarziti 2.0	Stone	3/4"	24" x 24"	Glacier, Mountains, Waterfall, River, Mantle	✓	✓	232.5	60	2,160
 Quarziti 2.0	Stone	3/4"	12" x 24"	Glacier, Mountains, Waterfall, River, Mantle*	✓	✓	232.4	120	2,160
 Quarziti 2.0 <small>(special order - allow 12-14 weeks lead time)</small>	Stone	3/4"	18" x 36"	Glacier*, Mountains*, Waterfall*, River*, Mantle*	✓	✓	234.9	54	2,198
 Quarziti 2.0	Stone	3/4"	24" x 48"	Glacier, Mountains, Waterfall, River, Mantle*	✓	✓	271.25	35	2,582
 Silverlake	Stone	3/4"	24" x 48"	Braies, Resia, Orsi	✓	✓	271.25	35	2,621
 Travertini <small>(special order - allow 12-14 weeks lead time)</small>	Travertine	3/4"	24" x 24"	Light Vein*, Misty Vein*, Dark Vien*, Pearly Cross*, Light Cross*, Misty Cross*	✓	✓	232.5	60	2,160
 Travertini	Travertine	3/4"	32" x 32"	Pearly Cross, Light Cross, Misty Cross	✓	✓	289.33	42	2,744
 Travertini	Travertine	3/4"	24" x 48"	Light Vein, Misty Vein, Dark Vien, Pearly Cross*, Light Cross*, Misty Cross*	✓	✓	271.25	35	2,582
 Unico 2.0	Various	3/4"	12" x 24"	Glocal: Absolute, Chamois, Classic, Clear, Ideal, Perfect*, Sugar*, Type*; Noon: Daylight, Ember, Honey; Quarziti 2.0: Mountains, Waterfall, River, Mantle*, Glacier	✓		254.82	120	2,080



RESISTANT TO FREEZE THAW

Freeze thaw resistant—100% frost-free and properties remain unaltered at temperatures ranging from -51.1° to + 60° C (-60°F to +140°F).



RESISTANT TO BREAKAGE

Because every slab can withstand loads of over 2200 lbs.



RESISTANT TO CHEMICAL AGGRESSION

Because our pavers are unaffected by alkalis, acids, chemical agents, salt and other de-icing materials.



RESISTANT TO STAINS

Because a high density and ultra-low absorption rate creates a tight paver surface, it fends off surface mold, moss, dirt and other types of stains.



EASY TO LAY

Because of superior accuracy in dimensional sizing and linear sides, the pavers allow for perfectly executed installations with tight and accurate lines.



EASY TO CLEAN

Because it can be cleaned with normal household cleaners and even pressure washed with a **low pressure** washing device.**



EASY TO REMOVE

Because a 24" x 24" slab weighs just 37 lbs., its light weight permits easy removal, serviceability and even reusability. (Excluding adhered installations).




EASY FOR YOU

Because the structured top textures formed on the surface of our pavers create slip resistant surfaces.

** It is important that all pressure washing of your porcelain pavers be done with a low pressure washer with a maximum of 1600 psi and nothing more powerful. When pressure washing your installation, care should be taken to prevent damage to the grout (adhesive and grout installations) and some re-sanding will be necessary when power washing an installation with sand or polymeric sand joints.

* Special order




Quarziti 2.0



EXPLORE MORE
PORCELAIN
PAVERS



Na.Me



Quarziti 2.0










Noon




Segmental Retaining & Freestanding Walls (SRW & FSW)

UNITS	UNIT SIZE			CONNECTION TYPE		ACCESSORIES (SOLD SEPARATELY)		TEXTURE			AVAILABLE FACE STYLES						BATTER/ SETBACK	SQ. FT. PER PALLET	PCS. PER PALLET	PALLET WEIGHT (LBS)
	Height	Width	Depth	Block	Other	Column/ Corner Unit	Cap Unit	Sculpted	Split	Tumbled	Straight	Smooth	Beveled	Virtual Joint	Stone Cut	Quarried				
 Ashlar Tandem™	7"	13 ³ / ₁₆ ", 15 ¹³ / ₁₆ ", 18 ⁷ / ₁₆ "	2 ⁵ / ₈ "	Modular Block	Reinforced Polypropylene Connector		✓	✓									0 / 4°	70.1	90	2,003
 Diamond® 9D	6"	16.7"	9"	Rear Lip			✓		✓				✓				10.6°; 1.125" Per Course	35.5	48	2,670
 Diamond Pro®	8"	18"	12"	Rear Lip			✓		✓		✓		✓	✓	✓		7.1°; 1" Per Course	45	45	3,375
 Diamond Pro® Air	8"	18"	12"	Rear Lip		✓	✓		✓		✓	✓				✓	4°	45	45	2,060
 Diamond Pro® PS	8"	18"	12"		Fiberglass Pin		✓		✓					✓	✓		1.7° or 7.1°	36	36	2,699
 Diamond Pro® Hold	8"	18"	12"		Mechanical Connection		✓		✓		✓						1.7°	36	36	3,062
 Diamond Pro® Hold Planter Unit	8"	18"	16"						✓		✓						37°	30	30	2,514
 Melville Tandem™	7"	13 ³ / ₁₆ ", 15 ¹³ / ₁₆ ", 18 ⁷ / ₁₆ "	2 ⁵ / ₈ "	Modular Block	Reinforced Polypropylene Connector		✓				✓						0 / 4°	70.1	90	2,003
 Tandem® Modular Block	7"	7 ⁷ / ₈ "	7 ⁷ / ₈ "														N/A	49.29	128	2,816
 Vertica®	8"	18"	11"	Surface Lug		✓	✓		✓		✓		✓	✓			2°; 9/32" Setback & 4°; 1/2" Setback	45	45	3,825
 Vertica Pro®	8"	18"	20"	Surface Lug		✓	✓		✓		✓		✓				2°; 9/32" Setback	30	30	3,600
 Vertica® Planter Unit	8"	18"	16"	Surface Lug					✓		✓		✓				5" Nominal	30	30	4,038

* Sold separately: all walls have available cap options. Contact your representative for more information.

Complementary Products

PRODUCT	SIZE	PALLET INFORMATION
 Anchor Universal 4" Cap	18" x 4" x 12"	64 units per pallet
 Anchor Universal 8" Cap	18" x 8" x 12"	40 units per pallet
 Diamond Pro® Air Smooth Cap	4" x 18" / 12" x 13"	54 units per pallet
 Marina™ Coping	6" x 12" x 2¾"	126 units per pallet
 Tandem Cap	15" x 24" x 3¼"	32 units per pallet
 Terrazzo Coping	12" x 24" x 2¾"	60 units per pallet
 U Start Base Block	3½" x 18½" x 12"	56 units per pallet



EXPLORE MORE
FREESTANDING &
RETAINING WALLS



ROOFTOP PAVERS & PEDESTALS

Possibilities are endless when designing and building pedestal decks using Belgard Commercial Pedestals. The pedestal system's elevation range of 1/8" - 36" allows for building plaza decks over almost any sloping or difficult surface.

Building pedestal decks over occupied space has never been easier. The unique screw-to-adjust feature eliminates tedious and time-consuming installation often associated with constructing level decks over sloping surfaces. Construction crews quickly level each pedestal paver by adjusting pedestal height, even while loaded.

Future access to waterproofing entails simply removing specific pedestal pavers. Pedestal adjustments within the allowed range are accomplished by merely adjusting pedestal height and you're done – saving time and money.

Specifications

- Supports up to 1000 lbs.
- Maximum elevation up to 36" using couplers and braces
- Impervious to water, mold & freeze-thaw
- Preassembled
- Packaged in weather-resistant boxes
- Contains 20% post-industrial recycled material
- Engagement "bumps" warn of over-extension

Resources Available

- CAD details
- Specifications
- Technical cut sheets
- Maintenance guide
- Videos: planning, installation & more
- Take-off assistance
- Samples available
- Technical assistance
- Customer service



	MODEL SE SUPPORTS	MODEL NM SUPPORTS	PEDESTAL PRIME SUPPORTS
Self Leveling Head	✓		✓
Fixed Head	✓	✓	✓
Adjustable	✓	✓	✓
Extendable w/ Coupler	✓	✓	✓
Adjustment Key	✓	✓	✓
Locking IPE Pins	✓	✓	✓
Recycleable (LEED)	✓	✓	✓
Loading Capacity	✓	✓	✓
Integrated Extension Coupler			✓

NOTE: Contact your local Belgard Representative for information on additional pedestals and accessories available.

Rooftop HydraPressed Slabs

UNITS	PAVER THICKNESS	PAVER SIZE	APPLICATIONS		ADA	SQ. FT. PER PALLET	PALLET WEIGHT (LBS)
				ROOFTOPS & PLAZAS			
Texada 12 x 24	50 mm	12" x 24"	✓	✓	✓	96	2,300
Texada 18 x 18	40 mm	18" x 18"	✓	✓	✓	135	2,900
Texada 24 x 24	50 mm	24" x 24"	✓	✓	✓	100	2,400
Western Plaza Slab	1 13/16"	24" x 24"	✓	✓	✓	96	2,208
Classic Series Plaza Slab	1 13/16"	24" x 24"	✓	✓	✓	96	2,120
Ipe Wood Plaza Slab	1.69"	24" x 24"	✓	✓	✓	176	990.88
Ipe Wood Plaza Slab	1.69"	24" x 48"	✓	✓	✓	176	990.88
Ipe Wood Ribbed Plaza Slab	1.69"	24" x 24"	✓	✓	✓	176	990.88
Cumaru Wood Plaza Slab	1.69"	24" x 24"	✓	✓	✓	176	990.88
Cumaru Wood Plaza Slab	1.69"	24" x 48"	✓	✓	✓	176	990.88
Bamboo Smooth Plaza Slab	1.69"	24" x 24"	✓	✓	✓	176	990.88

Pedestals & Accessories

PRODUCT NAME	PRODUCT DESCRIPTION	PIECES PER CARTON
STAR-T	3/8" - 9/16" (10-15mm)	50
STAR-B	3/16" Extension (5mm)	50
SE0-P	1.125" - 1.5" (28-38mm)	40
SE1-P	1.5" - 2" (37.5-50mm)	30
SE2-P	2" - 3" (50-75mm)	25
SE3-P	3" - 4.75" (75-120mm)	25
SE4-P	4.75" - 6.75" (120-170mm)	25
SE5-P	6.75" - 8.75" (170-215mm)	25
NM-1	1"-1.57" (25-40mm)	40
NM-2	1.57"-2.75" (40-70mm)	30
NM-3	2.36"-3.93" (60-100mm)	25
NM-4	3.54"-6.30" (90-160mm)	15
NM-5	5.90"-10.63" (150-270mm)	12
NM-EXT	5.7" Extension (145mm)	30
EH-12	1/2" Fixed (12mm)	250
EH-15	5/8" Fixed (16mm)	200
EH-20	3/4" Fixed (20mm)	150
RUB-14	1/4" Fixed RUBBER	150
RUB-38	3/8" Fixed RUBBER	150
RUB-PINS	1/4" Fixed w/ 4 Pins	100
PR1	1.2" - 2.55" Adjustable Pedestal	1 per box
PR2	6.1" Adjustable Pedestal	1 per box
PR3	16" Adjustable Pedestal	1 per box

Cubes (Planters/Benches) & Cube Tops

PRODUCT NAME	COMMON SIZES (CUSTOM SIZES AVAILABLE)	COLORS (CUSTOM COLORS AVAILABLE)	MINIMUM QTY
Powder Coated Aluminum Cube	24"L x 24"H x 20"H 24"L x 24"H x 36"H 48"L x 24"H x 20"H 48"L x 24"H x 36"H	Red, Black, White, Charcoal, Silver, Bronze, Zinc*	1
Ipe Cube	24"L x 24"H x 16.5"H 48"L x 24"H x 16.5"H	Brown (Natural variations to be expected)	1
Ipe Top	24"L x 24" H 48"L x 24"H	Brown (Natural variations to be expected)	1

*Premium color



EXPLORE MORE ROOFTOP PAVERS & SLABS


Cube Top



Aluminum Cube



Ipe Wood Cube



Wood & Concrete Plaza Slab

Rooftop Plaza Slabs - Western Plaza Concrete Slab



1103 - CINNAMON 1109 - YELLOW 1101 - NATURAL 1106 - LATTE 1104 - CHARCOAL



1105 - GINGER 1102 - RED NATURAL MATTE

Rooftop Plaza Concrete Slabs - Texada




CHARCOAL DESERT SAND NATURAL

Rooftop Wood Pavers



CUMARU GARAPA ITAUBA IPE TIGERWOOD


Aluminum Cube Colors



RED BLACK WHITE CHARCOAL SILVER



BRONZE ZINC (PREMIUM COLOR)



Ipe Wood Plaza Pavers & Classic Plaza Slab

Notice: Colors subject to change without prior notice. Colors in this brochure may vary from current stock. Actual samples are available from Belgard Commercial. Slight variations in color may occur during manufacturing. Slight scuffing may occur during handling.

Stocked Colors For Oldcastle - Utah (subject to change)

PRODUCT NAME	CORE MIX	DURAFUSION
PAVERS		
Aqua Dubin	Toscana, Victorian	
Aqualine 4.5 x 9	Toscana, Victorian	
Belgian Cobble	Bourbon, Midnight, Pearl	
Brooklyn		Bourbon, Midnight, Rosewood
Cambridge Cobble 6 x 6 & 6 x 9 60 mm	Toscana, Victorian	
Charlestone 3-piece	Ashwood, Fog, Midnight, Rio, Victorian	
Dimensions Plank 3 x 12 60 mm		Bourbon, Fog, Midnight, Pearl
Dimensions Plank 3 x 12 80 mm	Midnight, Rio, Scandina Gray	
Dimensions 6 x 9	Midnight	
Dimensions 6 x 12 60 mm		Bourbon, Fog, Midnight, Pearl
Dimensions 6 x 12 80 mm		Bourbon, Midnight
Dimensions 18	Amber Beige, Aspen, Hickory, Rio, Scandina Gray, Victorian	Anthracite, Sepia, Shaded Gray
Dimensions 12 60 mm	Amber Beige, Aspen, Hickory, Rio, Scandina Gray, Victorian	Anthracite, Sepia, Shaded Gray
Dimensions 12 80 mm	Aspen, Rio, Victorian	
Dimensions 6	Anthracite, Aspen, Hickory, Rio, Scandina Gray, Victorian	
Dimensions Slab 9 x 18 60 mm		Anthracite, Hickory, Scandina Gray, Sepia, Shaded Gray
Dimensions Slab 15 x 30 60 mm		Anthracite, Hickory, Scandina Gray, Sepia, Shaded Gray
Dimensions Slab 12 x 24 60 mm		Anthracite, Hickory, Scandina Gray, Sepia, Shaded Gray
Dimensions Slab 24 x 24 60 mm		Anthracite, Hickory, Scandina Gray, Sepia, Shaded Gray
Dimensions Slab 24 x 36 60 mm		Anthracite, Hickory, Scandina Gray, Sepia, Shaded Gray
Dublin Cobble 3-piece	Aspen, Rio, Toscana, Victorian	
Empire		Midnight, Scandina Gray
Holland 4 x 8 60mm	Midnight, Rio, Toscana, Victorian	

Stocked Colors For Oldcastle - Utah (subject to change)

PRODUCT NAME	CORE MIX	DURAFUSION
PAVERS		
Hexagon 6	Anthracite, Rio, Scandina Gray	
Mega-Arbel Patio Stone	Ashwood, Aspen, Victorian	
Origins 6 x 9	Midnight, Victorian	
Origins 18	Ashwood, Aspen, Rio, Victorian	Cheswick, Newport Gray, Teak
Origins 12 60 mm	Ashwood, Aspen, Rio, Victorian	Cheswick, Newport Gray, Teak
Origins 12 80 mm		Ashwood, Iron Bay, Newport Gray, Teak
Origins 6	Victorian	
Papyrus 18		Scandina Gray, Sepia
Plaza Paver Smooth 24 x 24 50 mm	Foundry, Midnight, Scandina Gray, Victorian	
Turfstone	Gray	
WALLS		
Diamond Pro Air Smooth	Anthracite, Hickory, Shaded Gray	
Diamond Pro Air Straight	Charcoal, Gray, Tan	
Diamond Pro Air Quarried	Ashwood, Victorian	
Miragrid 3XT, 5XT, 8XT		
ACCESSORIES		
Artforms Modular Panel System	Anthracite, Hickory, Scandina Gray	
Anglia Edger	Toscana, Victorian	
Landings Step Units	Victorian, Foundry, Toscana, Midnight	
Delmaro Coping 6 x 12	Bourbon, Fog, Midnight, Pearl, Rosewood	
Grava Coping 15 x 36		Ashwood, Cheswick, Iron Bay, Newport Gray, Teak
Marina Bullnose Coping	Midnight, Victorian	
Melville Curb	Bourbon, Fog, Midnight, Pearl	
Modena Coping 15 x 36		Anthracite, Hickory, Scandina Gray, Sepia, Shaded Gray

Stocked Colors For Oldcastle - Arizona (subject to change)

PRODUCT NAME	CORE MIX	DURAFUSION
PAVERS		
Avalon Slate 60 mm	Sonoran Gray, Sierra	
Brooklyn		Midnight, Rosewood
Catalina Grana 3-piece Large	Bella, Rio, Victorian, Sonoran Gray	Hickory, Scandina Gray, Sepia
Cambridge Cobble 6 x 9 60 mm	Sierra	
Cambridge Cobble 3-piece 60 mm	Sierra, Rio	
Cambridge Cobble 3-piece 30 mm	Sierra	
Charlestone 3-piece	Silverado, Midnight, Victorian	
Dimensions Plank 3 x 9 80 mm		Midnight
Dimensions Plank 3 x 12 80 mm	Sonoran Gray, Midnight	
Dimensions 6 x 9	Bella, Midnight, Rio, Sierra, Victorian, Sonoran Gray	Midnight
Dimensions 18	Victorian, Rio	Hickory, Scandina Gray, Sepia
Dimensions 12	Bella, Rio, Sonoran Gray, Victorian, Hickory	
Dimensions 6 30 mm	Bella, Rio, Sierra, Sonoran Gray, Victorian	
Dimensions 6 60 mm	Bella, Rio, Sierra, Sonoran Gray, Victorian, Hickory	
Dimensions Slab 12 x 24 60 mm	Bella, Rio, Sierra	Hickory, Scandina Gray, Shaded Gray, Sepia
Dimensions Slab 24 x 24 60 mm	Victorian, Rio, Sonoran Gray	Hickory, Scandina Gray, Shaded Gray, Sepia
Empire		Midnight, Scandina Gray
Holland 4 x 8 60mm	Midnight, Sierra, Rio, Victorian	
Hexagon 6	Foundry, Midnight, Linen	
Mega-Arbel Patio Stone	Bella, Victorian	
Origins 6 x 9	Midnight	
Origins 12	Bella, Sierra, Sonoran Gray, Victorian	
Origins 6	Bella, Sierra, Sonoran Gray, Victorian	

Stocked Colors For Oldcastle - Arizona (subject to change)

PRODUCT NAME	CORE MIX	DURAFUSION
PAVERS		
Origins 6 Antiqued	Bella, Sierra, Sonoran Gray, Victorian	
Papyrus 18		Scandina Gray, Sepia
Travertino 3-piece 30 mm	Echo Canyon, Silverado	
Turfstone	Gray	
WALLS		
Diamond Pro PS Smooth	Foundry, Graphite, Sierra, Victorian	
Diamond Pro PS and Cap Straight	Brown, Bella, Gray	
Diamond 9D and Cap Straight	Bella, Sierra, Sonoran Gray, Victorian	
ACCESSORIES		
Artforms Modular Panel System - 18 x 36	Amber Beige, Scandina Gray, Hickory	
Artforms Modular Panel System - 6 x 36	Amber Beige, Rockland Black, Scandina Gray, Hickory	
Anglia Edger	Bella, Victorian	
Landings Step Units	Gray, Dark Charcoal, Victorian	
Marina Bullnose Coping	Bella, Rio, Sierra	
Melville Curb	Midnight	

Stocked Colors For Oldcastle - Fontana (subject to change)

PRODUCT NAME	CORE MIX	DURAFUSION
PAVERS		
Aqua Dubin	Rio, Toscana, Victorian	
Aqualine 4.5 x 9	Rio, Toscana, Victorian	
Avalon 3-piece Large	Bella, Toscana, Victorian	
Belgian Cobble	Bourbon, Midnight, Pearl	
Brooklyn		Bourbon, Midnight, Rosewood
Cambridge Cobble 6 x 6 60 mm	Bella, Rio, Toscana, Victorian	
Cambridge Cobble 6 x 9 60 mm	Bella, Midnight, Rio, Toscana, Victorian	
Catalina Grana 3-piece Large	Bella, Linen, Montecito, Rio, Toscana, Victorian	Anthracite, Hickory, Scandina Gray Sepia, Shaded Gray
Charlestone 3-piece	Ashwood, Fog, Iron Bay, Midnight	
Dimensions Plank 3 x 9 80 mm		Pearl, Fog, Midnight
Dimensions Plank 3 x 12 60 mm		Bourbon, Fog, Midnight, Pearl, Rosewood
Dimensions Plank 3 x 12 80 mm	Rio, Toscana, Victorian	Fog, Midnight, Pearl
Dimensions 6 x 9	Anthracite, Bella, Bourbon, Hickory, Linen Midnight, Montecito, Rio, Scandina Gray Toscana, Victorian	Anthracite, Hickory Midnight, Scandina Gray, Sepia, Shaded Gray
Dimensions 6 x 12 60 mm		Bourbon, Fog, Pearl
Dimensions 6 x 12 80 mm		Bourbon, Midnight
Dimensions 12 x 12 Truncated Domes		Federal Yellow, Midnight
Dimensions 18	Linen, Rio, Toscana, Victorian	Anthracite, Hickory Scandina Gray Shaded Gray, Sepia
Dimensions 12 60 mm	Linen, Rio, Toscana, Victorian	Anthracite, Hickory Scandina Gray Sepia, Shaded Gray
Dimensions 12 80 mm		Anthracite, Hickory, Scandina Gray Sepia, Shaded Gray
Dimensions 6	Anthracite, Hickory, Scandina Gray	
Dimensions Slab 9 x 18 60 mm		Anthracite, Hickory, Scandina Gray Sepia, Shaded Gray
Dimensions Slab 15 x 30 60 mm		Anthracite, Hickory, Scandina Gray Sepia, Shaded Gray
Dimensions Slab 12 x 24 60 mm	Linen, Rio, Victorian	Anthracite, Hickory, Scandina Gray Shaded Gray, Sepia
Dimensions Slab 24 x 24 60 mm	Linen, Rio, Victorian	Anthracite, Hickory, Scandina Gray Shaded Gray, Sepia

Stocked Colors For Oldcastle - Fontana (subject to change)

PRODUCT NAME	CORE MIX	DURAFUSION
PAVERS		
Dimensions Slab 24 x 36 60 mm		Anthracite, Hickory, Scandina Gray Sepia, Shaded Gray
Dublin Cobble 3-piece Tumbled	Montecito, Toscana, Victorian	
Empire		Midnight, Scandina Gray
Dimensions Hexagon 6	Foundry, Linen, Midnight	Anthracite, Scandina Gray, Shaded Gray
Dimensions Diamond 12	Foundry, Linen, Midnight	
Holland 4 x 8 60mm	Bella, Midnight, Rio, Toscana, Victorian	
Holland 4 x 8 80mm	Bella, Rio, Toscana, Victorian	
Mega-Arbel Patio Stone	Rio, Toscana, Victorian	
Melville Plank 5" Slim	Foundry, Linen, Midnight	
Melville Plank 7.5" Large	Foundry, Linen, Midnight	
Origins 6 x 9	Midnight, Rio Toscana, Victorian	Ashwood, Cheswick Iron Bay, Newport Gray
Origins 18	Rio, Toscana, Victorian	Ashwood, Cheswick Iron Bay, Newport Gray
Origins 12 60 mm	Rio, Toscana, Victorian	Ashwood, Cheswick, Iron Bay, Newport Gray
Origins 12 80 mm		Ashwood, Cheswick Iron Bay, Newport Gray
Origins 6 and Heritage	Rio, Toscana, Victorian	
Papyrus 18		Scandina Gray, Sepia
Turfstone	Gray	
WALLS		
Diamond Pro Air Smooth	Anthracite, Hickory, Shaded Gray	
Diamond Pro Air Straight	Charcoal, Gray, Tan	
Diamond Pro Air Quarried	Rio, Toscana	
ACCESSORIES		
Anglia Edger	Rio, Toscana, Victorian	
Delmaro Coping 6 x 12	Bourbon, Fog, Midnight, Pearl, Rosewood	
Grava Coping 15 x 36		Ashwood, Cheswick, Iron Bay Newport Gray, Teak
Marina Coping 6 x 12	Bella, Hickory, Midnight, Rio, Scandina Gray, Sepia, Shaded Gray, Toscana, Victorian	
Melville Curb	Bourbon, Fog, Midnight, Pearl Toscana, Victorian	
Modena Coping 15 x 36		Anthracite, Hickory, Scandina Gray Sepia, Shaded Gray

Stocked Colors For Oldcastle - Northern California (subject to change)

PRODUCT NAME	CORE MIX	DURAFUSION
PAVERS		
Aqualine 4.5 x 9	Toscana, Victorian	
Avalon Slate 3-piece Large	Toscana, Victorian	
Brooklyn		Bourbon, Midnight, Rosewood
Cambridge Cobble 6 x 6 60mm	Riviera, Toscana, Victorian	
Cambridge Cobble 6 x 9 60mm	Midnight, Riviera, Toscana, Victorian	
Catalina Grana 3-piece Large	Aspen, Bella, Riviera, Toscana, Victorian	Anthracite, Brown Beige Charcoal Cream Tan Brown, Gray Charcoal Gray Charcoal Tan, Hickory, Scandina Gray Sepia, Shaded Gray, Tan Brown Charcoal Tan Red Charcoal
Charlestone 3-piece	Ashwood, Fog, Iron Bay, Midnight	
Dimensions Plank 3 x 9 80 mm		Pearl, Fog, Midnight
Dimensions Plank 3 x 12 60 mm		Bourbon, Fog, Midnight, Pearl, Rosewood
Dimensions Plank 3 x 12 80 mm		Pearl, Fog, Midnight
Dimensions 6 x 9	Aspen, Bella, Midnight, Riviera Toscana, Victorian	Anthracite, Brown Beige Charcoal Cream Tan Brown, Gray Charcoal Gray Charcoal Tan, Hickory, Midnight Scandina Gray, Sepia, Shaded Gray Tan Brown Charcoal, Tan Red Charcoal
Dimensions 6 x 12 60 mm		Anthracite, Bourbon, Fog, Hickory, Midnight, Pearl, Scandina Gray, Sepia, Shaded Gray
Dimensions 6 x 12 80 mm		Bourbon, Midnight
Dimensions 12 60 mm	Riviera, Toscana, Victorian	Anthracite, Hickory, Scandina Gray, Sepia, Shaded Gray
Dimensions 12 80 mm		Anthracite, Hickory, Scandina Gray Sepia, Shaded Gray
Dimensions 18	Riviera, Toscana, Victorian	Anthracite, Hickory, Scandina Gray Sepia, Shaded Gray
Dimensions 9 x 18 60 mm		Anthracite, Hickory, Scandina Gray Sepia, Shaded Gray
Dimensions 15 x 30 60 mm		Anthracite, Hickory, Scandina Gray Sepia, Shaded Gray
Dimensions Slab 12 x 24 60 mm	Aspen, Riviera, Victorian	Anthracite, Hickory, Iron Bay Scandina Gray, Sepia, Shaded Gray
Dimensions Slab 24 x 24 60 mm	Aspen, Riviera, Victorian	Anthracite, Hickory, Iron Bay Scandina Gray, Sepia, Shaded Gray
Dimensions Slab 24 x 36 60 mm		Anthracite, Hickory, Iron Bay Scandina Gray, Sepia, Shaded Gray
Empire		Midnight, Scandina Gray
Dimensions Hexagon 6		Anthracite, Scandina Gray, Shaded Gray
Holland 4 x 8 60mm	Midnight, Toscana, Victorian	

Stocked Colors For Oldcastle - Northern California (subject to change)

PRODUCT NAME	CORE MIX	DURAFUSION
PAVERS		
Mega-Arbel 60mm	Toscana, Victorian	
Origins 6 x 9 60 mm		Ashwood, Cheswick, Iron Bay, Midnight Newport Gray, Teak
Origins 12 60 mm		Ashwood, Cheswick, Iron Bay Newport Gray, Teak
Origins 12 80 mm		Ashwood, Cheswick, Iron Bay Newport Gray, Teak
Origins 18		Ashwood, Cheswick, Iron Bay Newport Gray, Teak
Papyrus 18		Scandina Gray, Sepia
Quarry Stone 3-piece & 6 x 9 60 mm		Oak Barrel, Rustic Yellowstone Sequoia Sandstone, Sierra Granite
Turfstone	Gray	
WALLS		
Diamond Pro Air Smooth	Anthracite, Hickory, Shaded Gray	
Diamond Pro Air Straight	Charcoal, Gray, Tan	
Melville Tandem	Riviera, Toscana, Victorian	
Tandem Wall Ashlar w/Joints	Riviera, Toscana, Victorian	
Tandem Cap	Riviera, Toscana, Victorian	
ACCESSORIES		
Anglia Edger	Riviera, Toscana, Victorian	
Delmaro Coping 6 x 12	Bourbon, Fog, Midnight, Pearl, Rosewood	
Grava Coping 15 x 36		Ashwood, Cheswick, Iron Bay Newport Gray, Teak
Landings Step Unit	Gray, Midnight, Toscana, Victorian	
Marina Coping 6 x 12	Bella, Brown Beige Charcoal, Cream Tan Brown, Hickory, Midnight, Riviera Scandina Gray, Sepia, Shaded Gray Tan Red Charcoal, Toscana, Victorian	
Marina Coping 4 x 12	Brown Beige Charcoal, Cream Tan Brown Midnight, Riviera, Scandina Gray, Sepia Toscana, Victorian	
Melville Curb	Bourbon, Fog, Midnight, Pearl	
Modena Coping 15 x 36		Anthracite, Hickory, Scandina Gray Sepia, Shaded Gray

Please call for availability on non-stocked colors.


- Minimum non-stocking item order quantity is 1,000 sqft for pavers and 500 sqft for walls
- Setup charges will apply on non-stocking item orders less than 3,000 sqft for pavers and 1,500 sqft for walls
- Non-stocking item orders may take 6 to 8 weeks to manufacture + 2 weeks to Antique (Tumble)



Meta-Lafitt & Holland 4 x 8

BELGARD RESOURCES


DESIGN FILES



TECHNICAL RESOURCES



CONTINUING EDUCATION



MANUFACTURING LOCATIONS

10714 Poplar Avenue
Fontana, CA 92337
Ph: 909.355.6422
Toll Free: 866.749.3838

4202 Gibraltar Court
Stockton, CA 95206
Ph: 209.983.1609
Fx: 209.983.8074

426 E Grant Line Rd
Tracy, CA 95376
Ph: 209.833.7366

5787 Obata Way
Gilroy, CA 95020
Ph: 408.984.8800

13775 Llagas Ave
San Martin, CA 95046
Ph: 408.686.9627

Superlite Solution Center
1919 W Fairmont Dr Ste 5
Tempe, AZ 85282
Ph: 800-366-7877

333 S. Redwood Rd.
North Salt Lake, UT 84054
Ph: 801-936-7628



ORDER SAMPLES



FIND YOUR SALES REP

BELGARD®

AN OLDCASTLE® APG OUTDOOR BRAND

BELGARDCOMMERCIAL.COM

© 2026 Oldcastle® APG, Inc. All Rights Reserved. BELCOMM26-D-607750 | West | Revised 03/2026

